S346-2-U

MAINE VITAL STATISTICS

1989

STATE OF MAINE
DEPARTMENT OF
HUMAN SERVICES

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. §2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. §794), the Age Discrimination Act of 1975, as amended (42 U.S.C. §6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 289-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

(ANNUAL.VS/sw)

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1989. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, , who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1989 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, Michael Berube, and Sylvia Cunningham - Vital statistics systems maintenance and programming of vital statistics series reports.

Dale Welch, Senior Researcher - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection,coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

TABLE OF CONTENTS

	Page No.
Acknowledgements	ii
List of Tables	v
List of Supplemental Tables Available on Request	x
Introduction	1
Definitions of Terms	3
Definitions of Rates	7
Technical Notes	9
General Considerations	9
Live Births	12
Pregnancy Outcome	12
Infant and Fetal Mortality	12
General Mortality	13
Induced Terminations	15
Marriages and Divorces	15
Tables (See List of Tables for detailed titles)	
Live Births	17
Pregnancy Outcome	67
Infant and Fetal Mortality	87
General Mortality	101
Induced Terminations	145
Marriages and Divorces	157
Appendices	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth	167
Certificate of Fetal Death	168
Certificate of Death	169
License and Certificate of Marriage	171
Record of Divorce or Annulment	173
Report of Termination (Spontaneous and Induced)	174

TABLE OF CONTENTS (Continued)

Page No.

Population Projections

Estimated Total Population: Maine Counties and State Total 175
Projected Population by Age Group and Sex: Maine State Totals 176

Historical Vital Statistics Data

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900 177
Induced Terminations, Number and Rate: Maine State Totals, from 1978..... 178

LIST OF TABLES

Table No.	Table Title	Page No.
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1989 (Resident Data)	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1989 (Resident Data)	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1989 (Resident data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1989 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1989 (Resident Data)	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1989 (Resident Data)	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1989 (Resident Data)	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1989 (Resident Data)	58
TABLE B-9	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Total, 1989 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	64
TABLE B-10	Live Births by Selected Risk Characteristics--Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1989 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

Table No.	Table Title	Page No.
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1989 (Occurrence Data).....	66
	PREGNANCY OUTCOME	
TABLE P-1	All Pregnancies by Outcome, Marital Status, and Age of Mother: Maine Counties and Maine State Totals, 1989 (Resident Data).....	69
TABLE P-2	Fetal Deaths, Miscarriages, and Induced Terminations by Weeks of Gestation: Maine State Totals, 1989 (Resident Data).....	86
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1989 (Resident Data).....	89
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1989 (Resident Data).....	93
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1989 (Resident Data).....	95
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1989 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies..	96
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1989 (Resident Data).....	97
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1989 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	98
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1989 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	99
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1989 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	100

Table No.	Table Title	Page No.
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate--Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1989 (Resident Data).....	103
TABLE D-2	Years of Life Lost--Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1989 (Resident Data).....	108
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1989 (Resident Data).....	109
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1989 (Resident Data).....	130
TABLE D-5	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1989 (Resident Data).....	132
TABLE D-6	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1989 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	133
TABLE D-7	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1989 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	134
TABLE D-8	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1989 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	135
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1989 (Resident Data).....	136
TABLE D-10	Acquired Immune Deficiency Syndrome--Related Deaths by Status of Mention: Maine State Totals, 1989 (Resident Data).....	139
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1989 (Resident Data).....	140

Table No.	Table Title	Page No.
	INDUCED TERMINATIONS	
TABLE A-2	Induced Terminations by Gestation and Type of Termination Procedures: Maine State Totals, 1989 (Occurrence Data)	147
TABLE A-3	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1989 (Resident Data)	148
TABLE A-4	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1989 (Occurrence Data)	149
TABLE A-5	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1989 (Resident Data)	150
TABLE A-6	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1989 (Occurrence Data)	151
TABLE A-7	Induced Terminations by Marital Status and Age of Patient: Maine State Totals, 1989 (Resident and Occurrence Data)	152
TABLE A-8	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1989 (Resident Data)	153
TABLE A-9	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1989 (Occurrence Data)	154
TABLE A-10	Induced Terminations by State or Country of Residence: Maine State Totals, 1989 (Occurrence Data)	155
	MARRIAGES AND DIVORCES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1989 (Resident Data)	159
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1989 (Resident Data)	160
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1989 (Resident Data)	161
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1989 (Resident Data)	162
TABLE M-5	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1989 (Occurrence Data)	163

Table No.	Table Title	Page No.
	APPENDICES	
TABLE C-1	Copy of Maine Birth Certificate	167
TABLE C-2	Copy of Maine Fetal Death Certificate	168
TABLE C-3	Copy of Maine Death Certificate	169
TABLE C-4	Copy of Maine Marriage Certificate	171
TABLE C-5	Copy of Maine Divorce Certificate	173
TABLE C-6	Copy of Maine Report of Termination of Pregnancy (Spontaneous and Induced)	174
TABLE E-1	Estimated Total Population: Maine Counties and State Total, July 1, 1989	175
TABLE E-2	Estimated Population by Age Group and Sex: Maine State Totals, July 1, 1989	176
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1955 (every fifth year) and 1955-1989 (yearly)	177
TABLE H-2	Historical Vital Statistics Data, Induced Terminations, Number and Rate: Maine State Totals, 1978-1989	178

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.

S-A-2 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1989 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]

S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1989 (Occurrence Data)

S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1989 (Occurrence Data)

S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1989 (Occurrence Data)

S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1989 (Resident Data)

S-B-2 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1989 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]

S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1989 (Resident Data)

S-D-1 Deaths, Rank by Number of Deaths, and Death Rate - Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group Maine State Totals, 1989 (Resident Data)

S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1989 (Resident Data)

S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1989 (Resident Data)

S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups Maine State Totals, 1989 (Resident Data)

---

*Supplemental tables are available at the cost of reproduction.

S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1989 (Resident Data)

S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1989 (Resident Data)

S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1989 (Occurrence Data)

S-D-8 Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1989 (Occurrence Data)

S-D-9 Years of Life Lost Before Age 75 - Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1989 (Resident Data)

S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, Other Birth Sites, and State Total, 1989 (Occurrence Data)

S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1989 (Resident Data)

S-M-1 Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1989 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]

S-M-2 Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1989 (Resident Data)

---

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Maine Department of Human Services
Office of Data, Research, and Vital Statistics
35 Anthony Avenue
State House Station #11
Augusta, Maine 04333-0011

Telephone: (207) 626-5445

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Termination (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group / Total Resident Population in Specific Age Group	X	100,000
Birth Rate	=	Resident Live Births / Total Resident Population	X	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause / Total Resident Population	X	100,000
Death Rate	=	Resident Deaths / Total Resident Population	X	1,000
Divorce Rate	=	Divorces / Total Resident Population	X	1,000
Fetal Death Rate	=	Resident Fetal Deaths / Total Resident Live Births and Resident Fetal Deaths	X	1,000
Infant Death Rate	=	Resident Infant Deaths / Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed / Total Resident Population	X	1,000
Maternal Death Rate	=	Resident Maternal Deaths / Total Resident Live Births	X	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths / Total Resident Live Births	X	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths / Total Resident Fetal Deaths and Live Births	X	1,000
Postneonatal Death Rate	=	Resident Postneonatal Deaths / Total Resident Live Births	X	1,000
Sex-Specific Death Rate	=	Resident Deaths of Indicated Sex / Total Resident Population of Indicated Sex	X	100,000

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, termination of pregnancy (spontaneous and induced), marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Terminations of Pregnancy (spontaneous and induced), March 15, 1990; Deaths, Fetal Deaths, and Marriages, April 1, 1990; and Births, April 15, 1990. Any data pertaining to 1989 events for which certificates were filed after the above cut off dates are not included in this report.

Birth certificates and termination of pregnancy (spontaneous and induced) reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced terminations may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.

- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.

- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from both the 1989-1998 Maine Population Projections, and the 1989 Maine Population Estimates, Office of Data, Research, and Vital Statistics, Department of Human Services, July, 1990. A display of both of these population data is included in Appendix Tables E-1 and E-2. Tables F-5 and H-1 were calculated with the 1989 Maine population estimates and Tables P-1 and D-1 were calculated with the 1989-1998 Maine population projections.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Live Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years. Revised tables from 1985 to 1988 are available on request.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, miscarriages, and induced terminations.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:
Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Vital Records Manual, 1989. December, 1988.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.

**Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Induced Terminations

All induced terminations performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced terminations in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced terminations reports, so complementary data on Maine residents who received terminations in other states are available, but only one or two records are received each year from other states indicating that very few Maine residents receive induced terminations in neighboring states.

The numbers of induced terminations reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced terminations must be reported to the Department of Human Services on the appropriate form.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	RACE OF CHILD: WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	20	0.11	20	0	0	0	0	0
15	48	0.27	47	0	0	1	0	0
16	186	1.07	180	2	4	0	0	0
17	327	1.87	317	2	6	1	1	0
18	549	3.14	539	4	6	0	0	0
19	754	4.32	735	5	10	1	1	2
20-24	5,176	29.64	5,026	41	64	22	4	19
25-29	5,757	32.96	5,633	38	38	29	8	11
30-34	3,360	19.24	3,284	16	14	23	13	10
35-39	1,143	6.54	1,119	9	7	2	2	4
40-44	137	0.78	129	3	2	0	2	1
GREATER THAN 44	3	0.02	3	0	0	0	0	0
UNKNOWN	4	0.02	4	0	0	0	0	0
STATE TOTALS	17,464		17,036	120	151	79	31	47
PERCENT DISTRIBUTION		100.00	97.55	0.69	0.86	0.45	0.18	0.27

OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	18	0.47	18	0	0	0	0	0
15	46	1.21	45	0	0	1	0	0
16	157	4.12	151	2	4	0	0	0
17	268	7.04	260	1	5	1	1	0
18	386	10.14	379	3	4	0	0	0
19	439	11.53	430	3	6	0	0	0
20-24	1,440	37.83	1,391	12	26	6	0	5
25-29	662	17.39	641	8	12	1	0	0
30-34	295	7.75	283	2	6	2	0	2
35-39	84	2.21	81	1	2	0	0	0
40-44	11	0.29	9	1	1	0	0	0
GREATER THAN 44	1	0.03	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
STATE TOTALS	3,807		3,689	33	66	11	1	7
PERCENT DISTRIBUTION		100.00	96.90	0.87	1.73	0.29	0.03	0.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGRACE

TABLE B-2 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	MOTHER'S AGE(YRS.) LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS																
LESS THAN 500	8	0.05	0	0	0	0	0	0	1	3	3	1	0	0	0	0
500-999	52	0.30	0	1	1	2	1	2	3	16	11	11	2	2	0	0
1000-1499	80	0.46	0	0	0	4	2	4	6	28	15	14	4	2	0	1
1500-1999	129	0.74	0	0	0	2	6	6	9	37	32	27	7	3	0	0
2000-2499	579	3.32	0	1	2	15	17	27	25	159	178	107	42	6	0	0
2500-2999	2,159	12.36	0	3	8	34	49	83	115	727	666	349	107	18	0	0
3000-3499	6,060	34.70	0	8	11	73	114	212	303	1,857	1,977	1,098	365	39	1	2
3500-3999	5,914	33.86	0	4	20	39	102	171	219	1,680	1,992	1,234	409	42	1	1
4000-4499	2,020	11.57	0	3	5	17	34	37	62	545	706	423	168	19	1	0
4500-4999	395	2.26	0	0	1	0	2	6	9	112	144	83	33	5	0	0
GREATER THAN 4999	42	0.24	0	0	0	0	0	1	1	8	17	11	4	0	0	0
UNKNOWN	26	0.15	0	0	0	0	0	0	1	4	16	2	2	1	0	0
STATE TOTALS	17,464		0	20	48	186	327	549	754	5,176	5,757	3,360	1,143	137	3	4
PERCENT DIST.		100.00	0.00	0.11	0.27	1.07	1.87	3.14	4.32	29.64	32.96	19.24	6.54	0.78	0.02	0.02
OUT OF WEDLOCK BIRTHS																
LESS THAN 500	4	0.11	0	0	0	0	0	0	1	2	1	0	0	0	0	0
500-999	18	0.47	0	1	1	1	1	1	3	7	2	1	0	0	0	0
1000-1499	35	0.92	0	0	0	4	2	4	5	12	3	4	1	0	0	0
1500-1999	37	0.97	0	0	0	0	4	4	4	15	7	2	1	0	0	0
2000-2499	175	4.60	0	1	2	13	13	15	19	49	29	26	5	3	0	0
2500-2999	645	16.94	0	3	8	27	41	62	71	258	115	43	17	0	0	0
3000-3499	1,426	37.46	0	7	9	66	97	157	184	551	236	92	25	2	0	0
3500-3999	1,095	28.76	0	3	20	33	86	114	115	394	198	104	23	4	1	0
4000-4499	311	8.17	0	3	5	13	23	25	31	127	53	20	10	1	0	0
4500-4999	53	1.39	0	0	1	0	1	3	5	22	15	3	2	1	0	0
GREATER THAN 4999	2	0.05	0	0	0	0	0	1	0	1	0	0	0	0	0	0
UNKNOWN	6	0.16	0	0	0	0	0	0	1	2	3	0	0	0	0	0
STATE TOTALS	3,807		0	18	46	157	268	386	439	1,440	662	295	84	11	1	0
PERCENT DIST.		100.00	0.00	0.47	1.21	4.12	7.04	10.14	11.53	37.83	17.39	7.75	2.21	0.29	0.03	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.80	0.00	90.00	95.83	84.41	81.96	70.31	58.22	27.82	11.50	8.78	7.35	8.03	33.33	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHAGE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

COMPLICATIONS OF LABOR			MEDICAL RISK FACTORS			OTHER RISK FACTORS			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
FEBRILE >100 F	42	0.2	ANEMIA	132	0.8	TOBACCO USE	3,394	19.4	VAGINAL	12,662	72.5	ANENCEPHALUS	1	0.0
MECONIUM	852	4.9	CARDIAC DISEASE	34	0.2	AVG CIGARETTES PER DAY	14	93.5	VAGINAL AFTER C-SECTION	350	2.0	SPINA BIFIDA	4	0.0
PREMATURE RUPTURE MEMBRANE >12 HRS	420	2.4	ACUTE OR CHRONIC LUNG DISEASE	38	0.2	ALCOHOL USE	406	2.3	PRIMARY C-SECTION	2,159	12.4	HYDROCEPHALUS	6	0.0
ABRUPTIO PLACENTA	71	0.4	DIABETES/ GESTATIONAL DIABETES	280	1.6	AVG DRINKS PER WEEK	2	68.7	REPEAT C-SECTION	1,240	7.1	MICROCEPHALUS	0	0.0
PLACENTA PREVIA	36	0.2	PRE-EXISTING	32	0.2	AVG WEIGHT GAIN	30	LBS	FORCEPS	237	1.4	OTHER NERVOUS SYSTEM	5	0.0
EXCESSIVE BLEEDING	86	0.5	GENITAL HERPES	121	0.7				VACUUM	701	4.0	HEART	21	0.1
SEIZURES DURING LABOR	15	0.1	HYDRAMNIOS/ OLIGOHYDRAMNIOS	58	0.3	ABNORMAL CONDITIONS OF THE NEWBORN			OTHER	90	0.5	OTHER CIRCULATORY SYSTEM	9	0.1
PRECIPITOUS LABOR <3 HRS	383	2.2	HEMOGLOBINOPATHY	3	0.0	CONDITION	NUMBER	%	UNKNOWN	25	0.1	RECTAL ATRESIA	1	0.0
PROLONGED LABOR >20 HRS	333	1.9	HYPERTENSION CHRONIC HYPERTENSION	118	0.7	ANEMIA	19	0.1				TRACHEO-ESOPHAGEAL FISTULA	2	0.0
DYSFUNCTIONAL LABOR	592	3.4	PREGNANCY ASSOC. HYPERTENSION	478	2.7	BIRTH INJURY	19	0.1				OMPHALOCELE/ GASTROSCHISIS	1	0.0
BREECH	540	3.1	ECLAMPSIA	12	0.1	FETAL ALCOHOL	1	0.0				OTHER GASTROINTESTINAL	6	0.0
CEPHALOPELVIC/ DISPROPORTION	709	4.1	INCOMPETENT CERVIX	24	0.1	HYALINE MEMBRANE DISEASE	58	0.3	OBSTETRIC PROCEDURES			MALFORMED GENITALIA	11	0.1
CORD PROLAPSE	29	0.2	PREVIOUS INFANT 4000+ GRAMS	131	0.8	MECONIUM ASPIRATION	58	0.3	CONDITION	NUMBER	%	RENAL AGENESIS	2	0.0
ANESTHETIC COMPLICATIONS	4	0.0	PREVIOUS PRETERM	195	1.1	ASSISTED <30 MIN VENTILATION	156	0.9	AMNIOCENTHSIS	498	2.9	OTHER UROGENITAL	19	0.1
FETAL DISTRESS	577	3.3	RENAL DISEASE	36	0.2	ASSISTED >30 MIN VENTILATION	50	0.3	ELECTRIC FETAL MONITORING	11,293	64.7	CLEFT LIP/PALATE	16	0.1
OTHER	1,787	10.2	RH SENSITIZATION	47	0.3	SEIZURES	10	0.1	INDUCED LABOR	1,563	8.9	POLYDACTYLY	15	0.1
NONE	12,242	70.1	UTERINE BLEEDING	128	0.7	OTHER	526	3.0	STIMULATION OF LABOR	1,667	9.5	CLUB FOOT	11	0.1
UNKNOWN	22	0.1	OTHER	1,412	8.1	NONE	16,631	95.2	TOCOLYSIS	288	1.6	DIAPHRAGMATIC HERNIA	4	0.0
			NONE	14,543	83.3	UNKNOWN	24	0.1	ULTRA SOUND	7,609	43.6	MUSCULOSKELETAL	34	0.2
			UNKNOWN	24	0.1				OTHER	224	1.3	DOWNS SYNDROME	4	0.0
									NONE	4,346	24.9	CHROMOSOMAL	2	0.0
									UNKNOWN	23	0.1	OTHER	35	0.2
												NONE	17,260	98.8
												UNKNOWN	25	0.1

NOTES: PERCENTAGES ARE BASED ON THE 17,464 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

BMEDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	RISK CHARACTERISTICS: 5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,629	9	0.6	31	1.9	79	4.8	94	5.8	1.01
AROOSTOOK	1,198	5	0.4	17	1.4	58	4.8	82	6.8	1.05
CUMBERLAND	3,517	17	0.5	15	0.4	162	4.6	197	5.6	1.13
FRANKLIN	381	1	0.3	0	0.0	16	4.2	25	6.6	1.10
HANCOCK	628	6	1.0	9	1.4	29	4.6	39	6.2	1.20
KENNEBEC	1,556	4	0.3	22	1.4	80	5.1	91	5.8	1.04
KNOX	444	4	0.9	3	0.7	18	4.1	20	4.5	0.84
LINCOLN	385	1	0.3	3	0.8	17	4.4	19	4.9	1.04
OXFORD	767	1	0.1	9	1.2	34	4.4	46	6.0	1.10
PENOBSCOT	1,939	10	0.5	7	0.4	96	5.0	110	5.7	1.09
PISCATAQUIS	216	0	0.0	0	0.0	6	2.8	10	4.6	1.02
SAGADAHOC	546	5	0.9	3	0.5	32	5.8	41	7.5	1.02
SOMERSET	724	2	0.3	10	1.4	40	5.5	30	4.1	1.08
WALDO	498	6	1.2	5	1.0	24	4.8	28	5.6	1.12
WASHINGTON	423	1	0.2	7	1.7	15	3.5	18	4.3	0.95
YORK	2,611	23	0.9	38	1.5	142	5.4	150	5.7	1.07
STATE TOTALS	17,464	95	0.5	179	1.0	848	4.9	1,000	5.7	1.07

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BENVIND

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ANDROSCOGGIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.06	1	0	0	1	0	0	0	0	0
15	10	0.61	4	6	0	10	0	0	0	0	0
16	24	1.47	13	11	0	21	3	0	0	0	0
17	35	2.15	15	20	0	30	3	2	0	0	0
18	70	4.30	35	35	0	53	16	1	0	0	0
19	73	4.48	36	37	0	44	24	4	1	0	0
20-24	604	37.08	300	304	0	286	219	80	14	5	0
25-29	500	30.69	257	243	0	176	204	93	22	5	0
30-34	233	14.30	118	115	0	56	90	59	19	9	0
35-39	70	4.30	35	35	0	11	27	16	9	7	0
40-44	9	0.55	5	4	0	3	3	1	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,629		819	810	0	691	589	256	65	28	0
PERCENT DISTRIBUTION		100.00	50.28	49.72	0.00	42.42	36.16	15.72	3.99	1.72	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.23	1	0	0	1	0	0	0	0	0
15	9	2.08	4	5	0	9	0	0	0	0	0
16	23	5.32	13	10	0	21	2	0	0	0	0
17	28	6.48	12	16	0	24	2	2	0	0	0
18	49	11.34	26	23	0	38	10	1	0	0	0
19	38	8.80	19	19	0	25	11	2	0	0	0
20-24	194	44.91	97	97	0	94	66	31	0	3	0
25-29	60	13.89	36	24	0	16	23	19	2	0	0
30-34	23	5.32	11	12	0	6	9	5	2	1	0
35-39	6	1.39	4	2	0	1	2	0	1	2	0
40-44	1	0.23	1	0	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	432		224	208	0	235	126	60	5	6	0
PERCENT DISTRIBUTION		100.00	51.85	48.15	0.00	54.40	29.17	13.89	1.16	1.39	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.52	27.35	25.68	0.00	34.01	21.39	23.44	7.69	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

ABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
AROOSTOOK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.17	0	2	0	2	0	0	0	0	0
15	2	0.17	2	0	0	2	0	0	0	0	0
16	10	0.83	3	7	0	10	0	0	0	0	0
17	22	1.84	15	7	0	20	2	0	0	0	0
18	38	3.17	25	13	0	32	5	1	0	0	0
19	63	5.26	28	35	0	43	19	1	0	0	0
20-24	408	34.06	200	208	0	220	145	31	11	1	0
25-29	429	35.81	222	207	0	154	166	80	19	10	0
30-34	163	13.61	90	73	0	37	57	43	21	5	0
35-39	53	4.42	25	28	0	9	14	14	8	8	0
40-44	8	0.67	3	5	0	1	0	2	2	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,198		613	585	0	530	408	172	61	27	0
PERCENT DISTRIBUTION		100.00	51.17	48.83	0.00	44.24	34.06	14.36	5.09	2.25	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.93	0	2	0	2	0	0	0	0	0
15	2	0.93	2	0	0	2	0	0	0	0	0
16	10	4.63	3	7	0	10	0	0	0	0	0
17	17	7.87	11	6	0	17	0	0	0	0	0
18	21	9.72	14	7	0	16	4	1	0	0	0
19	24	11.11	11	13	0	19	5	0	0	0	0
20-24	88	40.74	38	50	0	46	32	7	3	0	0
25-29	33	15.28	15	18	0	10	11	6	2	4	0
30-34	13	6.02	4	9	0	2	5	4	1	1	0
35-39	5	2.31	2	3	0	0	1	2	0	2	0
40-44	1	0.46	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	216		100	116	0	124	58	20	6	8	0
PERCENT DISTRIBUTION		100.00	46.30	53.70	0.00	57.41	26.85	9.26	2.78	3.70	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.03	16.31	19.83	0.00	23.40	14.22	11.63	9.84	29.63	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.03	0	1	0	1	0	0	0	0	0
15	8	0.23	4	4	0	7	1	0	0	0	0
16	33	0.94	14	19	0	28	5	0	0	0	0
17	52	1.48	26	26	0	39	11	2	0	0	0
18	89	2.53	45	44	0	74	13	2	0	0	0
19	116	3.30	67	49	0	82	29	4	1	0	0
20-24	809	23.00	430	379	0	414	278	88	21	7	1
25-29	1,161	33.01	620	541	0	518	414	160	53	16	0
30-34	876	24.91	471	405	0	313	317	182	48	16	0
35-39	335	9.53	167	168	0	84	125	75	34	17	0
40-44	35	1.00	18	17	0	5	14	6	4	6	0
GREATER THAN 44	1	0.03	1	0	0	0	1	0	0	0	0
UNKNOWN	1	0.03	0	1	0	0	0	1	0	0	0
COUNTY TOTALS	3,517		1,863	1,654	0	1,565	1,208	520	161	62	1
PERCENT DISTRIBUTION		100.00	52.97	47.03	0.00	44.50	34.35	14.79	4.58	1.76	0.03
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.15	0	1	0	1	0	0	0	0	0
15	8	1.18	4	4	0	7	1	0	0	0	0
16	30	4.41	12	18	0	25	5	0	0	0	0
17	47	6.91	22	25	0	35	10	2	0	0	0
18	73	10.74	36	37	0	59	12	2	0	0	0
19	75	11.03	42	33	0	53	17	4	1	0	0
20-24	237	34.85	129	108	0	133	65	27	8	3	1
25-29	127	18.68	69	58	0	59	32	21	12	3	0
30-34	62	9.12	31	31	0	19	17	15	7	4	0
35-39	18	2.65	12	6	0	10	4	2	2	0	0
40-44	2	0.29	2	0	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	680		359	321	0	401	164	73	30	11	1
PERCENT DISTRIBUTION		100.00	52.79	47.21	0.00	58.97	24.12	10.74	4.41	1.62	0.15
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		19.33	19.27	19.41	0.00	25.62	13.58	14.04	18.63	17.74	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
FRANKLIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.26	0	1	0	1	0	0	0	0	0
15	1	0.26	1	0	0	1	0	0	0	0	0
16	6	1.57	3	3	0	6	0	0	0	0	0
17	6	1.57	3	3	0	5	0	1	0	0	0
18	20	5.25	14	6	0	16	3	1	0	0	0
19	22	5.77	10	12	0	16	5	1	0	0	0
20-24	132	34.65	70	62	0	64	42	24	2	0	0
25-29	100	26.25	49	51	0	29	41	21	5	3	1
30-34	62	16.27	29	33	0	19	16	15	9	3	0
35-39	24	6.30	15	9	0	8	6	4	4	2	0
40-44	6	1.57	5	1	0	1	1	1	1	2	0
GREATER THAN 44	1	0.26	1	0	0	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	381		200	181	0	166	114	69	21	10	1
PERCENT DISTRIBUTION		100.00	52.49	47.51	0.00	43.57	29.92	18.11	5.51	2.62	0.26
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.99	0	1	0	1	0	0	0	0	0
15	1	0.99	1	0	0	1	0	0	0	0	0
16	3	2.97	1	2	0	3	0	0	0	0	0
17	5	4.95	2	3	0	5	0	0	0	0	0
18	13	12.87	9	4	0	11	1	1	0	0	0
19	12	11.88	5	7	0	8	4	0	0	0	0
20-24	40	39.60	19	21	0	23	10	7	0	0	0
25-29	15	14.85	6	9	0	3	7	4	1	0	0
30-34	8	7.92	3	5	0	3	1	2	2	0	0
35-39	2	1.98	2	0	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	1	0.99	1	0	0	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	101		49	52	0	58	23	16	4	0	0
PERCENT DISTRIBUTION		100.00	48.51	51.49	0.00	57.43	22.77	15.84	3.96	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.51	24.50	28.73	0.00	34.94	20.18	23.19	19.05	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
HANCOCK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.16	1	0	0	1	0	0	0	0	0
16	3	0.48	2	1	0	3	0	0	0	0	1
17	16	2.55	9	7	0	13	2	0	0	0	0
18	11	1.75	7	4	0	8	3	0	0	0	0
19	20	3.18	11	9	0	16	4	0	0	0	0
20-24	192	30.57	105	87	0	113	54	19	5	1	0
25-29	205	32.64	109	96	0	83	74	35	10	2	1
30-34	118	18.79	63	55	0	34	41	24	13	6	0
35-39	52	8.28	29	23	0	16	20	6	4	6	0
40-44	10	1.59	6	4	0	3	2	1	1	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	628		342	286	0	290	200	85	33	18	2
PERCENT DISTRIBUTION		100.00	54.46	45.54	0.00	46.18	31.85	13.54	5.25	2.87	0.32
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.82	1	0	0	1	0	0	0	0	0
16	3	2.46	2	1	0	3	0	0	0	0	1
17	15	12.30	8	7	0	12	2	0	0	0	0
18	7	5.74	4	3	0	6	1	0	0	0	0
19	8	6.56	3	5	0	6	2	0	0	0	0
20-24	52	42.62	25	27	0	37	6	6	2	1	0
25-29	22	18.03	13	9	0	8	7	4	3	0	0
30-34	9	7.38	4	5	0	1	2	3	2	1	0
35-39	3	2.46	1	2	0	0	0	0	1	2	0
40-44	2	1.64	2	0	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	122		63	59	0	74	21	13	8	5	1
PERCENT DISTRIBUTION		100.00	51.64	48.36	0.00	60.66	17.21	10.66	6.56	4.10	0.82
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		19.43	18.42	20.63	0.00	25.52	10.50	15.29	24.24	27.78	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.13	1	1	0	2	0	0	0	0	0
15	3	0.19	1	2	0	3	0	0	0	0	0
16	18	1.16	9	9	0	17	0	1	0	0	0
17	31	1.99	11	20	0	30	1	0	0	0	0
18	54	3.47	26	28	0	47	7	0	0	0	0
19	58	3.73	30	28	0	42	14	2	0	0	0
20-24	507	32.58	260	247	0	250	194	56	7	0	0
25-29	514	33.03	257	257	0	186	207	94	20	7	0
30-34	274	17.61	151	123	0	84	102	62	20	6	0
35-39	84	5.40	42	42	0	17	27	26	8	6	0
40-44	11	0.71	4	7	0	0	5	3	2	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,556		792	764	0	678	557	244	57	20	0
PERCENT DISTRIBUTION		100.00	50.90	49.10	0.00	43.57	35.80	15.68	3.66	1.29	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.29	0	1	0	1	0	0	0	0	0
15	3	0.86	1	2	0	3	0	0	0	0	0
16	15	4.31	9	6	0	15	0	0	0	0	0
17	27	7.76	11	16	0	27	0	0	0	0	0
18	44	12.64	22	22	0	40	4	0	0	0	0
19	36	10.34	18	18	0	28	6	2	0	0	0
20-24	132	37.93	75	57	0	71	44	14	3	0	0
25-29	63	18.10	32	31	0	19	28	12	4	0	0
30-34	18	5.17	12	6	0	5	10	2	0	1	0
35-39	8	2.30	2	6	0	3	0	3	1	1	0
40-44	1	0.29	0	1	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	348		182	166	0	212	92	34	8	2	0
PERCENT DISTRIBUTION		100.00	52.30	47.70	0.00	60.92	26.44	9.77	2.30	0.57	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		22.37	22.98	21.73	0.00	31.27	16.52	13.93	14.04	10.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
KNOX											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.23	1	0	0	1	0	0	0	0	0
15	1	0.23	1	0	0	1	0	0	0	0	0
16	3	0.68	2	1	0	3	0	0	0	0	0
17	9	2.03	3	6	0	7	1	0	0	0	1
18	9	2.03	3	6	0	7	2	0	0	0	0
19	23	5.18	14	9	0	10	8	4	1	0	0
20-24	133	29.95	59	74	0	65	41	20	6	1	0
25-29	141	31.76	66	75	0	46	60	24	8	2	1
30-34	86	19.37	37	49	0	24	31	21	7	1	2
35-39	38	8.56	17	21	0	9	17	7	2	3	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	444		203	241	0	173	160	76	24	7	4
PERCENT DISTRIBUTION		100.00	45.72	54.28	0.00	38.96	36.04	17.12	5.41	1.58	0.90
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	1.03	1	0	0	1	0	0	0	0	0
15	1	1.03	1	0	0	1	0	0	0	0	0
16	1	1.03	1	0	0	1	0	0	0	0	0
17	7	7.22	2	5	0	6	0	0	0	0	1
18	6	6.19	2	4	0	4	2	0	0	0	0
19	16	16.49	8	8	0	7	5	3	1	0	0
20-24	36	37.11	14	22	0	14	14	5	2	1	0
25-29	19	19.59	10	9	0	4	9	4	1	1	0
30-34	8	8.25	3	5	0	3	1	2	1	0	1
35-39	2	2.06	1	1	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	97		43	54	0	41	31	15	6	2	2
PERCENT DISTRIBUTION		100.00	44.33	55.67	0.00	42.27	31.96	15.46	6.19	2.06	2.06
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.85	21.18	22.41	0.00	23.70	19.38	19.74	25.00	28.57	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LINCOLN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.26	1	0	0	1	0	0	0	0	0
15	2	0.52	2	0	0	2	0	0	0	0	0
16	5	1.30	3	2	0	5	0	0	0	0	0
17	5	1.30	4	1	0	4	1	0	0	0	0
18	7	1.82	2	5	0	7	0	0	0	0	0
19	23	5.97	12	11	0	18	5	0	0	0	0
20-24	94	24.42	53	41	0	40	40	8	6	0	0
25-29	119	30.91	64	55	0	35	56	22	3	3	0
30-34	88	22.86	40	48	0	19	41	13	9	4	2
35-39	37	9.61	13	24	0	12	9	8	2	5	1
40-44	4	1.04	2	2	0	2	2	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	385		196	189	0	145	154	51	20	12	3
PERCENT DISTRIBUTION		100.00	50.91	49.09	0.00	37.66	40.00	13.25	5.19	3.12	0.78
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	1.28	1	0	0	1	0	0	0	0	0
15	2	2.56	2	0	0	2	0	0	0	0	0
16	4	5.13	2	2	0	4	0	0	0	0	0
17	2	2.56	1	1	0	2	0	0	0	0	0
18	6	7.69	2	4	0	6	0	0	0	0	0
19	15	19.23	7	8	0	12	3	0	0	0	0
20-24	19	24.36	7	12	0	9	7	2	1	0	0
25-29	16	20.51	10	6	0	6	8	1	0	1	0
30-34	10	12.82	5	5	0	3	3	2	0	0	2
35-39	3	3.85	1	2	0	2	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	78		38	40	0	47	21	6	1	1	2
PERCENT DISTRIBUTION		100.00	48.72	51.28	0.00	60.26	26.92	7.69	1.28	1.28	2.56
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		20.26	19.39	21.16	0.00	32.41	13.64	11.76	5.00	8.33	66.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
OXFORD											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.13	0	1	0	1	0	0	0	0	0
15	3	0.39	1	2	0	3	0	0	0	0	0
16	16	2.09	8	8	0	16	0	0	0	0	0
17	14	1.83	7	7	0	12	2	0	0	0	0
18	20	2.61	8	12	0	17	3	0	0	0	0
19	43	5.61	24	19	0	19	20	4	0	0	0
20-24	260	33.90	140	120	0	121	105	28	5	1	0
25-29	234	30.51	129	105	0	76	97	39	18	4	0
30-34	128	16.69	60	68	0	28	48	32	15	5	0
35-39	43	5.61	23	20	0	13	11	13	3	3	0
40-44	5	0.65	2	3	0	0	3	1	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	767		402	365	0	306	289	117	42	13	0
PERCENT DISTRIBUTION		100.00	52.41	47.59	0.00	39.90	37.68	15.25	5.48	1.69	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.50	0	1	0	1	0	0	0	0	0
15	2	1.00	0	2	0	2	0	0	0	0	0
16	12	5.97	7	5	0	12	0	0	0	0	0
17	13	6.47	6	7	0	11	2	0	0	0	0
18	14	6.97	4	10	0	11	3	0	0	0	0
19	25	12.44	15	10	0	13	9	3	0	0	0
20-24	82	40.80	45	37	0	39	31	11	1	0	0
25-29	34	16.92	20	14	0	17	14	0	3	0	0
30-34	14	6.97	10	4	0	2	6	3	2	1	0
35-39	4	1.99	1	3	0	1	1	1	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	201		108	93	0	109	66	18	6	2	0
PERCENT DISTRIBUTION		100.00	53.73	46.27	0.00	54.23	32.84	8.96	2.99	1.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.21	26.87	25.48	0.00	35.62	22.84	15.38	14.29	15.38	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
PENOBSCOT											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.10	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	25	1.29	17	8	0	25	0	0	0	0	0
17	39	2.01	19	20	0	35	3	1	0	0	0
18	68	3.51	41	27	0	57	9	2	0	0	0
19	80	4.13	47	33	0	61	17	2	0	0	0
20-24	589	30.38	294	295	0	325	180	70	10	4	0
25-29	671	34.61	351	320	0	257	280	103	22	9	0
30-34	364	18.77	186	178	0	101	137	81	30	15	0
35-39	92	4.74	47	45	0	22	31	21	12	6	0
40-44	8	0.41	6	2	0	2	0	5	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.05	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	1,939		1,010	929	0	887	658	285	75	34	0
PERCENT DISTRIBUTION		100.00	52.09	47.91	0.00	45.75	33.94	14.70	3.87	1.75	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.43	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	18	3.90	10	8	0	18	0	0	0	0	0
17	36	7.79	18	18	0	32	3	1	0	0	0
18	48	10.39	27	21	0	42	5	1	0	0	0
19	45	9.74	25	20	0	35	9	1	0	0	0
20-24	175	37.88	87	88	0	107	47	15	3	3	0
25-29	78	16.88	40	38	0	30	31	16	0	1	0
30-34	52	11.26	28	24	0	13	16	15	6	2	0
35-39	8	1.73	5	3	0	0	5	2	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	462		241	221	0	279	116	51	10	6	0
PERCENT DISTRIBUTION		100.00	52.16	47.84	0 00	60.39	25.11	11.04	2.16	1.30	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		23.83	23.86	23.79	0.00	31.45	17.63	17.89	13.33	17.65	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	3	1.39	2	1	0	3	0	0	0	0	0
16	2	0.93	1	1	0	2	0	0	0	0	0
17	2	0.93	0	2	0	2	0	0	0	0	0
18	12	5.56	6	6	0	8	4	0	0	0	0
19	9	4.17	3	6	0	7	1	1	0	0	0
20-24	82	37.96	41	41	0	43	31	7	1	0	0
25-29	62	28.70	30	32	0	17	25	14	5	1	0
30-34	27	12.50	14	13	0	6	6	8	4	3	0
35-39	16	7.41	11	5	0	3	6	4	2	1	0
40-44	1	0.46	1	0	0	1	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	216		109	107	0	92	73	34	12	5	0
PERCENT DISTRIBUTION		100.00	50.46	49.54	0.00	42.59	33.80	15.74	5.56	2.31	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	3	5.45	2	1	0	3	0	0	0	0	0
16	2	3.64	1	1	0	2	0	0	0	0	0
17	2	3.64	0	2	0	2	0	0	0	0	0
18	7	12.73	3	4	0	5	2	0	0	0	0
19	7	12.73	3	4	0	5	1	1	0	0	0
20-24	25	45.45	12	13	0	13	11	1	0	0	0
25-29	4	7.27	2	2	0	3	0	0	1	0	0
30-34	2	3.64	0	2	0	0	1	0	1	0	0
35-39	3	5.45	2	1	0	1	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	55		25	30	0	34	15	3	3	0	0
PERCENT DISTRIBUTION		100.00	45.45	54.55	0.00	61.82	27.27	5.45	5.45	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		25.46	22.94	28.04	0.00	36.96	20.55	8.82	25.00	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.18	1	0	0	1	0	0	0	0	0
16	2	0.36	2	0	0	2	0	0	0	0	0
17	13	2.37	8	5	0	12	1	0	0	0	0
18	19	3.47	10	9	0	15	4	0	0	0	0
19	24	4.38	11	13	0	21	3	0	0	0	0
20-24	145	26.46	65	80	0	73	58	13	0	1	0
25-29	180	32.85	87	93	0	69	70	31	9	1	0
30-34	126	22.99	70	56	0	38	49	32	5	2	0
35-39	31	5.66	19	12	0	6	15	8	1	1	0
40-44	7	1.28	4	3	0	1	4	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	548		277	271	0	238	204	85	15	6	0
PERCENT DISTRIBUTION		100.00	50.55	49.45	0.00	43.43	37.23	15.51	2.74	1.09	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.10	1	0	0	1	0	0	0	0	0
16	2	2.20	2	0	0	2	0	0	0	0	0
17	10	10.99	5	5	0	9	1	0	0	0	0
18	11	12.09	5	6	0	11	0	0	0	0	0
19	12	13.19	4	8	0	12	0	0	0	0	0
20-24	31	34.07	14	17	0	15	13	2	0	1	0
25-29	13	14.29	9	4	0	4	6	3	0	0	0
30-34	9	9.89	4	5	0	4	1	3	1	0	0
35-39	2	2.20	2	0	0	0	1	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	91		46	45	0	58	22	9	1	1	0
PERCENT DISTRIBUTION		100.00	50.55	49.45	0.00	63.74	24.18	9.89	1.10	1.10	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.61	16.61	16.61	0.00	24.37	10.78	10.59	6.67	16.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SOMERSET											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.14	1	0	0	1	0	0	0	0	0
15	3	0.41	3	0	0	2	1	0	0	0	0
16	7	0.97	4	3	0	5	2	0	0	0	0
17	20	2.76	13	7	0	17	3	0	0	0	0
18	32	4.42	19	13	0	26	4	1	1	0	0
19	45	6.22	22	23	0	35	7	3	0	0	0
20-24	239	33.01	122	117	0	119	90	25	3	2	0
25-29	210	29.01	106	104	0	66	82	40	17	5	0
30-34	122	16.85	68	54	0	37	41	31	8	5	0
35-39	37	5.11	14	23	0	5	14	7	6	5	0
40-44	7	0.97	4	3	0	0	2	0	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.14	0	1	0	0	0	0	0	1	0
COUNTY TOTALS	724		376	348	0	313	246	107	36	22	0
PERCENT DISTRIBUTION		100.00	51.93	48.07	0.00	43.23	33.98	14.78	4.97	3.04	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.48	1	0	0	1	0	0	0	0	0
15	3	1.44	3	0	0	2	1	0	0	0	0
16	6	2.88	3	3	0	5	1	0	0	0	0
17	13	6.25	8	5	0	10	3	0	0	0	0
18	22	10.58	14	8	0	21	1	0	0	0	0
19	30	14.42	14	16	0	24	5	1	0	0	0
20-24	79	37.98	46	33	0	35	30	10	3	1	0
25-29	34	16.35	16	18	0	15	7	8	2	2	0
30-34	15	7.21	11	4	0	4	7	4	0	0	0
35-39	4	1.92	0	4	0	0	0	2	1	1	0
40-44	1	0.48	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	208		116	92	0	117	55	25	6	5	0
PERCENT DISTRIBUTION		100.00	55.77	44.23	0.00	56.25	26.44	12.02	2.88	2.40	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		28.73	30.85	26.44	0.00	37.38	22.36	23.36	16.67	22.73	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
WALDO											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	5	1.00	2	3	0	4	1	0	0	0	0
16	7	1.41	7	0	0	7	0	0	0	0	0
17	16	3.21	7	9	0	14	2	0	0	0	0
18	29	5.82	13	16	0	26	3	0	0	0	0
19	31	6.22	12	19	0	20	9	1	1	0	0
20-24	136	27.31	76	60	0	60	57	17	1	1	0
25-29	146	29.32	81	65	0	44	58	34	8	1	1
30-34	94	18.88	48	46	0	26	29	24	8	7	0
35-39	31	6.22	15	16	0	7	6	9	3	6	0
40-44	3	0.60	2	1	0	0	2	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	498		263	235	0	208	167	85	22	15	1
PERCENT DISTRIBUTION		100.00	52.81	47.19	0.00	41.77	33.53	17.07	4.42	3.01	0.20
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	5	4.03	2	3	0	4	1	0	0	0	0
16	7	5.65	7	0	0	7	0	0	0	0	0
17	14	11.29	7	7	0	12	2	0	0	0	0
18	21	16.94	9	12	0	19	2	0	0	0	0
19	17	13.71	4	13	0	12	4	0	1	0	0
20-24	31	25.00	21	10	0	16	11	4	0	0	0
25-29	17	13.71	13	4	0	7	5	3	1	1	0
30-34	8	6.45	5	3	0	1	2	3	0	2	0
35-39	4	3.23	1	3	0	0	0	2	2	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	124		69	55	0	78	27	12	4	3	0
PERCENT DISTRIBUTION		100.00	55.65	44.35	0.00	62.90	21.77	9.68	3.23	2.42	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		24.90	26.24	23.40	0.00	37.50	16.17	14.12	18.18	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
WASHINGTON											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.24	0	1	0	1	0	0	0	0	0
15	1	0.24	0	1	0	1	0	0	0	0	0
16	7	1.65	2	5	0	7	0	0	0	0	0
17	8	1.89	3	5	0	8	0	0	0	0	0
18	11	2.60	7	4	0	9	2	0	0	0	0
19	25	5.91	11	14	0	18	7	0	0	0	0
20-24	159	37.59	76	83	0	67	55	32	5	0	0
25-29	117	27.66	54	63	0	32	53	21	7	3	1
30-34	65	15.37	35	30	0	13	20	24	6	2	0
35-39	23	5.44	18	5	0	3	11	5	1	3	0
40-44	6	1.42	0	6	0	1	0	2	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	423		206	217	0	160	148	84	19	11	1
PERCENT DISTRIBUTION		100.00	48.70	51.30	0.00	37.83	34.99	19.86	4.49	2.60	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.90	0	1	0	1	0	0	0	0	0
15	1	0.90	0	1	0	1	0	0	0	0	0
16	6	5.41	2	4	0	6	0	0	0	0	0
17	4	3.60	1	3	0	4	0	0	0	0	0
18	6	5.41	5	1	0	5	1	0	0	0	0
19	15	13.51	7	8	0	12	3	0	0	0	0
20-24	51	45.95	26	25	0	25	15	9	2	0	0
25-29	19	17.12	7	12	0	3	9	6	0	1	0
30-34	7	6.31	3	4	0	0	4	2	1	0	0
35-39	1	0.90	1	0	0	0	0	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	111		52	59	0	57	32	17	3	2	0
PERCENT DISTRIBUTION		100.00	46.85	53.15	0.00	51.35	28.83	15.32	2.70	1.80	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.24	25.24	27.19	0.00	35.63	21.62	20.24	15.79	18.18	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
YORK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	6	0.23	3	3	0	6	0	0	0	0	0
15	4	0.15	2	2	0	4	0	0	0	0	0
16	18	0.69	8	10	0	18	0	0	0	0	0
17	39	1.49	24	15	0	32	7	0	0	0	0
18	60	2.30	36	24	0	50	9	1	0	0	0
19	99	3.79	45	54	0	82	14	2	1	0	0
20-24	687	26.31	352	335	0	364	247	59	12	4	1
25-29	968	37.07	503	465	0	351	387	171	45	14	0
30-34	534	20.45	276	258	0	164	220	102	32	16	0
35-39	177	6.78	90	87	0	44	62	46	17	7	1
40-44	17	0.65	10	7	0	3	6	4	2	2	0
GREATER THAN 44	1	0.04	0	1	0	0	1	0	0	0	0
UNKNOWN	1	0.04	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	2,611		1,349	1,262	0	1,119	953	385	109	43	2
PERCENT DISTRIBUTION		100.00	51.67	48.33	0.00	42.86	36.50	14.75	4.17	1.65	0.08
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	5	1.04	3	2	0	5	0	0	0	0	0
15	4	0.83	2	2	0	4	0	0	0	0	0
16	15	3.12	5	10	0	15	0	0	0	0	0
17	28	5.82	18	10	0	23	5	0	0	0	0
18	38	7.90	24	14	0	35	3	0	0	0	0
19	64	13.31	29	35	0	58	5	0	1	0	0
20-24	168	34.93	82	86	0	96	49	16	5	2	0
25-29	108	22.45	54	54	0	41	34	20	6	7	0
30-34	37	7.69	14	23	0	9	13	9	3	3	0
35-39	11	2.29	4	7	0	2	2	4	3	0	0
40-44	3	0.62	1	2	0	0	2	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	481		236	245	0	288	113	49	18	13	0
PERCENT DISTRIBUTION		100.00	49.06	50.94	0.00	59.88	23.49	10.19	3.74	2.70	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.42	17.49	19.41	0.00	25.74	11.86	12.73	16.51	30.23	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	20	0.11	9	11	0	20	0	0	0	0	0
15	48	0.27	27	21	0	45	3	0	0	0	0
16	186	1.07	98	88	0	175	10	1	0	0	2
17	327	1.87	167	160	0	280	39	6	0	0	0
18	549	3.14	297	252	0	452	87	9	1	0	0
19	754	4.32	383	371	0	534	186	29	5	0	0
20-24	5,176	29.64	2,643	2,533	0	2,624	1,836	577	109	28	2
25-29	5,757	32.96	2,985	2,772	0	2,139	2,274	982	271	86	5
30-34	3,360	19.24	1,756	1,604	0	999	1,245	753	254	105	4
35-39	1,143	6.54	580	563	0	269	401	269	116	86	2
40-44	137	0.78	72	65	0	23	44	27	16	27	0
GREATER THAN 44	3	0.02	2	1	0	0	2	1	0	0	0
UNKNOWN	4	0.02	1	3	0	1	1	1	0	1	0
STATE TOTALS	17,464		9,020	8,444	0	7,561	6,128	2,655	772	333	15
PERCENT DISTRIBUTION		100.00	51.65	48.35	0.00	43.29	35.09	15.20	4.42	1.91	0.09
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	18	0.47	8	10	0	18	0	0	0	0	0
15	46	1.21	26	20	0	43	3	0	0	0	0
16	157	4.12	80	77	0	149	8	0	0	0	0
17	268	7.04	132	136	0	231	30	5	0	0	2
18	386	10.14	206	180	0	329	51	6	0	0	0
19	439	11.53	214	225	0	329	89	17	4	0	0
20-24	1,440	37.83	737	703	0	773	451	167	33	15	1
25-29	662	17.39	352	310	0	245	231	127	38	21	0
30-34	295	7.75	148	147	0	75	98	74	29	16	3
35-39	84	2.21	41	43	0	20	16	23	15	10	0
40-44	11	0.29	6	5	0	0	5	1	0	5	0
GREATER THAN 44	1	0.03	1	0	0	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
STATE TOTALS	3,807		1,951	1,856	0	2,212	982	421	119	67	6
PERCENT DISTRIBUTION		100.00	51.25	48.75	0.00	58 10	25.79	11.06	3.13	1.76	0.16
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.80	21.63	21.98	0.00	29.26	16.02	15.86	15.41	20.12	40.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	8	0.49	2	2	0	0	0	4
1000-1499	8	0.49	4	2	1	1	0	0
1500-1999	14	0.86	9	0	3	0	0	2
2000-2499	49	3.01	27	14	6	0	1	1
2500-2999	228	14.00	99	78	36	10	4	1
3000-3499	588	36.10	299	191	83	13	2	0
3500-3999	518	31.80	257	162	86	11	2	0
4000-4499	186	11.42	111	47	28	0	0	0
4500-4999	25	1.53	12	9	2	2	0	0
GREATER THAN 4999	2	0.12	1	1	0	0	0	0
UNKNOWN	3	0.18	2	0	1	0	0	0
COUNTY TOTALS	1,629		823	506	246	37	9	8
PERCENT DISTRIBUTION		100.00	50.52	31.06	15.10	2.27	0.55	0.49
AROOSTOOK								
LESS THAN 1000	3	0.25	0	2	0	0	0	1
1000-1499	2	0.17	2	0	0	0	0	0
1500-1999	11	0.92	4	1	6	0	0	0
2000-2499	42	3.51	22	14	4	1	0	1
2500-2999	158	13.19	84	39	27	5	1	2
3000-3499	434	36.23	244	107	66	11	0	6
3500-3999	402	33.56	228	110	47	12	1	4
4000-4499	118	9.85	67	27	19	4	0	1
4500-4999	25	2.09	14	9	2	0	0	0
GREATER THAN 4999	2	0.17	2	0	0	0	0	0
UNKNOWN	1	0.08	0	0	0	0	0	1
COUNTY TOTALS	1,198		667	309	171	33	2	16
PERCENT DISTRIBUTION		100.00	55.68	25.79	14.27	2.75	0.17	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
CUMBERLAND								
LESS THAN 1000	10	0.28	3	3	1	0	2	1
1000-1499	18	0.51	8	6	2	0	0	2
1500-1999	17	0.48	8	7	1	0	0	1
2000-2499	117	3.33	60	29	19	3	0	6
2500-2999	408	11.60	169	129	66	22	0	22
3000-3499	1,183	33.64	670	307	145	31	2	28
3500-3999	1,249	35.51	683	329	167	22	4	44
4000-4499	432	12.28	250	108	51	13	0	10
4500-4999	71	2.02	40	23	7	1	0	0
GREATER THAN 4999	6	0.17	3	2	1	0	0	0
UNKNOWN	6	0.17	1	0	1	0	1	3
COUNTY TOTALS	3,517		1,895	943	461	92	9	117
PERCENT DISTRIBUTION		100.00	53.88	26.81	13.11	2.62	0.26	3.33
FRANKLIN								
LESS THAN 1000	1	0.26	0	0	0	0	0	1
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.52	1	0	0	0	1	0
2000-2499	13	3.41	7	1	2	1	1	1
2500-2999	72	18.90	37	21	9	1	0	4
3000-3499	131	34.38	75	30	22	4	0	0
3500-3999	107	28.08	62	30	12	2	0	1
4000-4499	45	11.81	25	12	6	2	0	0
4500-4999	9	2.36	6	2	1	0	0	0
GREATER THAN 4999	1	0.26	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	381		213	96	53	10	2	7
PERCENT DISTRIBUTION		100.00	55.91	25.20	13.91	2.62	0.52	1.84

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
HANCOCK								
LESS THAN 1000	2	0.32	1	0	1	0	0	0
1000-1499	4	0.64	1	0	0	0	0	3
1500-1999	6	0.96	2	3	0	1	0	0
2000-2499	17	2.71	5	7	4	1	0	0
2500-2999	64	10.19	34	21	7	2	0	0
3000-3499	209	33.28	106	65	32	4	0	2
3500-3999	220	35.03	117	80	22	1	0	0
4000-4499	83	13.22	48	21	13	0	1	0
4500-4999	19	3.03	9	6	4	0	0	0
GREATER THAN 4999	4	0.64	4	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	628		327	203	83	9	1	5
PERCENT DISTRIBUTION		100.00	52.07	32.32	13.22	1.43	0.16	0.80
KENNEBEC								
LESS THAN 1000	4	0.26	1	0	0	0	1	2
1000-1499	10	0.64	3	3	1	0	0	3
1500-1999	6	0.39	2	3	0	0	0	1
2000-2499	60	3.86	29	22	7	0	0	2
2500-2999	199	12.79	112	59	25	1	0	2
3000-3499	527	33.87	290	151	72	9	2	3
3500-3999	532	34.19	281	172	71	4	1	3
4000-4499	174	11.18	97	62	14	1	0	0
4500-4999	36	2.31	24	8	3	0	0	1
GREATER THAN 4999	7	0.45	5	2	0	0	0	0
UNKNOWN	1	0.06	0	0	0	0	0	1
COUNTY TOTALS	1,556		844	482	193	15	4	18
PERCENT DISTRIBUTION		100.00	54.24	30.98	12.40	0.96	0.26	1.16

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN 1000	3	0.68	2	0	0	1	0	0
1000-1499	1	0.23	0	0	0	0	0	1
1500-1999	0	0.00	0	0	0	0	0	0
2000-2499	14	3.15	6	2	6	0	0	0
2500-2999	54	12.16	29	12	8	2	0	3
3000-3499	145	32.66	86	38	16	3	1	1
3500-3999	158	35.59	105	31	16	5	0	1
4000-4499	56	12.61	31	16	9	0	0	0
4500-4999	11	2.48	7	3	0	0	0	1
GREATER THAN 4999	2	0.45	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	444		267	103	55	11	1	7
PERCENT DISTRIBUTION		100.00	60.14	23.20	12.39	2.48	0.23	1.58
LINCOLN								
LESS THAN 1000	3	0.78	1	0	0	0	0	2
1000-1499	2	0.52	0	1	1	0	0	0
1500-1999	3	0.78	1	0	1	0	0	1
2000-2499	9	2.34	3	2	3	1	0	0
2500-2999	40	10.39	22	11	5	0	0	2
3000-3499	149	38.70	88	35	20	4	1	1
3500-3999	132	34.29	80	23	28	1	0	0
4000-4499	37	9.61	25	8	3	1	0	0
4500-4999	9	2.34	6	3	0	0	0	0
GREATER THAN 4999	1	0.26	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	385		226	84	61	7	1	6
PERCENT DISTRIBUTION		100.00	58.70	21.82	15.84	1.82	0.26	1.56

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
OXFORD								
LESS THAN 1000	2	0.26	0	1	0	0	0	1
1000-1499	3	0.39	1	1	0	0	0	1
1500-1999	2	0.26	1	1	0	0	0	0
2000-2499	27	3.52	15	4	2	0	2	4
2500-2999	96	12.52	41	36	16	2	0	1
3000-3499	282	36.77	139	93	41	6	1	2
3500-3999	255	33.25	122	94	34	4	0	1
4000-4499	82	10.69	35	36	9	1	1	0
4500-4999	16	2.09	10	4	2	0	0	0
GREATER THAN 4999	2	0.26	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	767		365	271	104	13	4	10
PERCENT DISTRIBUTION		100.00	47.59	35.33	13.56	1.69	0.52	1.30
PENOBSCOT								
LESS THAN 1000	6	0.31	4	2	0	0	0	0
1000-1499	7	0.36	5	2	0	0	0	0
1500-1999	15	0.77	10	2	3	0	0	0
2000-2499	68	3.51	38	9	14	5	0	2
2500-2999	228	11.76	127	45	41	9	5	1
3000-3499	702	36.20	377	177	119	19	5	5
3500-3999	659	33.99	365	165	103	17	6	3
4000-4499	196	10.11	112	46	29	8	0	1
4500-4999	50	2.58	29	11	6	4	0	0
GREATER THAN 4999	6	0.31	3	2	1	0	0	0
UNKNOWN	2	0.10	1	0	1	0	0	0
COUNTY TOTALS	1,939		1,071	461	317	62	16	12
PERCENT DISTRIBUTION		100.00	55.23	23.78	16.35	3.20	0.83	0.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PISCATAQUIS								
LESS THAN 1000	1	0.46	0	0	0	0	0	1
1000-1499	1	0.46	1	0	0	0	0	0
1500-1999	3	1.39	3	0	0	0	0	0
2000-2499	1	0.46	1	0	0	0	0	0
2500-2999	22	10.19	12	5	5	0	0	0
3000-3499	78	36.11	39	19	19	0	1	0
3500-3999	80	37.04	39	24	14	2	0	1
4000-4499	24	11.11	10	7	7	0	0	0
4500-4999	6	2.78	6	0	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	216		111	55	45	2	1	2
PERCENT DISTRIBUTION		100.00	51.39	25.46	20.83	0.93	0.46	0.93
SAGADAHOC								
LESS THAN 1000	3	0.55	2	0	1	0	0	0
1000-1499	5	0.91	1	2	0	0	0	2
1500-1999	6	1.09	2	2	1	0	0	1
2000-2499	18	3.28	6	6	5	1	0	0
2500-2999	66	12.04	33	20	9	3	0	1
3000-3499	189	34.49	116	48	22	1	0	2
3500-3999	181	33.03	102	53	23	3	0	0
4000-4499	70	12.77	39	20	9	1	0	1
4500-4999	9	1.64	8	1	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.18	0	0	0	0	0	1
COUNTY TOTALS	548		309	152	70	9	0	8
PERCENT DISTRIBUTION		100.00	56.39	27.74	12.77	1.64	0.00	1.46

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.55	3	0	1	0	0	0
1000-1499	2	0.28	0	1	0	0	0	1
1500-1999	5	0.69	1	2	0	0	0	2
2000-2499	29	4.01	14	5	10	0	0	0
2500-2999	93	12.85	50	20	20	3	0	0
3000-3499	263	36.33	125	81	50	5	1	1
3500-3999	223	30.80	106	71	42	3	1	0
4000-4499	88	12.15	52	21	14	1	0	0
4500-4999	17	2.35	7	6	2	1	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	724		358	207	139	13	2	5
PERCENT DISTRIBUTION		100.00	49.45	28.59	19.20	1.80	0.28	0.69
WALDO								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.80	3	1	0	0	0	0
1500-1999	3	0.60	1	1	0	0	0	1
2000-2499	17	3.41	9	1	6	0	0	1
2500-2999	66	13.25	44	9	11	1	0	1
3000-3499	154	30.92	81	38	29	5	0	1
3500-3999	174	34.94	90	49	28	6	0	1
4000-4499	66	13.25	34	22	8	2	0	0
4500-4999	13	2.61	5	5	3	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.20	0	0	0	0	0	1
COUNTY TOTALS	498		267	126	85	14	0	6
PERCENT DISTRIBUTION		100.00	53.61	25.30	17.07	2.81	0.00	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	2	0.47	1	0	1	0	0	0
1500-1999	2	0.47	0	1	1	0	0	0
2000-2499	10	2.36	5	3	1	1	0	0
2500-2999	45	10.64	26	9	9	1	0	0
3000-3499	137	32.39	65	34	33	3	2	0
3500-3999	144	34.04	76	38	24	2	1	3
4000-4499	63	14.89	38	18	7	0	0	0
4500-4999	19	4.49	9	5	5	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	423		221	108	81	7	3	3
PERCENT DISTRIBUTION		100.00	52.25	25.53	19.15	1.65	0.71	0.71
YORK								
LESS THAN 1000	9	0.34	1	1	1	1	1	4
1000-1499	11	0.42	3	2	1	1	0	4
1500-1999	34	1.30	11	6	6	2	1	8
2000-2499	88	3.37	43	20	15	2	1	7
2500-2999	320	12.26	160	82	53	12	5	8
3000-3499	889	34.05	509	215	133	16	4	12
3500-3999	880	33.70	498	225	127	13	1	16
4000-4499	300	11.49	182	71	38	6	0	3
4500-4999	60	2.30	32	17	8	1	1	1
GREATER THAN 4999	9	0.34	5	1	2	1	0	0
UNKNOWN	11	0.42	7	1	0	0	1	2
COUNTY TOTALS	2,611		1,451	641	384	55	15	65
PERCENT DISTRIBUTION		100.00	55.57	24.55	14.71	2.11	0.57	2.49

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	60	0.34	21	11	5	2	4	17
1000-1499	80	0.46	33	21	7	2	0	17
1500-1999	129	0.74	56	29	22	3	2	17
2000-2499	579	3.32	290	139	104	16	5	25
2500-2999	2,159	12.36	1,079	596	347	74	15	48
3000-3499	6,060	34.70	3,309	1,629	902	134	22	64
3500-3999	5,914	33.86	3,211	1,656	844	108	17	78
4000-4499	2,020	11.57	1,156	542	264	40	2	16
4500-4999	395	2.26	224	112	45	9	1	4
GREATER THAN 4999	42	0.24	25	11	5	1	0	0
UNKNOWN	26	0.15	11	1	3	0	2	9
STATE TOTALS	17,464		9,415	4,747	2,548	389	70	295
PERCENT DISTRIBUTION		100.00	53.91	27.18	14.59	2.23	0.40	1.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
2	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	10	3	30.00	1	10.00	6	60.00	0	0.00	0	0.00
5	14	6	42.86	4	28.57	4	28.57	0	0.00	0	0.00
6	28	12	42.86	10	35.71	6	21.43	0	0.00	0	0.00
7	42	15	35.71	20	47.62	5	11.90	0	0.00	2	4.76
8	72	42	58.33	22	30.56	8	11.11	0	0.00	0	0.00
9	89	56	62.92	31	34.83	2	2.25	0	0.00	0	0.00
GREATER THAN 9	1,351	1,193	88.30	156	11.55	1	0.07	0	0.00	1	0.07
UNKNOWN	5	0	0.00	0	0.00	0	0.00	0	0.00	5	100.00
COUNTY TOTALS	1,629	1,329	81.58	246	15.10	37	2.27	9	0.55	8	0.49
AROOSTOOK											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	7	3	42.86	1	14.29	3	42.86	0	0.00	0	0.00
4	6	1	16.67	3	50.00	2	33.33	0	0.00	0	0.00
5	17	4	23.53	6	35.29	7	41.18	0	0.00	0	0.00
6	24	3	12.50	13	54.17	8	33.33	0	0.00	0	0.00
7	28	12	42.86	11	39.29	5	17.86	0	0.00	0	0.00
8	39	25	64.10	12	30.77	2	5.13	0	0.00	0	0.00
9	80	46	57.50	33	41.25	1	1.25	0	0.00	0	0.00
GREATER THAN 9	975	880	90.26	92	9.44	3	0.31	0	0.00	0	0.00
UNKNOWN	16	0	0.00	0	0.00	0	0.00	0	0.00	16	100.00
COUNTY TOTALS	1,198	976	81.47	171	14.27	33	2.75	2	0.17	16	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
CUMBERLAND											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	3	0	0.00	0	0.00	3	100.00	0	0.00	0	0.00
2	19	1	5.26	6	31.58	10	52.63	0	0.00	2	10.53
3	23	8	34.78	7	30.43	7	30.43	0	0.00	1	4.35
4	39	11	28.21	18	46.15	7	17.95	0	0.00	3	7.69
5	55	21	38.18	19	34.55	15	27.27	0	0.00	0	0.00
6	105	55	52.38	36	34.29	11	10.48	0	0.00	3	2.86
7	121	67	55.37	37	30.58	13	10.74	0	0.00	4	3.31
8	222	154	69.37	54	24.32	7	3.15	0	0.00	7	3.15
9	277	218	78.70	49	17.69	7	2.53	0	0.00	3	1.08
GREATER THAN 9	2,569	2,300	89.53	233	9.07	12	0.47	0	0.00	24	0.93
UNKNOWN	75	3	4.00	2	2.67	0	0.00	0	0.00	70	93.33
COUNTY TOTALS	3,517	2,838	80.69	461	13.11	92	2.62	9	0.26	117	3.33
FRANKLIN											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	0	0.00	0	0.00	1	50.00	0	0.00	1	50.00
2	6	0	0.00	1	16.67	5	83.33	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
6	7	2	28.57	4	57.14	1	14.29	0	0.00	0	0.00
7	13	5	38.46	8	61.54	0	0.00	0	0.00	0	0.00
8	23	14	60.87	9	39.13	0	0.00	0	0.00	0	0.00
9	32	26	81.25	6	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	282	261	92.55	20	7.09	1	0.35	0	0.00	0	0.00
UNKNOWN	6	0	0.00	0	0.00	0	0.00	0	0.00	6	100.00
COUNTY TOTALS	381	309	81.10	53	13.91	10	2.62	2	0.52	7	1.84

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	5	0	0.00	2	40.00	3	60.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
5	11	5	45.45	3	27.27	3	27.27	0	0.00	0	0.00
6	17	6	35.29	9	52.94	0	0.00	0	0.00	2	11.76
7	24	15	62.50	8	33.33	1	4.17	0	0.00	0	0.00
8	41	24	58.54	16	39.02	1	2.44	0	0.00	0	0.00
9	53	43	81.13	8	15.09	1	1.89	0	0.00	1	1.89
GREATER THAN 9	470	436	92.77	34	7.23	0	0.00	0	0.00	0	0.00
UNKNOWN	2	0	0.00	0	0.00	0	0.00	0	0.00	2	100.00
COUNTY TOTALS	628	530	84.39	83	13.22	9	1.43	1	0.16	5	0.80
KENNEBEC											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
2	4	0	0.00	2	50.00	2	50.00	0	0.00	0	0.00
3	8	6	75.00	1	12.50	1	12.50	0	0.00	0	0.00
4	11	3	27.27	4	36.36	4	36.36	0	0.00	0	0.00
5	11	4	36.36	7	63.64	0	0.00	0	0.00	0	0.00
6	15	11	73.33	3	20.00	1	6.67	0	0.00	0	0.00
7	19	13	68.42	6	31.58	0	0.00	0	0.00	0	0.00
8	59	31	52.54	25	42.37	3	5.08	0	0.00	0	0.00
9	44	31	70.45	13	29.55	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,351	1,216	90.01	132	9.77	1	0.07	0	0.00	2	0.15
UNKNOWN	26	10	38.46	0	0.00	0	0.00	0	0.00	16	61.54
COUNTY TOTALS	1,556	1,326	85.22	193	12.40	15	0.96	4	0.26	18	1.16

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
KNOX											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
6	5	0	0.00	4	80.00	1	20.00	0	0.00	0	0.00
7	11	4	36.36	4	36.36	2	18.18	0	0.00	1	9.09
8	9	8	88.89	1	11.11	0	0.00	0	0.00	0	0.00
9	20	10	50.00	9	45.00	1	5.00	0	0.00	0	0.00
GREATER THAN 9	387	346	89.41	35	9.04	3	0.78	0	0.00	3	0.78
UNKNOWN	6	2	33.33	1	16.67	0	0.00	0	0.00	3	50.00
COUNTY TOTALS	444	370	83.33	55	12.39	11	2.48	1	0.23	7	1.58
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	10	4	40.00	5	50.00	1	10.00	0	0.00	0	0.00
6	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
7	10	4	40.00	5	50.00	1	10.00	0	0.00	0	0.00
8	16	6	37.50	7	43.75	3	18.75	0	0.00	0	0.00
9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	315	275	87.30	39	12.38	1	0.32	0	0.00	5	55.56
UNKNOWN	9	4	44.44	0	0.00	0	0.00	0	0.00	6	1.56
COUNTY TOTALS	385	310	80.52	61	15.84	7	1.82	1	0.26		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BPRENAT

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
OXFORD											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	11	4	36.36	4	36.36	3	27.27	0	0.00	0	0.00
4	10	2	20.00	7	70.00	1	10.00	0	0.00	0	0.00
5	11	3	27.27	5	45.45	3	27.27	0	0.00	0	0.00
6	17	10	58.82	7	41.18	0	0.00	0	0.00	0	0.00
7	30	15	50.00	14	46.67	1	3.33	0	0.00	0	0.00
8	46	35	76.09	11	23.91	0	0.00	0	0.00	0	0.00
9	83	69	83.13	13	15.66	1	1.20	0	0.00	0	0.00
GREATER THAN 9	543	498	91.71	42	7.73	2	0.37	0	0.00	1	0.18
UNKNOWN	9	0	0.00	0	0.00	0	0.00	0	0.00	9	100.00
COUNTY TOTALS	767	636	82.92	104	13.56	13	1.69	4	0.52	10	1.30
PENOBSCOT											
0	15	0	0.00	0	0.00	0	0.00	15	100.00	0	0.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	14	2	14.29	6	42.86	6	42.86	0	0.00	0	0.00
4	27	8	29.63	10	37.04	9	33.33	0	0.00	0	0.00
5	38	19	50.00	10	26.32	9	23.68	0	0.00	0	0.00
6	131	71	54.20	45	34.35	15	11.45	0	0.00	0	0.00
7	94	53	56.38	34	36.17	5	5.32	0	0.00	2	2.13
8	247	184	74.49	56	22.67	5	2.02	1	0.40	1	0.40
9	125	94	75.20	29	23.20	1	0.80	0	0.00	1	0.80
GREATER THAN 9	1,230	1,094	88.94	123	10.00	10	0.81	0	0.00	3	0.24
UNKNOWN	13	5	38.46	3	23.08	0	0.00	0	0.00	5	38.46
COUNTY TOTALS	1,939	1,532	79.01	317	16.35	62	3.20	16	0.83	12	0.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
4	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
5	5	0	0.00	4	80.00	1	20.00	0	0.00	0	0.00
6	9	5	55.56	4	44.44	0	0.00	0	0.00	0	0.00
7	12	9	75.00	3	25.00	0	0.00	0	0.00	0	0.00
8	18	12	66.67	6	33.33	0	0.00	0	0.00	0	0.00
9	25	20	80.00	5	20.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	139	119	85.61	19	13.67	0	0.00	0	0.00	1	0.72
UNKNOWN	2	0	0.00	1	50.00	0	0.00	0	0.00	1	50.00
COUNTY TOTALS	216	166	76.85	45	20.83	2	0.93	1	0.46	2	0.93
SAGADAHOC											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
4	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
5	7	3	42.86	1	14.29	3	42.86	0	0.00	0	0.00
6	21	9	42.86	11	52.38	0	0.00	0	0.00	1	4.76
7	20	14	70.00	6	30.00	0	0.00	0	0.00	0	0.00
8	43	30	69.77	12	27.91	1	2.33	0	0.00	0	0.00
9	54	44	81.48	10	18.52	0	0.00	0	0.00	0	0.00
GREATER THAN 9	385	357	92.73	28	7.27	0	0.00	0	0.00	0	0.00
UNKNOWN	9	2	22.22	0	0.00	0	0.00	0	0.00	7	77.78
COUNTY TOTALS	548	461	84.12	70	12.77	9	1.64	0	0.00	8	1.46

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	6	3	50.00	1	16.67	2	33.33	0	0.00	0	0.00
3	4	0	0.00	3	75.00	1	25.00	0	0.00	0	0.00
4	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
5	6	1	16.67	3	50.00	2	33.33	0	0.00	0	0.00
6	18	8	44.44	6	33.33	2	11.11	0	0.00	2	11.11
7	22	10	45.45	8	36.36	3	13.64	0	0.00	1	4.55
8	33	22	66.67	11	33.33	0	0.00	0	0.00	0	0.00
9	39	26	66.67	13	33.33	0	0.00	0	0.00	0	0.00
GREATER THAN 9	583	492	84.39	91	15.61	0	0.00	0	0.00	0	0.00
UNKNOWN	4	2	50.00	0	0.00	0	0.00	0	0.00	2	50.00
COUNTY TOTALS	724	565	78.04	139	19.20	13	1.80	2	0.28	5	0.69
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
3	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
4	7	5	71.43	2	28.57	0	0.00	0	0.00	0	0.00
5	10	7	70.00	0	0.00	3	30.00	0	0.00	0	0.00
6	30	15	50.00	12	40.00	3	10.00	0	0.00	0	0.00
7	33	22	66.67	10	30.30	1	3.03	0	0.00	0	0.00
8	41	27	65.85	11	26.83	2	4.88	0	0.00	1	2.44
9	33	27	81.82	5	15.15	1	3.03	0	0.00	0	0.00
GREATER THAN 9	327	284	86.85	42	12.84	1	0.31	0	0.00	0	0.00
UNKNOWN	8	3	37.50	0	0.00	0	0.00	0	0.00	5	62.50
COUNTY TOTALS	498	393	78.92	85	17.07	14	2.81	0	0.00	6	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
4	4	0	0.00	3	75.00	0	0.00	0	0.00	1	25.00
5	6	1	16.67	4	66.67	1	16.67	0	0.00	0	0.00
6	13	3	23.08	10	76.92	0	0.00	0	0.00	0	0.00
7	11	6	54.55	5	45.45	0	0.00	0	0.00	0	0.00
8	31	17	54.84	13	41.94	1	3.23	0	0.00	0	0.00
9	46	33	71.74	13	28.26	0	0.00	0	0.00	0	0.00
GREATER THAN 9	302	268	88.74	32	10.60	2	0.66	0	0.00	0	0.00
UNKNOWN	2	0	0.00	0	0.00	0	0.00	0	0.00	2	100.00
COUNTY TOTALS	423	329	77.78	81	19.15	7	1.65	3	0.71	3	0.71
YORK											
0	15	0	0.00	0	0.00	0	0.00	15	100.00	0	0.00
1	9	2	22.22	1	11.11	6	66.67	0	0.00	0	0.00
2	11	3	27.27	4	36.36	4	36.36	0	0.00	0	0.00
3	20	2	10.00	12	60.00	5	25.00	0	0.00	1	5.00
4	65	20	30.77	30	46.15	13	20.00	0	0.00	2	3.08
5	97	50	51.55	39	40.21	7	7.22	0	0.00	1	1.03
6	112	69	61.61	38	33.93	4	3.57	0	0.00	1	0.89
7	180	128	71.11	44	24.44	6	3.33	0	0.00	2	1.11
8	216	165	76.39	47	21.76	4	1.85	0	0.00	0	0.00
9	233	193	82.83	30	12.88	4	1.72	0	0.00	6	2.58
GREATER THAN 9	1,601	1,454	90.82	138	8.62	2	0.12	0	0.00	7	0.44
UNKNOWN	52	6	11.54	1	1.92	0	0.00	0	0.00	45	86.54
COUNTY TOTALS	2,611	2,092	80.12	384	14.71	55	2.11	15	0.57	65	2.49

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
MAINE SUMMARY											
0	69	0	0.00	0	0.00	0	0.00	69	100.00	0	0.00
1	37	7	18.92	3	8.11	26	70.27	0	0.00	1	2.70
2	70	12	17.14	21	30.00	35	50.00	0	0.00	2	2.86
3	102	30	29.41	38	37.25	31	30.39	0	0.00	3	2.94
4	197	56	28.43	90	45.69	45	22.84	0	0.00	6	3.05
5	305	129	42.30	113	37.05	62	20.33	0	0.00	1	0.33
6	555	281	50.63	213	38.38	52	9.37	0	0.00	9	1.62
7	670	392	58.51	223	33.28	43	6.42	0	0.00	12	1.79
8	1,156	796	68.86	313	27.08	37	3.20	1	0.09	9	0.78
9	1,249	949	75.98	270	21.62	19	1.52	0	0.00	11	0.88
GREATER THAN 9	12,810	11,473	89.56	1,256	9.80	39	0.30	0	0.00	42	0.33
UNKNOWN	244	37	15.16	8	3.28	0	0.00	0	0.00	199	81.56
STATE TOTALS	17,464	14,162	81.09	2,548	14.59	389	2.23	70	0.40	295	1.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BPRENAT

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	76	4.67	25	28	19	4	0	0
GRADES 9-11	279	17.13	97	91	76	11	3	1
GRADE 12	747	45.86	378	242	101	16	6	4
GREATER THAN GRADE 12	523	32.11	321	145	49	6	0	2
UNKNOWN	4	0.25	2	0	1	0	0	1
COUNTY TOTALS	1,629		823	506	246	37	9	8
PERCENT DISTRIBUTION		100.00	50.52	31.06	15.10	2.27	0.55	0.49
AROOSTOOK								
LESS THAN GRADE 9	25	2.09	7	7	5	6	0	0
GRADES 9-11	137	11.44	45	34	44	11	1	2
GRADE 12	592	49.42	329	166	84	8	1	4
GREATER THAN GRADE 12	433	36.14	285	102	38	8	0	0
UNKNOWN	11	0.92	1	0	0	0	0	10
COUNTY TOTALS	1,198		667	309	171	33	2	16
PERCENT DISTRIBUTION		100.00	55.68	25.79	14.27	2.75	0.17	1.34
CUMBERLAND								
LESS THAN GRADE 9	47	1.34	14	13	9	6	1	4
GRADES 9-11	331	9.41	126	71	83	22	2	27
GRADE 12	1,305	37.11	669	346	200	42	2	46
GREATER THAN GRADE 12	1,813	51.55	1,076	510	165	22	3	37
UNKNOWN	21	0.60	10	3	4	0	1	3
COUNTY TOTALS	3,517		1,895	943	461	92	9	117
PERCENT DISTRIBUTION		100.00	53.88	26.81	13.11	2.62	0.26	3.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	11	2.89	5	3	2	0	0	1
GRADES 9-11	50	13.12	20	9	13	4	0	4
GRADE 12	184	48.29	100	50	27	5	1	1
GREATER THAN GRADE 12	136	35.70	88	34	11	1	1	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	381		213	96	53	10	2	7
PERCENT DISTRIBUTION		100.00	55.91	25.20	13.91	2.62	0.52	1.84
HANCOCK								
LESS THAN GRADE 9	9	1.43	3	3	1	0	0	2
GRADES 9-11	85	13.54	31	26	23	4	0	1
GRADE 12	255	40.61	130	84	35	4	1	1
GREATER THAN GRADE 12	278	44.27	163	89	24	1	0	1
UNKNOWN	1	0.16	0	1	0	0	0	0
COUNTY TOTALS	628		327	203	83	9	1	5
PERCENT DISTRIBUTION		100.00	52.07	32.32	13.22	1.43	0.16	0.80
KENNEBEC								
LESS THAN GRADE 9	23	1.48	12	7	4	0	0	0
GRADES 9-11	184	11.83	79	52	45	3	1	4
GRADE 12	749	48.14	399	247	92	6	1	4
GREATER THAN GRADE 12	595	38.24	353	175	51	6	1	9
UNKNOWN	5	0.32	1	1	1	0	1	1
COUNTY TOTALS	1,556		844	482	193	15	4	18
PERCENT DISTRIBUTION		100.00	54.24	30.98	12.40	0.96	0.26	1.16

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	9	2.03	3	4	2	0	0	0
GRADES 9-11	61	13.74	30	16	10	4	1	0
GRADE 12	197	44.37	114	46	25	6	0	6
GREATER THAN GRADE 12	175	39.41	119	36	18	1	0	1
UNKNOWN	2	0.45	1	1	0	0	0	0
COUNTY TOTALS	444		267	103	55	11	1	7
PERCENT DISTRIBUTION		100.00	60.14	23.20	12.39	2.48	0.23	1.58
LINCOLN								
LESS THAN GRADE 9	3	0.78	1	0	2	0	0	0
GRADES 9-11	49	12.73	20	8	16	4	1	0
GRADE 12	175	45.45	96	46	29	2	0	2
GREATER THAN GRADE 12	154	40.00	108	29	14	0	0	3
UNKNOWN	4	1.04	1	1	0	1	0	1
COUNTY TOTALS	385		226	84	61	7	1	6
PERCENT DISTRIBUTION		100.00	58.70	21.82	15.84	1.82	0.26	1.56
OXFORD								
LESS THAN GRADE 9	18	2.35	8	7	3	0	0	0
GRADES 9-11	132	17.21	48	46	32	1	2	3
GRADE 12	362	47.20	173	129	51	5	1	3
GREATER THAN GRADE 12	252	32.86	135	88	17	7	1	4
UNKNOWN	3	0.39	1	1	1	0	0	0
COUNTY TOTALS	767		365	271	104	13	4	10
PERCENT DISTRIBUTION		100.00	47.59	35.33	13.56	1.69	0.52	1.30

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	30	1.55	9	7	9	2	2	1
GRADES 9-11	228	11.76	81	58	67	18	3	1
GRADE 12	936	48.27	509	218	165	29	9	6
GREATER THAN GRADE 12	742	38.27	471	178	76	13	2	2
UNKNOWN	3	0.15	1	0	0	0	0	2
COUNTY TOTALS	1,939		1,071	461	317	62	16	12
PERCENT DISTRIBUTION		100.00	55.23	23.78	16.35	3.20	0.83	0.62
PISCATAQUIS								
LESS THAN GRADE 9	10	4.63	3	4	3	0	0	0
GRADES 9-11	23	10.65	8	4	9	0	1	1
GRADE 12	109	50.46	55	29	23	2	0	0
GREATER THAN GRADE 12	74	34.26	45	18	10	0	0	1
UNKNOWN	0	0.00	0	0	0	0	1	0
COUNTY TOTALS	216		111	55	45	2	2	2
PERCENT DISTRIBUTION		100.00	51.39	25.46	20.83	0.93	0.46	0.93
SAGADAHOC								
LESS THAN GRADE 9	4	0.73	1	1	2	0	0	0
GRADES 9-11	60	10.95	22	13	18	4	0	3
GRADE 12	229	41.79	127	64	30	5	0	3
GREATER THAN GRADE 12	253	46.17	158	73	20	0	0	2
UNKNOWN	2	0.36	1	1	0	0	0	0
COUNTY TOTALS	548		309	152	70	9	0	8
PERCENT DISTRIBUTION		100.00	56.39	27.74	12.77	1.64	0.00	1.46

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	20	2.76	11	5	4	0	0	0
GRADES 9-11	132	18.23	59	29	37	3	1	3
GRADE 12	367	50.69	171	111	77	7	0	1
GREATER THAN GRADE 12	204	28.18	117	61	21	3	1	1
UNKNOWN	1	0.14	0	1	0	0	0	0
COUNTY TOTALS	724		358	207	139	13	2	5
PERCENT DISTRIBUTION		100.00	49.45	28.59	19.20	1.80	0.28	0.69
WALDO								
LESS THAN GRADE 9	8	1.61	3	3	2	0	0	0
GRADES 9-11	75	15.06	27	15	23	8	0	2
GRADE 12	251	50.40	141	62	40	5	0	3
GREATER THAN GRADE 12	162	32.53	96	45	20	1	0	0
UNKNOWN	2	0.40	0	1	0	0	0	1
COUNTY TOTALS	498		267	126	85	14	0	6
PERCENT DISTRIBUTION		100.00	53.61	25.30	17.07	2.81	0.00	1.20
WASHINGTON								
LESS THAN GRADE 9	9	2.13	4	1	3	1	0	0
GRADES 9-11	56	13.24	27	14	13	0	2	0
GRADE 12	210	49.65	108	52	43	5	1	1
GREATER THAN GRADE 12	144	34.04	82	40	21	1	0	0
UNKNOWN	4	0.95	0	1	1	0	0	2
COUNTY TOTALS	423		221	108	81	7	3	3
PERCENT DISTRIBUTION		100.00	52.25	25.53	19.15	1.65	0.71	0.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	44	1.69	12	14	11	4	2	1
GRADES 9-11	289	11.07	93	69	90	15	7	15
GRADE 12	1,141	43.70	611	289	178	25	4	34
GREATER THAN GRADE 12	1,123	43.01	732	267	100	10	2	12
UNKNOWN	14	0.54	3	2	5	1	0	3
COUNTY TOTALS	2,611		1,451	641	384	55	15	65
PERCENT DISTRIBUTION		100.00	55.57	24.55	14.71	2.11	0.57	2.49
MAINE SUMMARY								
LESS THAN GRADE 9	346	1.98	121	107	81	23	5	9
GRADES 9-11	2,171	12.43	813	555	599	112	25	67
GRADE 12	7,809	44.71	4,110	2,181	1,200	172	27	119
GREATER THAN GRADE 12	7,061	40.43	4,349	1,890	655	80	11	76
UNKNOWN	77	0.44	22	14	13	2	2	24
STATE TOTALS	17,464		9,415	4,747	2,548	389	70	295
PERCENT DISTRIBUTION		100.00	53.91	27.18	14.59	2.23	0.40	1.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1989 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	BIRTHWEIGHT IN GRAMS OVER 4999
AT HOME	142	21	3	8	8	20	0	4	6	1
BATH MEMORIAL HOSPITAL	367	50	26	6	0	49	70	1	15	0
BLUE HILL MEMORIAL HOSPITAL	255	40	17	4	0	45	35	3	7	1
BORN ON WAY TO HOSPITAL	6	2	1	0	1	2	0	0	0	0
BRIGHTON MEDICAL CENTER	439	96	40	16	2	63	96	6	16	2
CALAIS REGIONAL HOSPITAL	100	36	18	8	2	17	36	3	1	0
CARY MEDICAL CENTER	264	60	31	3	0	57	59	1	8	1
CENTRAL MAINE MEDICAL CENTER	1,137	298	139	38	5	259	257	17	52	3
DOWN EAST COMMUNITY HOSPITAL	204	53	21	21	0	41	24	1	4	0
EASTERN MAINE MEDICAL CENTER	1,942	428	184	24	15	252	383	6	139	2
FRANKLIN MEMORIAL HOSPITAL	512	132	75	8	1	125	100	2	18	1
HENRIETTA D. GOODALL HOSPITAL	357	80	46	10	1	79	81	10	10	1
HOULTON REGIONAL HOSPITAL	228	58	31	16	1	52	75	5	14	0
ISLAND COMMUNITY MEDICAL CTR.	4	0	0	0	0	0	0	0	0	0
KENNEBEC VALLEY MEDICAL CTR.	751	183	90	15	1	191	152	8	29	6
LITTLE RIVER MATERNITY CENTER	22	6	6	1	0	3*	0	0	1	0
MAINE COAST MEMORIAL HOSPITAL	221	52	29	8	0	59	46	3	16	1
MAINE MEDICAL CENTER	3,080	636	272	69	4	1	500	0	303	7
MAYO REGIONAL HOSPITAL	215	62	34	2	2	88	37	3	3	0
MERCY HOSPITAL	626	84	28	21	1	97	117	4	18	0
MID-MAINE MEDICAL CENTER	1,102	222	114	12	1	229	153	16	35	3
MILES MEMORIAL HOSPITAL	124	33	13	3	1	36	27	2	2	2
MILLINOCKET REGIONAL HOSPITAL	87	23	13	1	0	16	28	0	2	1
MOUNT DESERT ISLAND HOSPITAL	120	25	8	0	1	25	21	3	2	2
NORTH CUMBERLAND MEM. HOSPITAL	97	19	10	4	0	12	36	1	2	1
NORTH MAINE MEDICAL CENTER	90	17	9	2	0	19	16	0	5	0
OTHER SPECIFIED PLACE	3	1	1	0	0	3	0	0	1	0
PARKVIEW MEMORIAL HOSPITAL	838	144	92	37	2	148	153	17	30	0
PENOBSCOT BAY MEDICAL CENTER	478	111	53	5	1	200	122	2	12	1
PENOBSCOT VALLEY HOSPITAL	119	33	24	3	0	6	32	1	4	1
REDINGTON-FAIRVIEW HOSPITAL	270	115	63	3	0	30	74	3	18	0
RUMFORD COMMUNITY HOSPITAL	157	60	27	1	2	43	29	4	4	0
ST. ANDREW'S HOSPITAL	7	3	2	1	0	1	1	0	0	0
ST. MARY'S HOSPITAL	439	97	37	5	2	91	114	10	11	0
SEBASTICOOK VALLEY HOSPITAL	1	1	0	0	0	0	0	0	0	0
SOUTHERN MAINE MEDICAL CENTER	549	126	54	4	7	46	114	10	17	0
STEPHENS MEMORIAL HOSPITAL	351	92	57	5	1	86	89	6	12	0
STREET ADDRESS	1	1	0	0	0	0	0	0	1	0
THE AROOSTOOK MEDICAL CENTER	322	72	40	9	0	83	40	7	13	1
US AIR FORCE HOSPITAL	272	14	20	29	1	49	50	4	10	0
WALDO COUNTY GENERAL HOSPITAL	197	68	45	2	0	50	37	4	7	0
WATERVILLE OSTEOPATHIC HOSP.	180	52	29	5	2	34	38	1	3	0
WISCASSET BIRTHING CENTER	18	1	0	1	0	4	0	0	0	0
YORK HOSPITAL	180	35	11	3	0	39	28	6	11	0
STATE TOTALS	16,874	3,742	1,813	413	65	2,750	3,270	174	862	38

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1989 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	********** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE ********** OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	OVER 4999
AT HOME	142	14.79	2.11	5.63	5.63	14.08*	0.00	2.82	4.23	0.70
BATH MEMORIAL HOSPITAL	367	13.62	7.08	1.63	0.00	13.35	19.07	0.27	4.09	0.00
BLUE HILL MEMORIAL HOSPITAL	255	15.69	6.67	1.57	0.00	17.65	13.73	1.18	2.75	0.39
BORN ON WAY TO HOSPITAL	6	33.33	16.67	0.00	16.67	33.33	0.00	0.00	0.00	0.00
BRIGHTON MEDICAL CENTER	439	21.87	9.11	3.64	0.46	14.35	21.87	1.37	3.64	0.46
CALAIS REGIONAL HOSPITAL	100	36.00	18.00	8.00	2.00	17.00	36.00	3.00	1.00	0.00
CARY MEDICAL CENTER	264	22.73	11.74	1.14	0.00	21.59	22.35	0.38	3.03	0.38
CENTRAL MAINE MEDICAL CENTER	1,137	26.21	12.23	3.34	0.44	22.78	22.60	1.50	4.57	0.26
DOWN EAST COMMUNITY HOSPITAL	204	25.98	10.29	10.29	0.00	20.10	11.76	0.49	1.96	0.00
EASTERN MAINE MEDICAL CENTER	1,942	22.04	9.47	1.24	0.77	12.98	19.72	0.31	7.16	0.10
FRANKLIN MEMORIAL HOSPITAL	512	25.78	14.65	1.56	0.20	24.41	19.53	0.39	3.52	0.20
HENRIETTA D. GOODALL HOSPITAL	357	22.41	12.89	2.80	0.28	22.13	22.69	2.80	2.80	0.28
HOULTON REGIONAL HOSPITAL	228	25.44	13.60	7.02	0.44	22.81	32.89	2.19	6.14	0.00
ISLAND COMMUNITY MEDICAL CTR.	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
KENNEBEC VALLEY MEDICAL CTR.	751	24.37	11.98	2.00	0.13	25.43	20.24	1.07	3.86	0.80
LITTLE RIVER MATERNITY CENTER	22	27.27	27.27	4.55	0.00	13.64	0.00	0.00	4.55	0.00
MAINE COAST MEMORIAL HOSPITAL	221	23.53	13.12	3.62	0.00	26.70	20.81	1.36	7.24	0.45
MAINE MEDICAL CENTER	3,080	20.65	8.83	2.24	0.13	0.03	16.23	0.00	9.84	0.23
MAYO REGIONAL HOSPITAL	215	28.84	15.81	0.93	0.93	40.93	17.21	1.40	1.40	0.00
MERCY HOSPITAL	626	13.42	4.47	3.35	0.16	15.50	18.69	0.64	2.88	0.00
MID-MAINE MEDICAL CENTER	1,102	20.15	10.34	1.09	0.09	20.78	13.88	1.45	3.18	0.27
MILES MEMORIAL HOSPITAL	124	26.61	10.48	2.42	0.81	29.03	21.77	1.61	1.61	1.61
MILLINOCKET REGIONAL HOSPITAL	87	26.44	14.94	1.15	0.00	18.39	32.18	0.00	2.30	1.15
MOUNT DESERT ISLAND HOSPITAL	120	20.83	6.67	0.00	0.83	20.83	17.50	2.50	1.67	1.67
NORTH CUMBERLAND MEM. HOSPITAL	97	19.59	10.31	4.12	0.00	12.37	37.11	1.03	2.06	1.03
NORTH MAINE MEDICAL CENTER	90	18.89	10.00	2.22	0.00	21.11	17.78	0.00	5.56	0.00
OTHER SPECIFIED PLACE	3	33.33	33.33	0.00	0.00	100.00	0.00	0.00	33.33	0.00
PARKVIEW MEMORIAL HOSPITAL	838	17.18	10.98	4.42	0.24	17.66	18.26	2.03	3.58	0.00
PENOBSCOT BAY MEDICAL CENTER	478	23.22	11.09	1.05	0.21	41.84	25.52	0.42	2.51	0.21
PENOBSCOT VALLEY HOSPITAL	119	27.73	20.17	2.52	0.00	5.04	26.89	0.84	3.36	0.84
REDINGTON-FAIRVIEW HOSPITAL	270	42.59	23.33	1.11	0.00	11.11	27.41	1.11	6.67	0.00
RUMFORD COMMUNITY HOSPITAL	157	38.22	17.20	0.64	1.27	27.39	18.47	2.55	2.55	0.00
ST. ANDREW'S HOSPITAL	7	42.86	28.57	14.29	0.00	14.29	14.29	0.00	0.00	0.00
ST. MARY'S HOSPITAL	439	22.10	8.43	1.14	0.46	20.73	25.97	2.28	2.51	0.00
SEBASTICOOK VALLEY HOSPITAL	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SOUTHERN MAINE MEDICAL CENTER	549	22.95	9.84	0.73	1.28	8.38	20.77	1.82	3.10	0.00
STEPHENS MEMORIAL HOSPITAL	351	26.21	16.24	1.42	0.28	24.50	25.36	1.71	3.42	0.00
STREET ADDRESS	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00	0.00
THE AROOSTOOK MEDICAL CENTER	322	22.36	12.42	2.80	0.00	25.78	12.42	2.17	4.04	0.31
US AIR FORCE HOSPITAL	272	5.15	7.35	10.66	0.37	18.01	18.38	1.47	3.68	0.00
WALDO COUNTY GENERAL HOSPITAL	197	34.52	22.84	1.02	0.00	25.38	18.78	2.03	3.55	0.00
WATERVILLE OSTEOPATHIC HOSP.	180	28.89	16.11	2.78	1.11	18.89	21.11	0.56	1.67	0.00
WISCASSET BIRTHING CENTER	18	5.56	0.00	5.56	0.00	22.22	0.00	0.00	0.00	0.00
YORK HOSPITAL	180	19.44	6.11	1.67	0.00	21.67	15.56	3.33	6.11	0.00
STATE TOTALS	16,874	22.18	10.74	2.45	0.39	16.30	19.38	1.03	5.11	0.23

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1989 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		BIRTHWEIGHT IN GRAMS									
			< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	142	100.0	1	0.7	0	0.0	1	0.7	137	96.5	4	2.8
BATH MEMORIAL HOSPITAL	367	100.0	0	0.0	0	0.0	0	0.0	366	99.7	1	0.3
BLUE HILL MEMORIAL HOSPITAL	255	100.0	0	0.0	0	0.0	0	0.0	255	100.0	0	0.0
BORN ON WAY TO HOSPITAL	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
BRIGHTON MEDICAL CENTER	439	100.0	1	0.2	0	0.0	1	0.2	438	99.8	0	0.0
CALAIS REGIONAL HOSPITAL	100	100.0	0	0.0	0	0.0	0	0.0	100	100.0	0	0.0
CARY MEDICAL CENTER	264	100.0	0	0.0	0	0.0	0	0.0	264	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,137	100.0	3	0.3	5	0.4	8	0.7	1,128	99.2	1	0.1
DOWN EAST COMMUNITY HOSPITAL	204	100.0	0	0.0	0	0.0	0	0.0	204	100.0	0	0.0
EASTERN MAINE MEDICAL CENTER	1,942	100.0	10	0.5	12	0.6	22	1.1	1,918	98.8	2	0.1
FRANKLIN MEMORIAL HOSPITAL	512	100.0	0	0.0	0	0.0	0	0.0	512	100.0	0	0.0
HENRIETTA D. GOODALL HOSPITAL	357	100.0	1	0.3	1	0.3	2	0.6	355	99.4	0	0.0
HOULTON REGIONAL HOSPITAL	228	100.0	0	0.0	1	0.4	1	0.4	227	99.6	0	0.0
ISLAND COMMUNITY MEDICAL CTR.	4	100.0	0	0.0	0	0.0	0	0.0	4	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	751	100.0	0	0.0	2	0.3	2	0.3	749	99.7	0	0.0
LITTLE RIVER MATERNITY CENTER	22	100.0	0	0.0	0	0.0	0	0.0	22	100.0	0	0.0
MAINE COAST MEMORIAL HOSPITAL	221	100.0	0	0.0	3	1.4	3	1.4	218	98.6	0	0.0
MAINE MEDICAL CENTER	3,080	100.0	37	1.2	54	1.8	91	3.0	2,979	96.7	10	0.3
MAYO REGIONAL HOSPITAL	215	100.0	0	0.0	0	0.0	0	0.0	215	100.0	0	0.0
MERCY HOSPITAL	626	100.0	0	0.0	0	0.0	0	0.0	625	99.8	1	0.2
MID-MAINE MEDICAL CENTER	1,102	100.0	1	0.1	1	0.1	2	0.2	1,100	99.8	0	0.0
MILES MEMORIAL HOSPITAL	124	100.0	0	0.0	0	0.0	0	0.0	124	100.0	0	0.0
MILLINOCKET REGIONAL HOSPITAL	87	100.0	0	0.0	0	0.0	0	0.0	87	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	120	100.0	0	0.0	0	0.0	0	0.0	120	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	97	100.0	0	0.0	0	0.0	0	0.0	97	100.0	0	0.0
NORTH MAINE MEDICAL CENTER	90	100.0	0	0.0	1	1.1	1	1.1	89	98.9	0	0.0
OTHER SPECIFIED PLACE	3	100.0	1	33.3	0	0.0	1	33.3	2	66.7	0	0.0
PARKVIEW MEMORIAL HOSPITAL	838	100.0	2	0.2	1	0.1	3	0.4	835	99.6	0	0.0
PENOBSCOT BAY MEDICAL CENTER	478	100.0	0	0.0	0	0.0	0	0.0	478	100.0	0	0.0
PENOBSCOT VALLEY HOSPITAL	119	100.0	0	0.0	0	0.0	0	0.0	119	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	270	100.0	1	0.4	0	0.0	1	0.4	269	99.6	0	0.0
RUMFORD COMMUNITY HOSPITAL	157	100.0	0	0.0	1	0.6	1	0.6	156	99.4	0	0.0
ST. ANDREW'S HOSPITAL	7	100.0	0	0.0	0	0.0	0	0.0	7	100.0	0	0.0
ST. MARY'S HOSPITAL	439	100.0	0	0.0	1	0.2	1	0.2	438	99.8	0	0.0
SEBASTICOOK VALLEY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
SOUTHERN MAINE MEDICAL CENTER	549	100.0	1	0.2	0	0.0	1	0.2	548	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	351	100.0	0	0.0	0	0.0	0	0.0	351	100.0	0	0.0
STREET ADDRESS	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
THE AROOSTOOK MEDICAL CENTER	322	100.0	1	0.3	0	0.0	1	0.3	321	99.7	0	0.0
US AIR FORCE HOSPITAL	272	100.0	1	0.4	0	0.0	1	0.4	271	99.6	0	0.0
WALDO COUNTY GENERAL HOSPITAL	197	100.0	0	0.0	1	0.5	1	0.5	196	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	180	100.0	0	0.0	0	0.0	0	0.0	180	100.0	0	0.0
WISCASSET BIRTHING CENTER	18	100.0	0	0.0	0	0.0	0	0.0	18	100.0	0	0.0
YORK HOSPITAL	180	100.0	0	0.0	1	0.6	1	0.6	179	99.4	0	0.0
STATE TOTALS	16,874	100.0	61	0.4	85	0.5	146	0.9	16,709	99.0	19	0.1

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BLOCWT

PREGNANCY OUTCOME

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
ANDROSCOGGIN											
ALL PREGNANCIES											
LESS THAN 10	7,250	0	###	0	###	0	###	0	###	0	###
10-14	3,600	5	###	1	###	4	###	0	###	0	###
15	*	18	*	10	*	8	###	0	###	0	###
16	*	39	*	24	*	15	*	0	###	0	###
17	*	54	*	35	*	19	*	0	###	0	###
18	*	96	*	70	*	24	*	2	###	0	###
19	*	101	*	73	*	27	*	0	###	1	###
15-19	3,600	308	85.6	212	58.9	93	25.8	2	###	1	###
20-24	4,000	708	177.0	604	151.0	98	24.5	3	###	3	###
25-29	4,400	578	131.4	500	113.6	67	15.2	8	###	3	###
30-34	4,150	282	68.0	233	56.1	44	10.6	3	###	2	###
35-39	3,450	88	25.5	70	20.3	16	4.6	2	###	0	###
40-44	3,350	16	4.8	9	###	5	###	2	###	0	###
GREATER THAN 44	19,800	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		4		0		0	
COUNTY TOTALS	53,600	1,989	37.1	1,629	30.4	331	6.2	20	0.4	9	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	7,250	0	###	0	###	0	###	0	###	0	###
10-14	3,600	5	###	1	###	4	###	0	###	0	###
15	*	17	*	9	###	8	###	0	###	0	###
16	*	38	*	23	*	15	*	0	###	0	###
17	*	46	*	28	*	18	*	0	###	0	###
18	*	74	*	49	*	23	*	2	###	0	###
19	*	64	*	38	*	26	*	0	###	0	###
15-19	3,600	239	66.4	147	40.8	90	25.0	2	###	0	###
20-24	4,000	279	69.8	194	48.5	82	20.5	1	###	2	###
25-29	4,400	108	24.5	60	13.6	46	10.5	1	###	1	###
30-34	4,150	51	12.3	23	5.5	25	6.0	2	###	1	###
35-39	3,450	12	3.5	6	###	6	###	0	###	0	###
40-44	3,350	3	###	1	###	1	###	1	###	0	###
GREATER THAN 44	19,800	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	3		0		3		0		0	
COUNTY TOTALS	53,600	700	13.1	432	8.1	257	4.8	7	###	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
AROOSTOOK											
ALL PREGNANCIES											
LESS THAN 10	5,750	0	###	0	###	0	###	0	###	0	###
10-14	3,200	3	###	2	###	1	###	0	###	0	###
15	*	3	###	2	###	1	###	0	###	0	###
16	*	14	*	10	*	4	###	0	###	0	###
17	*	31	*	22	*	8	###	1	###	0	###
18	*	49	*	38	*	8	###	3	###	0	###
19	*	76	*	63	*	12	*	1	###	0	###
15-19	3,200	173	54.1	135	42.2	33	10.3	5	###	0	###
20-24	3,400	466	137.1	408	120.0	52	15.3	5	###	1	###
25-29	3,300	474	143.6	429	130.0	33	10.0	9	###	3	###
30-34	3,750	185	49.3	163	43.5	16	4.3	5	###	1	###
35-39	2,900	61	21.0	53	18.3	7	###	1	###	0	###
40-44	2,550	11	4.3	8	###	2	###	1	###	0	###
GREATER THAN 44	14,800	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	5		0		5		0		0	
COUNTY TOTALS	42,850	1,378	32.2	1,198	28.0	149	3.5	26	0.6	5	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	5,750	0	###	0	###	0	###	0	###	0	###
10-14	3,200	3	###	2	###	1	###	0	###	0	###
15	*	3	###	2	###	1	###	0	###	0	###
16	*	14	*	10	*	4	###	0	###	0	###
17	*	26	*	17	*	8	###	1	###	0	###
18	*	31	*	21	*	7	###	3	###	0	###
19	*	35	*	24	*	10	*	1	###	0	###
15-19	3,200	109	34.1	74	23.1	30	9.4	5	###	0	###
20-24	3,400	136	40.0	88	25.9	46	13.5	2	###	0	###
25-29	3,300	59	17.9	33	10.0	24	7.3	1	###	1	###
30-34	3,750	25	6.7	13	3.5	10	2.7	2	###	0	###
35-39	2,900	9	###	5	###	4	###	0	###	0	###
40-44	2,550	1	###	1	###	0	###	0	###	0	###
GREATER THAN 44	14,800	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		4		0		0	
COUNTY TOTALS	42,850	346	8.1	216	5.0	119	2.8	10	0.2	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
CUMBERLAND											
ALL PREGNANCIES											
LESS THAN 10	17,300	0	###	0	###	0	###	0	###	0	###
10-14	7,650	3	###	1	###	2	###	0	###	0	###
15	*	23	*	8	###	14	*	0	###	1	###
16	*	64	*	33	*	31	*	0	###	0	###
17	*	104	*	52	*	51	*	0	###	1	###
18	*	153	*	89	*	62	*	2	###	0	###
19	*	200	*	116	*	82	*	1	###	1	###
15-19	8,350	544	65.1	298	35.7	240	28.7	3	###	3	###
20-24	9,050	1,218	134.6	809	89.4	386	42.7	21	2.3	2	###
25-29	10,600	1,443	136.1	1,161	109.5	259	24.4	16	1.5	7	###
30-34	10,200	1,037	101.7	876	85.9	147	14.4	9	###	5	###
35-39	9,200	422	45.9	335	36.4	72	7.8	7	###	8	###
40-44	9,300	65	7.0	35	3.8	28	3.0	2	###	0	###
GREATER THAN 44	44,050	2	###	1	###	1	###	0	###	0	###
UNKNOWN	0	12		1		10		1		0	
COUNTY TOTALS	125,700	4,746	37.8	3,517	28.0	1,145	9.1	59	0.5	25	0.2
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	17,300	0	###	0	###	0	###	0	###	0	###
10-14	7,650	3	###	1	###	2	###	0	###	0	###
15	*	23	*	8	###	14	*	0	###	1	###
16	*	61	*	30	*	31	*	0	###	0	###
17	*	97	*	47	*	49	*	0	###	1	###
18	*	137	*	73	*	62	*	2	###	0	###
19	*	157	*	75	*	80	*	1	###	1	###
15-19	8,350	475	56.9	233	27.9	236	28.3	3	###	3	###
20-24	9,050	586	64.8	237	26.2	343	37.9	5	###	1	###
25-29	10,600	329	31.0	127	12.0	196	18.5	5	###	1	###
30-34	10,200	160	15.7	62	6.1	92	9.0	3	###	3	###
35-39	9,200	70	7.6	18	2.0	48	5.2	1	###	3	###
40-44	9,300	16	1.7	2	###	12	1.3	2	###	0	###
GREATER THAN 44	44,050	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	8		0		8		0		0	
COUNTY TOTALS	125,700	1,647	13.1	680	5.4	937	7.5	19	0.2	11	0.1

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
FRANKLIN											
ALL PREGNANCIES											
LESS THAN 10	2,040	0	###	0	###	0	###	0	###	0	###
10-14	990	2	###	1	###	0	###	1	###	0	###
15	*	3	###	1	###	1	###	1	###	0	###
16	*	6	###	6	###	0	###	0	###	0	###
17	*	8	###	6	###	2	###	0	###	0	###
18	*	27	*	20	*	7	###	0	###	0	###
19	*	25	*	22	*	3	###	0	###	0	###
15-19	1,030	69	67.0	55	53.4	13	12.6	1	###	0	###
20-24	1,250	152	121.6	132	105.6	15	12.0	5	###	0	###
25-29	1,400	122	87.1	100	71.4	14	10.0	7	###	1	###
30-34	1,250	78	62.4	62	49.6	10	8.0	5	###	1	###
35-39	1,000	33	33.0	24	24.0	3	###	6	###	0	###
40-44	1,000	7	###	6	###	1	###	0	###	0	###
GREATER THAN 44	5,200	1	###	1	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	15,160	464	30.6	381	25.1	56	3.7	25	1.6	2	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,040	0	###	0	###	0	###	0	###	0	###
10-14	990	2	###	1	###	0	###	1	###	0	###
15	*	3	###	1	###	1	###	1	###	0	###
16	*	3	###	3	###	0	###	0	###	0	###
17	*	7	###	5	###	2	###	0	###	0	###
18	*	20	*	13	*	7	###	0	###	0	###
19	*	15	*	12	*	3	###	0	###	0	###
15-19	1,030	48	46.6	34	33.0	13	12.6	1	###	0	###
20-24	1,250	57	45.6	40	32.0	13	10.4	4	###	0	###
25-29	1,400	25	17.9	15	10.7	8	###	2	###	0	###
30-34	1,250	14	11.2	8	###	6	###	0	###	0	###
35-39	1,000	5	###	2	###	2	###	1	###	0	###
40-44	1,000	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	5,200	1	###	1	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	15,160	152	10.0	101	6.7	42	2.8	9	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
HANCOCK											
ALL PREGNANCIES											
LESS THAN 10	3,250	0	###	0	###	0	###	0	###	0	###
10-14	1,400	1	###	0	###	1	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###	0	###
16	*	5	###	3	###	1	###	1	###	0	###
17	*	23	*	16	*	5	###	1	###	1	###
18	*	23	*	11	*	11	*	1	###	0	###
19	*	34	*	20	*	14	*	0	###	0	###
15-19	1,490	87	58.4	51	34.2	32	21.5	3	###	1	###
20-24	1,650	246	149.1	192	116.4	50	30.3	2	###	2	###
25-29	1,600	232	145.0	205	128.1	22	13.8	4	###	1	###
30-34	1,750	142	81.1	118	67.4	22	12.6	1	###	1	###
35-39	1,600	59	36.9	52	32.5	7	###	0	###	0	###
40-44	1,600	14	8.8	10	6.3	4	###	0	###	0	###
GREATER THAN 44	9,200	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		4		0		0	
COUNTY TOTALS	23,540	785	33.3	628	26.7	142	6.0	10	0.4	5	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	3,250	0	###	0	###	0	###	0	###	0	###
10-14	1,400	1	###	0	###	1	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###	0	###
16	*	5	###	3	###	1	###	1	###	0	###
17	*	22	*	15	*	5	###	1	###	1	###
18	*	19	*	7	###	11	*	1	###	0	###
19	*	22	*	8	###	14	*	0	###	0	###
15-19	1,490	70	47.0	34	22.8	32	21.5	3	###	1	###
20-24	1,650	98	59.4	52	31.5	43	26.1	2	###	1	###
25-29	1,600	39	24.4	22	13.8	15	9.4	2	###	0	###
30-34	1,750	24	13.7	9	###	15	8.6	0	###	0	###
35-39	1,600	6	###	3	###	3	###	0	###	0	###
40-44	1,600	5	###	2	###	3	###	0	###	0	###
GREATER THAN 44	9,200	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	3		0		3		0		0	
COUNTY TOTALS	23,540	246	10.5	122	5.2	115	4.9	7	###	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
KENNEBEC											
ALL PREGNANCIES											
LESS THAN 10	7,900	0	###	0	###	0	###	0	###	0	###
10-14	3,850	2	###	2	###	0	###	0	###	0	###
15	*	12	*	3	###	9	###	0	###	0	###
16	*	31	*	18	*	13	*	0	###	0	###
17	*	57	*	31	*	24	*	2	###	0	###
18	*	92	*	54	*	36	*	1	###	1	###
19	*	90	*	58	*	30	*	1	###	1	###
15-19	4,050	282	69.6	164	40.5	112	27.7	4	###	2	###
20-24	4,650	647	139.1	507	109.0	124	26.7	14	3.0	2	###
25-29	4,900	603	123.1	514	104.9	79	16.1	7	###	3	###
30-34	4,800	315	65.6	274	57.1	28	5.8	13	2.7	0	###
35-39	4,250	111	26.1	84	19.8	25	5.9	2	###	0	###
40-44	4,000	22	5.5	11	2.8	8	###	3	###	0	###
GREATER THAN 44	21,900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		3		0		1	
COUNTY TOTALS	60,300	1,986	32.9	1,556	25.8	379	6.3	43	0.7	8	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	7,900	0	###	0	###	0	###	0	###	0	###
10-14	3,850	1	###	1	###	0	###	0	###	0	###
15	*	12	*	3	###	9	###	0	###	0	###
16	*	27	*	15	*	12	*	0	###	0	###
17	*	53	*	27	*	24	*	2	###	0	###
18	*	78	*	44	*	33	*	1	###	0	###
19	*	66	*	36	*	28	*	1	###	1	###
15-19	4,050	236	58.3	125	30.9	106	26.2	4	###	1	###
20-24	4,650	247	53.1	132	28.4	108	23.2	5	###	2	###
25-29	4,900	117	23.9	63	12.9	52	10.6	2	###	0	###
30-34	4,800	33	6.9	18	3.8	11	2.3	4	###	0	###
35-39	4,250	27	6.4	8	###	18	4.2	1	###	0	###
40-44	4,000	2	###	1	###	1	###	0	###	0	###
GREATER THAN 44	21,900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		1		0		1	
COUNTY TOTALS	60,300	665	11.0	348	5.8	297	4.9	16	0.3	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KNOX											
ALL PREGNANCIES											
LESS THAN 10	2,550	0	###	0	###	0	###	0	###	0	###
10-14	1,150	3	###	1	###	2	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	8	###	3	###	4	###	0	###	1	###
17	*	11	*	9	###	2	###	0	###	0	###
18	*	18	*	9	###	9	###	0	###	0	###
19	*	30	*	23	*	7	###	0	###	0	###
15-19	1,250	68	54.4	45	36.0	22	17.6	0	###	1	###
20-24	1,300	166	127.7	133	102.3	33	25.4	0	###	0	###
25-29	1,250	162	129.6	141	112.8	19	15.2	2	###	0	###
30-34	1,200	101	84.2	86	71.7	13	10.8	2	###	0	###
35-39	1,300	47	36.2	38	29.2	8	###	0	###	1	###
40-44	1,250	2	###	0	###	2	###	0	###	0	###
GREATER THAN 44	7,450	1	###	0	###	1	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	18,700	550	29.4	444	23.7	100	5.3	4	###	2	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,550	0	###	0	###	0	###	0	###	0	###
10-14	1,150	3	###	1	###	2	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	5	###	1	###	3	###	0	###	1	###
17	*	8	###	7	###	1	###	0	###	0	###
18	*	15	*	6	###	9	###	0	###	0	###
19	*	21	*	16	*	5	###	0	###	0	###
15-19	1,250	50	40.0	31	24.8	18	14.4	0	###	1	###
20-24	1,300	63	48.5	36	27.7	27	20.8	0	###	0	###
25-29	1,250	33	26.4	19	15.2	13	10.4	1	###	0	###
30-34	1,200	16	13.3	8	###	8	###	0	###	0	###
35-39	1,300	8	###	2	###	6	###	0	###	0	###
40-44	1,250	2	###	0	###	2	###	0	###	0	###
GREATER THAN 44	7,450	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	18,700	175	9.4	97	5.2	76	4.1	1	###	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
LINCOLN											
ALL PREGNANCIES											
LESS THAN 10	2,150	0	###	0	###	0	###	0	###	0	###
10-14	980	2	###	1	###	1	###	0	###	0	###
15	*	2	###	2	###	0	###	0	###	0	###
16	*	5	###	5	###	0	###	0	###	0	###
17	*	11	*	5	###	6	###	0	###	0	###
18	*	20	*	7	###	13	*	0	###	0	###
19	*	27	*	23	*	4	###	0	###	0	###
15-19	1,020	65	63.7	42	41.2	23	22.5	0	###	0	###
20-24	1,150	120	104.3	94	81.7	24	20.9	2	###	0	###
25-29	1,100	144	130.9	119	108.2	21	19.1	3	###	1	###
30-34	900	117	130.0	88	97.8	23	25.6	5	###	1	###
35-39	1,100	47	42.7	37	33.6	10	9.1	0	###	0	###
40-44	1,050	5	###	4	###	1	###	0	###	0	###
GREATER THAN 44	5,900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0		0	
COUNTY TOTALS	15,350	502	32.7	385	25.1	105	6.8	10	0.7	2	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,150	0	###	0	###	0	###	0	###	0	###
10-14	980	2	###	1	###	1	###	0	###	0	###
15	*	2	###	2	###	0	###	0	###	0	###
16	*	4	###	4	###	0	###	0	###	0	###
17	*	8	###	2	###	6	###	0	###	0	###
18	*	17	*	6	###	11	*	0	###	0	###
19	*	19	*	15	*	4	###	0	###	0	###
15-19	1,020	50	49.0	29	28.4	21	20.6	0	###	0	###
20-24	1,150	37	32.2	19	16.5	17	14.8	1	###	0	###
25-29	1,100	28	25.5	16	14.5	12	10.9	0	###	0	###
30-34	900	25	27.8	10	11.1	14	15.6	1	###	0	###
35-39	1,100	7	###	3	###	4	###	0	###	0	###
40-44	1,050	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	5,900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	15,350	150	9.8	78	5.1	70	4.6	2	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
OXFORD											
ALL PREGNANCIES											
LESS THAN 10	3,550	0	###	0	###	0	###	0	###	0	###
10-14	1,700	1	###	1	###	0	###	0	###	0	###
15	*	5	###	3	###	0	###	2	###	0	###
16	*	19	*	16	*	3	###	0	###	0	###
17	*	25	*	14	*	10	*	1	###	0	###
18	*	27	*	20	*	7	###	0	###	0	###
19	*	59	*	43	*	16	*	0	###	0	###
15-19	1,760	135	76.7	96	54.5	36	20.5	3	###	0	###
20-24	2,100	310	147.6	260	123.8	39	18.6	10	4.8	1	###
25-29	1,800	272	151.1	234	130.0	31	17.2	4	###	3	###
30-34	1,950	151	77.4	128	65.6	20	10.3	1	###	2	###
35-39	1,700	51	30.0	43	25.3	6	###	2	###	0	###
40-44	1,650	9	###	5	###	4	###	0	###	0	###
GREATER THAN 44	10,350	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	26,560	929	35.0	767	28.9	136	5.1	20	0.8	6	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	3,550	0	###	0	###	0	###	0	###	0	###
10-14	1,700	1	###	1	###	0	###	0	###	0	###
15	*	3	###	2	###	0	###	1	###	0	###
16	*	15	*	12	*	3	###	0	###	0	###
17	*	24	*	13	*	10	*	1	###	0	###
18	*	21	*	14	*	7	###	0	###	0	###
19	*	40	*	25	*	15	*	0	###	0	###
15-19	1,760	103	58.5	66	37.5	35	19.9	2	###	0	###
20-24	2,100	122	58.1	82	39.0	34	16.2	6	###	0	###
25-29	1,800	60	33.3	34	18.9	23	12.8	2	###	1	###
30-34	1,950	27	13.8	14	7.2	12	6.2	0	###	1	###
35-39	1,700	6	###	4	###	2	###	0	###	0	###
40-44	1,650	3	###	0	###	3	###	0	###	0	###
GREATER THAN 44	10,350	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	26,560	322	12.1	201	7.6	109	4.1	10	0.4	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
PENOBSCOT											
ALL PREGNANCIES											
LESS THAN 10	9,300	0	###	0	###	0	###	0	###	0	###
10-14	4,500	3	###	2	###	1	###	0	###	0	###
15	*	9	###	0	###	8	###	1	###	0	###
16	*	34	*	25	*	9	###	0	###	0	###
17	*	62	*	39	*	20	*	2	###	1	###
18	*	99	*	68	*	30	*	1	###	0	###
19	*	111	*	80	*	31	*	0	###	0	###
15-19	4,800	315	65.6	212	44.2	98	20.4	4	###	1	###
20-24	5,200	764	146.9	589	113.3	159	30.6	14	2.7	2	###
25-29	7,300	768	105.2	671	91.9	88	12.1	5	###	4	###
30-34	6,800	422	62.1	364	53.5	50	7.4	6	###	2	###
35-39	4,950	121	24.4	92	18.6	25	5.1	3	###	1	###
40-44	4,750	14	2.9	8	###	5	###	1	###	0	###
GREATER THAN 44	24,400	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	3		1		2		0		0	
COUNTY TOTALS	72,000	2,410	33.5	1,939	26.9	428	5.9	33	0.5	10	0.1
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	9,300	0	###	0	###	0	###	0	###	0	###
10-14	4,500	3	###	2	###	1	###	0	###	0	###
15	*	9	###	0	###	8	###	1	###	0	###
16	*	27	*	18	*	9	###	0	###	0	###
17	*	58	*	36	*	20	*	1	###	1	###
18	*	79	*	48	*	30	*	1	###	0	###
19	*	75	*	45	*	30	*	0	###	0	###
15-19	4,800	248	51.7	147	30.6	97	20.2	3	###	1	###
20-24	5,200	324	62.3	175	33.7	139	26.7	9	###	1	###
25-29	7,300	136	18.6	78	10.7	57	7.8	0	###	1	###
30-34	6,800	83	12.2	52	7.6	29	4.3	1	###	1	###
35-39	4,950	23	4.6	8	###	15	3.0	0	###	0	###
40-44	4,750	1	###	0	###	1	###	0	###	0	###
GREATER THAN 44	24,400	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0		0	
COUNTY TOTALS	72,000	820	11.4	462	6.4	341	4.7	13	0.2	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
PISCATAQUIS											
ALL PREGNANCIES											
LESS THAN 10	1,260	0	###	0	###	0	###	0	###	0	###
10-14	660	1	###	0	###	1	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###	0	###
16	*	4	###	2	###	2	###	0	###	0	###
17	*	4	###	2	###	2	###	0	###	0	###
18	*	18	*	12	*	3	###	3	###	0	###
19	*	10	*	9	###	1	###	0	###	0	###
15-19	670	40	59.7	28	41.8	9	###	3	###	0	###
20-24	700	95	135.7	82	117.1	6	###	5	###	2	###
25-29	600	71	118.3	62	103.3	3	###	5	###	1	###
30-34	700	35	50.0	27	38.6	4	###	3	###	1	###
35-39	600	20	33.3	16	26.7	2	###	2	###	0	###
40-44	600	2	###	1	###	0	###	1	###	0	###
GREATER THAN 44	3,750	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	9,540	264	27.7	216	22.6	25	2.6	19	2.0	4	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	1,260	0	###	0	###	0	###	0	###	0	###
10-14	660	1	###	0	###	1	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###	0	###
16	*	4	###	2	###	2	###	0	###	0	###
17	*	4	###	2	###	2	###	0	###	0	###
18	*	12	*	7	###	3	###	2	###	0	###
19	*	8	###	7	###	1	###	0	###	0	###
15-19	670	32	47.8	21	31.3	9	###	2	###	0	###
20-24	700	32	45.7	25	35.7	5	###	2	###	0	###
25-29	600	7	###	4	###	3	###	0	###	0	###
30-34	700	6	###	2	###	3	###	0	###	1	###
35-39	600	5	###	3	###	2	###	0	###	0	###
40-44	600	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	3,750	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	9,540	83	8.7	55	5.8	23	2.4	4	###	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
SAGADAHOC											
ALL PREGNANCIES											
LESS THAN 10	2,750	0	###	0	###	0	###	0	###	0	###
10-14	1,200	1	###	0	###	1	###	0	###	0	###
15	*	4	###	1	###	3	###	0	###	0	###
16	*	5	###	2	###	3	###	0	###	0	###
17	*	19	*	13	*	6	###	0	###	0	###
18	*	34	*	19	*	15	*	0	###	0	###
19	*	36	*	24	*	9	###	3	###	0	###
15-19 ~	1,260	98	77.8	59	46.8	36	28.6	3	###	0	###
20-24	1,250	193	154.4	145	116.0	46	36.8	2	###	0	###
25-29	1,300	223	171.5	180	138.5	36	27.7	5	###	2	###
30-34	1,200	148	123.3	126	105.0	13	10.8	7	###	2	###
35-39	1,200	43	35.8	31	25.8	9	###	3	###	0	###
40-44	1,250	11	8.8	7	###	3	###	1	###	0	###
GREATER THAN 44	5,350	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	16,760	718	42.8	548	32.7	145	8.7	21	1.3	4	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,750	0	###	0	###	0	###	0	###	0	###
10-14	1,200	1	###	0	###	1	###	0	###	0	###
15	*	4	###	1	###	3	###	0	###	0	###
16	*	5	###	2	###	3	###	0	###	0	###
17	*	16	*	10	*	6	###	0	###	0	###
18	*	26	*	11	*	15	*	0	###	0	###
19	*	21	*	12	*	7	###	2	###	0	###
15-19	1,260	72	57.1	36	28.6	34	27.0	2	###	0	###
20-24	1,250	63	50.4	31	24.8	32	25.6	0	###	0	###
25-29	1,300	42	32.3	13	10.0	28	21.5	1	###	0	###
30-34	1,200	17	14.2	9	###	6	###	2	###	0	###
35-39	1,200	5	###	2	###	3	###	0	###	0	###
40-44	1,250	2	###	0	###	2	###	0	###	0	###
GREATER THAN 44	5,350	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	16,760	203	12.1	91	5.4	107	6.4	5	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
SOMERSET											
ALL PREGNANCIES											
LESS THAN 10	3,400	0	###	0	###	0	###	0	###	0	###
10-14	1,600	2	###	1	###	1	###	0	###	0	###
15	*	7	###	3	###	4	###	0	###	0	###
16	*	13	*	7	###	5	###	1	###	0	###
17	*	32	*	20	*	11	*	1	###	0	###
18	*	51	*	32	*	16	*	3	###	0	###
19	*	52	*	45	*	7	###	0	###	0	###
15-19	1,770	155	87.6	107	60.5	43	24.3	5	###	0	###
20-24	2,050	304	148.3	239	116.6	54	26.3	10	4.9	1	###
25-29	1,700	234	137.6	210	123.5	19	11.2	5	###	0	###
30-34	1,750	139	79.4	122	69.7	14	8.0	3	###	0	###
35-39	1,600	41	25.6	37	23.1	4	###	0	###	0	###
40-44	1,650	10	6.1	7	###	2	###	0	###	1	###
GREATER THAN 44	9,000	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	5		1		3		0		1	
COUNTY TOTALS	24,520	890	36.3	724	29.5	140	5.7	23	0.9	3	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	3,400	0	###	0	###	0	###	0	###	0	###
10-14	1,600	2	###	1	###	1	###	0	###	0	###
15	*	7	###	3	###	4	###	0	###	0	###
16	*	12	*	6	###	5	###	1	###	0	###
17	*	25	*	13	*	11	*	1	###	0	###
18	*	39	*	22	*	15	*	2	###	0	###
19	*	37	*	30	*	7	###	0	###	0	###
15-19	1,770	120	67.8	74	41.8	42	23.7	4	###	0	###
20-24	2,050	128	62.4	79	38.5	43	21.0	5	###	1	###
25-29	1,700	47	27.6	34	20.0	11	6.5	2	###	0	###
30-34	1,750	24	13.7	15	8.6	8	###	1	###	0	###
35-39	1,600	6	###	4	###	2	###	0	###	0	###
40-44	1,650	2	###	1	###	1	###	0	###	0	###
GREATER THAN 44	9,000	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	3		0		2		0		1	
COUNTY TOTALS	24,520	332	13.5	208	8.5	110	4.5	12	0.5	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
WALDO											
ALL PREGNANCIES											
LESS THAN 10	2,350	0	###	0	###	0	###	0	###	0	###
10-14	1,150	0	###	0	###	0	###	0	###	0	###
15	*	5	###	5	###	0	###	0	###	0	###
16	*	7	###	7	###	0	###	0	###	0	###
17	*	17	*	16	*	1	###	0	###	0	###
18	*	36	*	29	*	6	###	1	###	0	###
19	*	39	*	31	*	8	###	0	###	0	###
15-19	1,120	104	92.9	88	78.6	15	13.4	1	###	0	###
20-24	1,250	156	124.8	136	108.8	19	15.2	1	###	0	###
25-29	1,200	156	130.0	146	121.7	7	###	2	###	1	###
30-34	1,100	106	96.4	94	85.5	12	10.9	0	###	0	###
35-39	1,150	40	34.8	31	27.0	6	###	3	###	0	###
40-44	1,150	8	###	3	###	5	###	0	###	0	###
GREATER THAN 44	5,450	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	15,920	571	35.9	498	31.3	65	4.1	7	###	1	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,350	0	###	0	###	0	###	0	###	0	###
10-14	1,150	0	###	0	###	0	###	0	###	0	###
15	*	5	###	5	###	0	###	0	###	0	###
16	*	7	###	7	###	0	###	0	###	0	###
17	*	15	*	14	*	1	###	0	###	0	###
18	*	25	*	21	*	4	###	0	###	0	###
19	*	25	*	17	*	8	###	0	###	0	###
15-19	1,120	77	68.8	64	57.1	13	11.6	0	###	0	###
20-24	1,250	46	36.8	31	24.8	15	12.0	0	###	0	###
25-29	1,200	20	16.7	17	14.2	3	###	0	###	0	###
30-34	1,100	15	13.6	8	###	7	###	0	###	0	###
35-39	1,150	9	###	4	###	4	###	1	###	0	###
40-44	1,150	1	###	0	###	1	###	0	###	0	###
GREATER THAN 44	5,450	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	15,920	168	10.6	124	7.8	43	2.7	1	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

PRGALL

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
WASHINGTON											
ALL PREGNANCIES											
LESS THAN 10	2,300	0	###	0	###	0	###	0	###	0	###
10-14	1,250	2	###	1	###	1	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###	0	###
16	*	10	*	7	###	3	###	0	###	0	###
17	*	13	*	8	###	4	###	1	###	0	###
18	*	16	*	11	*	5	###	0	###	0	###
19	*	29	*	25	*	4	###	0	###	0	###
15-19	1,160	70	60.3	52	44.8	17	14.7	1	###	0	###
20-24	1,300	179	137.7	159	122.3	19	14.6	1	###	0	###
25-29	1,250	126	100.8	117	93.6	8	###	1	###	0	###
30-34	1,350	75	55.6	65	48.1	8	###	2	###	0	###
35-39	1,100	27	24.5	23	20.9	3	###	1	###	0	###
40-44	1,100	8	###	6	###	2	###	0	###	0	###
GREATER THAN 44	7,000	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	17,810	488	27.4	423	23.8	59	3.3	6	###	0	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	2,300	0	###	0	###	0	###	0	###	0	###
10-14	1,250	2	###	1	###	1	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###	0	###
16	*	9	###	6	###	3	###	0	###	0	###
17	*	9	###	4	###	4	###	1	###	0	###
18	*	11	*	6	###	5	###	0	###	0	###
19	*	19	*	15	*	4	###	0	###	0	###
15-19	1,160	50	43.1	32	27.6	17	14.7	1	###	0	###
20-24	1,300	66	50.8	51	39.2	14	10.8	1	###	0	###
25-29	1,250	24	19.2	19	15.2	5	###	0	###	0	###
30-34	1,350	15	11.1	7	###	8	###	0	###	0	###
35-39	1,100	2	###	1	###	0	###	1	###	0	###
40-44	1,100	1	###	0	###	1	###	0	###	0	###
GREATER THAN 44	7,000	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	17,810	161	9.0	111	6.2	47	2.6	3	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA E CLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
YORK											
ALL PREGNANCIES											
LESS THAN 10	12,500	0	###	0	###	0	###	0	###	0	###
10-14	5,700	10	1.8	6	###	4	###	0	###	0	###
15	*	13	*	4	###	9	###	0	###	0	###
16	*	38	*	18	*	20	*	0	###	0	###
17	*	64	*	39	*	25	*	0	###	0	###
18	*	105	*	60	*	43	*	2	###	0	###
19	*	139	*	99	*	40	*	0	###	0	###
15-19	6,150	359	58.4	220	35.8	137	22.3	2	###	0	###
20-24	6,700	862	128.7	687	102.5	168	25.1	4	###	3	###
25-29	6,750	1,086	160.9	968	143.4	112	16.6	3	###	3	###
30-34	6,450	602	93.3	534	82.8	64	9.9	0	###	4	###
35-39	6,600	201	30.5	177	26.8	21	3.2	1	###	2	###
40-44	6,250	22	3.5	17	2.7	5	###	0	###	0	###
GREATER THAN 44	29,750	1	###	1	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0		0	
COUNTY TOTALS	86,850	3,145	36.2	2,611	30.1	512	5.9	10	0.1	12	0.1
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	12,500	0	###	0	###	0	###	0	###	0	###
10-14	5,700	9	###	5	###	4	###	0	###	0	###
15	*	13	*	4	###	9	###	0	###	0	###
16	*	34	*	15	*	19	*	0	###	0	###
17	*	53	*	28	*	25	*	0	###	0	###
18	*	83	*	38	*	43	*	2	###	0	###
19	*	104	*	64	*	40	*	0	###	0	###
15-19	6,150	287	46.7	149	24.2	136	22.1	2	###	0	###
20-24	6,700	316	47.2	168	25.1	145	21.6	2	###	1	###
25-29	6,750	185	27.4	108	16.0	76	11.3	1	###	0	###
30-34	6,450	87	13.5	37	5.7	49	7.6	0	###	1	###
35-39	6,600	20	3.0	11	1.7	9	###	0	###	0	###
40-44	6,250	5	###	3	###	2	###	0	###	0	###
GREATER THAN 44	29,750	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	86,850	910	10.5	481	5.5	422	4.9	5	###	2	###

RATES ARE PER 1,000 FEMALE POPULATION•BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES NUMBER	ALL PREGNANCIES RATE#	LIVE BIRTHS NUMBER	LIVE BIRTHS RATE#	INDUCED TERMINATIONS## NUMBER	INDUCED TERMINATIONS## RATE#	MISCARRIAGES## NUMBER	MISCARRIAGES## RATE#	FETAL DEATHS NUMBER	FETAL DEATHS RATE#
MAINE SUMMARY											
ALL PREGNANCIES											
LESS THAN 10	85,600	0	###	0	###	0	###	0	###	0	###
10-14	40,580	41	1.0	20	0.5	20	0.5	1	###	0	###
15	7,825	113	14.4	48	6.1	60	7.7	4	###	1	###
16	8,026	302	37.6	186	23.2	113	14.1	2	###	1	###
17	8,414	536	63.7	327	38.9	197	23.4	9	###	3	###
18	9,168	865	94.3	549	59.9	296	32.3	19	2.1	1	###
19	9,229	1,058	114.6	754	81.7	295	32.0	6	###	3	###
15-19	42,680	2,874	67.3	1,864	43.7	961	22.5	40	0.9	9	###
20-24	47,000	6,587	140.1	5,176	110.1	1,293	27.5	99	2.1	19	0.4
25-29	50,450	6,695	132.7	5,757	114.1	819	16.2	86	1.7	33	0.7
30-34	49,300	3,935	79.8	3,360	68.2	488	9.9	65	1.3	22	0.4
35-39	43,700	1,412	32.3	1,143	26.2	224	5.1	33	0.8	12	0.3
40-44	42,500	226	5.3	137	3.2	77	1.8	11	0.3	1	###
GREATER THAN 44	223,350	5	###	3	###	2	###	0	###	0	###
UNKNOWN	0	44		4		37		1		2	
STATE TOTALS	625,160	21,819	34.9	17,464	27.9	3,921	6.3	336	0.5	98	0.2
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 10	85,600	0	###	0	###	0	###	0	###	0	###
10-14	40,580	39	1.0	18	0.4	20	0.5	1	###	0	###
15	7,825	110	14.1	46	5.9	60	7.7	3	###	1	###
16	8,026	270	33.6	157	19.6	110	13.7	2	###	1	###
17	8,414	472	56.1	268	31.9	193	22.9	8	###	3	###
18	9,168	688	75.0	386	42.1	286	31.2	16	1.7	0	###
19	9,229	728	78.9	439	47.6	282	30.6	5	###	2	###
15-19	42,680	2,268	53.1	1,296	30.4	931	21.8	34	0.8	7	###
20-24	47,000	2,601	55.3	1,440	30.6	1,107	23.6	45	1.0	9	###
25-29	50,450	1,260	25.0	662	13.1	573	11.4	20	0.4	5	###
30-34	49,300	622	12.6	295	6.0	303	6.1	16	0.3	8	###
35-39	43,700	220	5.0	84	1.9	128	2.9	5	###	3	###
40-44	42,500	44	1.0	11	0.3	30	0.7	3	###	0	###
GREATER THAN 44	223,350	1	###	1	###	0	###	0	###	0	###
UNKNOWN	0	29		0		27		0		2	
STATE TOTALS	625,160	7,084	11.3	3,807	6.1	3,119	5.0	124	0.2	34	0.1

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1989 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 17 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 4 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-2

FETAL DEATHS, MISCARRIAGES, AND INDUCED TERMINATIONS BY WEEKS OF GESTATION
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL DEATHS		MISCARRIAGES		INDUCED TERMINATIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	16	0	0.00	11	3.27	5	0.13
5-8	2,180	0	0.00	144	42.86	2,036	51.93
9-12	1,645	0	0.00	123	36.61	1,522	38.82
13-19	341	0	0.00	28	8.33	313	7.98
20-23	26	25	25.51	0	0.00	1	0.03
24-27	11	11	11.22	0	0.00	0	0.00
28-31	11	11	11.22	0	0.00	0	0.00
32-35	11	11	11.22	0	0.00	0	0.00
36-38	7	7	7.14	0	0.00	0	0.00
> 39	14	14	14.29	0	0.00	0	0.00
UNKNOWN	93	19	19.39	30	8.93	44	1.12
STATE TOTALS	4,355	98	100.00	336	100.00	3,921	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 0 TERMINATION RECORDS WERE BLANK

TRMWKR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT AND FETAL MORTALITY

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
SEPTICEMIA (038)					
MALE	1	1	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	1	50.00	1	50.00
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPEC. NATURE (210-239)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	3	1	33.33	2	66.67
TOTALS	3	1	33.33	2	66.67
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (535,555-558)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM (520-534,536-543,562-579)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
SPINA BIFIDA (741)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	8	6	75.00	2	25.00
FEMALE	4	3	75.00	1	25.00
TOTALS	12	9	75.00	3	25.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	5	5	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	7	7	100.00	0	0.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	2	2	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	11	11	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	14	14	100.00	0	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	4	3	75.00	1	25.00
FEMALE	1	0	0.00	1	100.00
TOTALS	5	3	60.00	2	40.00
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)					
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	11	0	0.00	11	100.00
FEMALE	7	1	14.29	6	85.71
TOTALS	18	1	5.56	17	94.44

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797,798.1-799)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT (E911-E912)					
MALE	1	0	0.00	1	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	0	0.00	2	100.00
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
MALE	2	0	0.00	2	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	3	0	0.00	3	100.00
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
CHILD BATTERING AND OTHER MALTREATMENT (E967)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER HOMICIDE (E960-E966,E968-E969)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	4	4	100.00	0	0.00
FEMALE	4	2	50.00	2	50.00
TOTALS	8	6	75.00	2	25.00
STATE					
MALE	69	47	68.12	22	31.88
FEMALE	53	36	67.92	17	32.08
TOTALS	122	83	68.03	39	31.97

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	GESTATION WEEKS 20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740)								
MALE	1	1.02	0	0	0	0	0	1
TOTALS	1	1.02	0	0	0	0	0	1
SPINA BIFIDA (741)								
UNKNOWN	1	1.02	1	0	0	0	0	0
TOTALS	1	1.02	1	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)								
MALE	1	1.02	0	0	0	0	0	1
TOTALS	1	1.02	0	0	0	0	0	1
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)								
MALE	2	2.04	2	0	0	0	0	0
FEMALE	1	1.02	0	0	0	1	0	0
TOTALS	3	3.06	2	0	0	1	0	0
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)								
MALE	2	2.04	0	0	0	1	0	1
TOTALS	2	2.04	0	0	0	1	0	1
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)								
FEMALE	2	2.04	0	0	2	0	0	0
UNKNOWN	1	1.02	0	0	0	0	0	1
TOTALS	3	3.06	0	0	2	0	0	1
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)								
MALE	5	5.10	1	1	0	1	1	1
FEMALE	1	1.02	0	1	0	0	0	0
TOTALS	6	6.12	1	2	0	1	1	1
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)								
MALE	6	6.12	4	1	0	0	0	1
FEMALE	1	1.02	0	0	0	0	0	1
TOTALS	7	7.14	4	1	0	0	0	2
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)								
MALE	20	20.41	3	3	1	1	1	11
FEMALE	24	24.49	7	3	3	4	2	5
TOTALS	44	44.90	10	6	4	5	3	16
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)								
MALE	1	1.02	1	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	GESTATION WEEKS 20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
TOTALS	1	1.02	1	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)								
FEMALE	2	2.04	2	0	0	0	0	0
TOTALS	2	2.04	2	0	0	0	0	0
BIRTH TRAUMA (767)								
MALE	1	1.02	0	0	0	0	0	1
TOTALS	1	1.02	0	0	0	0	0	1
BIRTH ASPHYXIA (768.5-768.9)								
MALE	3	3.06	0	0	1	1	0	1
FEMALE	4	4.08	0	0	1	0	1	2
TOTALS	7	7.14	0	0	2	1	1	3
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)								
MALE	2	2.04	0	1	0	0	0	1
FEMALE	8	8.16	2	0	2	2	0	2
TOTALS	10	10.20	2	1	2	2	0	3
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797,798.1-799)								
MALE	3	3.06	0	0	0	0	2	1
FEMALE	5	5.10	1	1	1	0	0	2
UNKNOWN	1	1.02	1	0	0	0	0	0
TOTALS	9	9.18	2	1	1	0	2	3
STATE								
MALE	47	47.96	11	6	2	4	4	20
FEMALE	48	48.98	12	5	9	7	3	12
UNKNOWN	3	3.06	2	0	0	0	0	1
TOTALS	98	100.00	25	11	11	11	7	33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3 LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS NUMBER	LIVE BIRTHS PERCENT	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	NEONATAL DEATH RATE
LESS THAN 500	8	0.05	7	8.43	875.0
500-999	52	0.30	26	31.33	500.0
1000-1499	80	0.46	13	15.66	162.5
1500-1999	129	0.74	5	6.02	38.8
2000-2499	579	3.32	0	0.00	0.0
2500-2999	2,159	12.36	11	13.25	5.1
3000-3499	6,060	34.70	11	13.25	1.8
3500-3999	5,914	33.86	4	4.82	0.7
4000-4499	2,020	11.57	0	0.00	0.0
4500-4999	395	2.26	1	1.20	2.5
GREATER THAN 4999	42	0.24	0	0.00	0.0
UNKNOWN	26	0.15	5	6.02	192.3
STATE TOTALS	17,464	100.00	83	100.00	4.8

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1989 NEONATAL DEATHS BY 1989 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1989 NEONATAL DEATH COHORT OCCURRED IN 1988.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BIRNEOD

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	COMPLICATIONS: MEDICAL RISK FACTORS	COMPLICATIONS: LABOR OR DELIVERY	COMPLICATIONS: TOBACCO/ALCOHOL USE	COMPLICATIONS: CONGENITAL ANOMALIES
20-23	25	25.51	9	13	4	2
24-27	11	11.22	6	4	2	1
28-31	11	11.22	3	6	3	1
32-35	11	11.22	2	5	2	3
36-39	7	7.14	2	4	1	0
OVER 39	33	33.67	6	10	5	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	98		28	42	17	9
PERCENT DISTRIBUTION		100.00	28.57	42.86	17.35	9.18
AGE OF PATIENT(YRS.)						
LESS THAN 10	0	0.00	0	0	0	0
10-14	0	0.00	0	0	0	0
15	1	1.02	0	0	0	0
16	1	1.02	1	1	1	0
17	3	3.06	0	1	2	0
18	1	1.02	0	1	0	0
19	3	3.06	0	1	1	0
20-24	19	19.39	7	7	3	1
25-29	33	33.67	10	20	6	4
30-34	22	22.45	4	10	3	2
35-39	12	12.24	4	1	0	2
40-44	1	1.02	1	0	0	0
OVER 44	0	0.00	0	0	0	0
UNKNOWN	2	2.04	1	0	1	0
TEENAGE TOTALS	9	9.18	1	4	4	0
STATE TOTALS	98		28	42	17	9
PERCENT DISTRIBUTION		100.00	28.57	42.86	17.35	9.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FCOMPPRG

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		********** INFANT DEATHS **********						PERINATAL	
			TOTAL		NEONATAL		POSTNEONATAL			
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	1,058	10.1	15	9.2	11	6.8	4	2.5	20	12.2
AROOSTOOK	742	8.7	8	6.7	5	4.2	3	2.5	10	8.3
CUMBERLAND	2,039	8.4	22	6.3	15	4.3	7	2.0	40	11.3
FRANKLIN	234	8.1	4	10.5	3	7.9	1	2.6	5	13.1
HANCOCK	516	11.1	4	6.4	3	4.8	1	1.6	8	12.6
KENNEBEC	1,045	9.1	7	4.5	4	2.6	3	1.9	12	7.7
KNOX	420	11.7	1	2.3	0	0.0	1	2.3	2	4.5
LINCOLN	341	11.5	0	0.0	0	0.0	0	0.0	2	5.2
OXFORD	581	10.8	7	9.1	6	7.8	1	1.3	12	15.5
PENOBSCOT	1,207	8.3	13	6.7	9	4.6	4	2.1	19	9.7
PISCATAQUIS	218	11.7	0	0.0	0	0.0	0	0.0	4	18.2
SAGADAHOC	279	8.4	2	3.6	2	3.6	0	0.0	6	10.9
SOMERSET	421	8.5	7	9.7	6	8.3	1	1.4	9	12.4
WALDO	276	8.6	6	12.0	2	4.0	4	8.0	3	6.0
WASHINGTON	415	11.8	4	9.5	1	2.4	3	7.1	1	2.4
YORK	1,320	8.1	22	8.4	16	6.1	6	2.3	28	10.7
STATE TOTALS	11,090	9.1	122	7.0	83	4.8	39	2.2	181	10.3

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE POPULATION ESTIMATES FOR 1989, PUBLISHED JULY 1990).
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

DMSTAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN **** 1	2	3	NONE	UNKNOWN	AGE OF PATIENT(YRS.) LESS THAN 20	OVER 35
ANDROSCOGGIN	9	9.18	4	8	9	4	4	0	0	1	1	0
AROOSTOOK	5	5.10	1	4	5	3	0	0	2	0	0	0
CUMBERLAND	25	25.51	4	12	25	14	0	1	1	9	3	5
FRANKLIN	2	2.04	0	0	2	2	0	0	0	0	0	0
HANCOCK	5	5.10	2	4	5	4	1	0	0	0	1	0
KENNEBEC	8	8.16	3	5	8	5	1	0	1	1	2	0
KNOX	2	2.04	0	0	2	1	1	0	0	0	1	1
LINCOLN	2	2.04	0	0	2	0	1	1	0	0	0	0
OXFORD	6	6.12	0	3	6	4	0	0	1	1	0	0
PENOBSCOT	10	10.20	3	4	10	6	1	0	0	3	1	0
PISCATAQUIS	4	4.08	1	3	4	2	0	0	0	2	0	0
SAGADAHOC	4	4.08	0	2	4	2	0	1	0	1	0	0
SOMERSET	3	3.06	1	2	3	3	0	0	0	0	0	1
WALDO	1	1.02	0	0	1	1	0	0	0	0	0	0
WASHINGTON	0	0.00	0	0	0	0	0	0	0	0	0	0
YORK	12	12.24	1	6	12	6	1	1	0	3	0	2
STATE TOTALS	98		20	53	98	57	10	4	5	21	9	9
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS		100.00	20.41	54.08	100.00	58.16	10.20	4.08	5.10	21.43	9.18	9.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FDCHAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	RISK CHARACTERISTICS: CONGENITAL ANOMALIES		FETAL WEIGHT: < 500 GRAMS		FETAL WEIGHT: < 2500 GRAMS		LESS THAN 28 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	9	0	0.0	1	11.1	5	55.6	3	33.3	2.00
AROOSTOOK	5	1	20.0	0	0.0	1	20.0	1	20.0	1.00
CUMBERLAND	25	4	16.0	6	24.0	12	48.0	6	24.0	0.92
FRANKLIN	2	0	0.0	0	0.0	2	100.0	1	50.0	0.00
HANCOCK	5	2	40.0	0	0.0	4	80.0	2	40.0	0.67
KENNEBEC	8	0	0.0	1	12.5	2	25.0	2	25.0	3.00
KNOX	2	0	0.0	0	0.0	0	0.0	2	100.0	0.00
LINCOLN	2	0	0.0	0	0.0	1	50.0	1	50.0	1.00
OXFORD	6	0	0.0	1	16.7	3	50.0	3	50.0	2.00
PENOBSCOT	10	0	0.0	2	20.0	6	60.0	4	40.0	0.67
PISCATAQUIS	4	0	0.0	0	0.0	3	75.0	1	25.0	1.00
SAGADAHOC	4	1	25.0	1	25.0	2	50.0	1	25.0	1.00
SOMERSET	3	0	0.0	1	33.3	2	66.7	3	100.0	0.50
WALDO	1	0	0.0	0	0.0	1	100.0	1	100.0	0.00
WASHINGTON	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
YORK	12	1	8.3	3	25.0	6	50.0	5	41.7	0.71
STATE TOTALS	98	9	9.2	16	16.3	50	51.0	36	36.7	0.98

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FENVRES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

COMPLICATIONS OF LABOR CONDITION	NUMBER	%
FEBRILE >100 F	2	2.0
MECONIUM	6	6.1
PREMATURE RUPTURE MEMBRANE >12 HRS	3	3.1
ABRUPTIO PLACENTA	7	7.1
PLACENTA PREVIA	1	1.0
EXCESSIVE BLEEDING	2	2.0
SEIZURES DURING LABOR	0	0.0
PRECIPITOUS LABOR <3 HRS	2	2.0
PROLONGED LABOR >20 HRS	0	0.0
DYSFUNCTIONAL LABOR	0	0.0
BREECH	15	15.3
CEPHALOPELVIC/ DISPROPORTION	0	0.0
CORD PROLAPSE	2	2.0
ANESTHETIC COMPLICATIONS	0	0.0
FETAL DISTRESS	4	4.1
OTHER	18	18.4
NONE	32	32.7
UNKNOWN	24	24.5

MEDICAL RISK FACTORS CONDITION	NUMBER	%
ANEMIA	2	2.0
CARDIAC DISEASE	0	0.0
ACUTE OR CHRONIC LUNG DISEASE	1	1.0
DIABETES/ GESTATIONAL DIABETES	0	.0
PRE-EXISTING GENITAL HERPES	2	2.0
HYDRAMNIOS/ OLIGOHYDRAMNIOS	3	3.1
HEMOGLOBINOPATHY	0	0.0
HYPERTENSION CHRONIC HYPERTENSION	3	3.1
HYPERTENSION PREGNANCY ASSOC.	0	0.0
ECLAMPSIA	0	0.0
INCOMPETENT CERVIX	1	1.0
PREVIOUS INFANT 4000+ GRAMS	1	1.0
PREVIOUS PRETERM	1	1.0
RENAL DISEASE	2	2.0
RH SENSITIZATION	2	2.0
UTERINE BLEEDING	6	6.1
OTHER	14	14.3
NONE	50	51.0
UNKNOWN	20	20.4

OTHER RISK FACTORS CONDITION	NUMBER	%
TOBACCO USE	17	17.3
AVG CIGARETTES PER DAY	12	76.5
ALCOHOL USE	3	3.1
AVG DRINKS PER WEEK	1	33.3
AVG WEIGHT GAIN	20	LBS

METHOD OF DELIVERY METHOD	NUMBER	%
VAGINAL	65	66.3
VAGINAL AFTER C-SECTION	2	2.0
PRIMARY C-SECTION	7	7.1
REPEAT C-SECTION	2	2.0
FORCEPS	0	0.0
VACUUM	0	0.0
HYSTEROTOMY/ HYSTERECTOMY	0	0.0
OTHER	4	4.1
UNKNOWN	18	18.4

OBSTETRIC PROCEDURES CONDITION	NUMBER	%
AMNIOCENTHSIS	5	5.1
ELECTRIC FETAL MONITORING	15	15.3
INDUCED LABOR	19	19.4
STIMULATION OF LABOR	11	11.2
TOCOLYSIS	3	3.1
ULTRA SOUND	39	39.8
OTHER	3	3.1
NONE	18	18.4
UNKNOWN	20	20.4

CONGENITAL ANOMALIES CONDITION	NUMBER	%
ANENCEPHALUS	0	0.0
SPINA BIFIDA	2	2.0
HYDROCEPHALUS	1	1.0
MICROCEPHALUS	0	0.0
OTHER NERVOUS SYSTEM	1	1.0
HEART	1	1.0
OTHER CIRCULATORY SYSTEM	0	0.0
RECTAL ATRESIA	0	0.0
TRACHEO-ESOPHAGEAL FISTULA	1	1.0
OMPHALOCELE/ GASTROSCHISIS	2	2.0
OTHER GASTROINTESTINAL	1	1.0
MALFORMED GENITALIA	2	2.0
RENAL AGENESIS	0	0.0
OTHER UROGENITAL	1	1.0
CLEFT LIP/PALATE	2	2.0
POLYDACTYLY	2	2.0
CLUB FOOT	1	1.0
DIAPHRAGMATIC HERNIA	0	0.0
MUSCULOSKELETAL	1	1.0
DOWNS SYNDROME	0	0.0
CHROMOSOMAL	1	1.0
OTHER	3	3.1
NONE	65	66.3
UNKNOWN	24	24.5

NOTES: PERCENTAGES ARE BASED ON THE 98 FETAL DEATHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

FMDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

	******* DEATHS ******			******** RANK *******			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS TOTAL	MALE	FEMALE	POPULATION TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	3,811	1,906	1,905	1	1	1	314.3	324.5	304.7
MALIGNANT NEOPLASMS (140-208)	2,794	1,475	1,319	2	2	2	230.4	251.1	211.0
CEREBROVASCULAR DISEASE (430-438)	715	284	431	3	5	3	59.0	48.3	68.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	501	286	215	4	4	4	41.3	48.7	34.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	430	289	141	5	3	7	35.5	49.2	22.6
PNEUMONIA & INFLUENZA (480-487)	335	155	180	6	6	5	27.6	26.4	28.8
DIABETES MELLITUS (250)	257	107	150	7	8	6	21.2	18.2	24.0
SUICIDE (E950-E959)	169	135	34	8	7	12	13.9	23.0	5.4
ATHEROSCLEROSIS (440)	142	47	95	9	11	8	11.7	8.0	15.2
INFECTIOUS & PARASITIC DISEASES (001-139)	134	60	74	10	10	9	11.1	10.2	11.8
TOTAL FOR AGE GROUP	11,090	5,625	5,465				914.8	957.5	874.2
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	41	25	16	1	1	1	230.3	272.7	185.3
CONGENITAL ANOMALIES (740-759)	32	18	14	2	2	2	179.8	196.4	162.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	7	3	4	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	3	1	2	4	5	4	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	5	5	6	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	2	0	6	4	8	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	0	2	7	7	4	###	###	###
BENIGN NEOPLASMS (210-239)	1	0	1	8	7	6	###	###	###
TOTAL FOR AGE GROUP	122	69	53				685.4	752.7	613.9

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1989, PUBLISHED JULY 1990.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

	******* DEATHS ******			******** RANK *******			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS TOTAL	MALE	FEMALE	POPULATION TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	28	15	1	1	1	17.8	22.5	12.8
MALIGNANT NEOPLASMS (140-208)	7	3	4	2	3	2	###	###	###
CONGENITAL ANOMALIES (740-759)	6	4	2	3	2	4	###	###	###
HEART DISEASE (390-398,402,404-429)	4	1	3	4	5	3	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	2	1	1	5	5	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	2	0	6	4	8	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	7	9	5	###	###	###
BENIGN NEOPLASMS (210-239)	1	0	1	8	9	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	9	5	8	###	###	###
SUICIDE (E950-E959)	1	1	0	10	5	8	###	###	###
TOTAL FOR AGE GROUP	73	45	28				30.2	36.2	23.8
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	72	58	14	1	1	1	39.9	63.8	15.6
SUICIDE (E950-E959)	38	31	7	2	2	2	21.0	34.1	###
MALIGNANT NEOPLASMS (140-208)	12	8	4	3	3	3	6.6	###	###
HEART DISEASE (390-398,402,404-429)	4	3	1	4	4	6	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	4	1	3	5	6	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	2	2	6	5	5	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	7	6	10	###	###	###
DIABETES MELLITUS (250)	1	0	1	8	11	6	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	9	6	10	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	10	11	6	###	###	###
TOTAL FOR AGE GROUP	156	118	38				86.4	129.7	42.4

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1989, PUBLISHED JULY 1990.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

	******* DEATHS ******			******** RANK *******			*** RATE PER 100,000 ***		
				BY NUMBER OF DEATHS			POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	63	53	10	1	1	2	31.7	53.5	10.0
SUICIDE (E950-E959)	40	33	7	2	2	3	20.1	33.3	###
MALIGNANT NEOPLASMS (140-208)	34	15	19	3	4	1	17.1	15.1	19.0
HEART DISEASE (390-398,402,404-429)	20	17	3	4	3	5	10.1	17.1	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	15	9	6	5	5	4	7.5	###	###
DIABETES MELLITUS (250)	5	3	2	6	6	7	###	###	###
CEREBROVASCULAR DISEASE (430-438)	4	2	2	7	8	7	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	4	1	3	8	11	5	###	###	###
CONGENITAL ANOMALIES (740-759)	4	3	1	9	6	10	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	1	2	10	11	7	###	###	###
TOTAL FOR AGE GROUP	215	153	62				108.1	154.3	62.2
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	70	30	40	1	3	1	40.7	35.0	46.4
HEART DISEASE (390-398,402,404-429)	64	53	11	2	1	2	37.2	61.8	12.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	36	5	3	2	4	23.9	42.0	###
SUICIDE (E950-E959)	32	24	8	4	4	3	18.6	28.0	###
DIABETES MELLITUS (250)	12	10	2	5	5	7	7.0	11.7	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	10	7	3	6	6	5	5.8	###	###
CEREBROVASCULAR DISEASE (430-438)	7	5	2	7	7	7	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5	2	3	8	10	5	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	5	5	0	9	7	11	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	4	4	0	10	9	11	###	###	###
TOTAL FOR AGE GROUP	273	190	83				158.8	221.7	96.3

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1989, PUBLISHED JULY 1990.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

	******* DEATHS ******			******** RANK *******			*** RATE PER 100,000 ***		
				BY NUMBER OF DEATHS			POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	688	383	305	1	1	1	297.8	347.5	252.5
HEART DISEASE (390-398,402,404-429)	515	383	132	2	1	2	222.9	347.5	109.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	69	41	28	3	3	3	29.9	37.2	23.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	52	36	16	4	5	6	22.5	32.7	13.2
CEREBROVASCULAR DISEASE (430-438)	51	33	18	5	6	5	22.1	29.9	14.9
DIABETES MELLITUS (250)	49	24	25	6	7	4	21.2	21.8	20.7
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	49	37	12	7	4	7	21.2	33.6	9.9
SUICIDE (E950-E959)	23	15	8	8	8	8	10.0	13.6	###
INFECTIOUS & PARASITIC DISEASES (001-139)	21	14	7	9	9	9	9.1	12.7	###
PNEUMONIA & INFLUENZA (480-487)	17	12	5	10	10	11	7.4	10.9	###
TOTAL FOR AGE GROUP	1,717	1,094	623				743.3	992.7	515.7
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	830	486	344	1	2	1	871.0	1,168.8	640.5
HEART DISEASE (390-398,402,404-429)	814	500	314	2	1	2	854.2	1,202.5	584.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	135	70	65	3	3	3	141.7	168.4	121.0
CEREBROVASCULAR DISEASE (430-438)	115	65	50	4	4	4	120.7	156.3	93.1
DIABETES MELLITUS (250)	78	35	43	5	5	5	81.9	84.2	80.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	51	29	22	6	7	6	53.5	69.7	41.0
PNEUMONIA & INFLUENZA (480-487)	45	30	15	7	6	7	47.2	72.2	27.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	36	23	13	8	8	8	37.8	55.3	24.2
INFECTIOUS & PARASITIC DISEASES (001-139)	23	11	12	9	10	9	24.1	26.5	22.3
SUICIDE (E950-E959)	21	18	3	10	9	15	22.0	43.3	###
TOTAL FOR AGE GROUP	2,484	1,456	1,028				2,606.8	3,501.7	1,914.0

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1989, PUBLISHED JULY 1990.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,233	600	633	1	1	1	2,194.0	2,918.3	1,776.1
MALIGNANT NEOPLASMS (140-208)	817	417	400	2	2	2	1,453.7	2,028.2	1,122.3
CEREBROVASCULAR DISEASE (430-438)	257	109	148	3	4	3	457.3	530.2	415.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	198	118	80	4	3	4	352.3	573.9	224.5
PNEUMONIA & INFLUENZA (480-487)	112	60	52	5	5	5	199.3	291.8	145.9
DIABETES MELLITUS (250)	69	23	46	6	7	6	122.8	111.9	129.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	48	28	20	7	6	9	85.4	136.2	56.1
INFECTIOUS & PARASITIC DISEASES (001-139)	39	17	22	8	8	7	69.4	82.7	61.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	38	17	21	9	8	8	67.6	82.7	58.9
ATHEROSCLEROSIS (440)	25	13	12	10	10	12	44.5	63.2	33.7
TOTAL FOR AGE GROUP	3,327	1,633	1,694				5,919.9	7,942.6	4,753.1
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,154	348	806	1	1	1	6,102.6	6,094.6	6,106.1
MALIGNANT NEOPLASMS (140-208)	336	133	203	2	2	3	1,776.8	2,329.2	1,537.9
CEREBROVASCULAR DISEASE (430-438)	279	68	211	3	3	2	1,475.4	1,190.9	1,598.5
PNEUMONIA & INFLUENZA (480-487)	156	49	107	4	5	4	825.0	858.1	810.6
ATHEROSCLEROSIS (440)	91	24	67	5	6	5	481.2	420.3	507.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	86	51	35	6	4	6	454.8	893.2	265.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	53	18	35	7	7	6	280.3	315.2	265.2
DIABETES MELLITUS (250)	43	12	31	8	8	8	227.4	210.2	234.8
INFECTIOUS & PARASITIC DISEASES (001-139)	40	11	29	9	9	9	211.5	192.6	219.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	9	26	10	10	10	185.1	###	197.0
TOTAL FOR AGE GROUP	2,723	867	1,856				14,399.8	15,183.9	14,060.6

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1989, PUBLISHED JULY 1990.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST** TOTAL	MALE	FEMALE	PERCENT YEARS OF LIFE LOST TOT.	MALE	FEM.	RANK BY YEARS OF LIFE LOST TOT.	MALE	FEM.	AVERAGE YEARS OF LIFE LOST PER DEATH TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	41,438	22,125	19,313	27.0	27.2	26.8	1	1	2	11	12	10
MALIGNANT NEOPLASMS (140-208)	39,824	18,947	20,877	26.0	23.3	29.0	2	2	1	14	13	16
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	14,176	10,102	4,074	9.2	12.4	5.7	3	3	3	33	35	29
CEREBROVASCULAR DISEASE (430-438)	6,771	2,849	3,922	4.4	3.5	5.4	4	6	4	9	10	9
SUICIDE (E950-E959)	6,043	4,677	1,366	3.9	5.7	1.9	5	4	8	36	35	40
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,887	2,920	2,967	3.8	3.6	4.1	6	5	5	12	10	14
DIABETES MELLITUS (250)	3,670	1,585	2,085	2.4	1.9	2.9	7	9	6	14	15	14
CONGENITAL ANOMALIES (740-759)	3,103	1,771	1,332	2.0	2.2	1.9	8	7	9	61	57	67
PERINATAL CONDITIONS (760-779)	2,998	1,750	1,248	2.0	2.1	1.7	9	8	10	73	70	78
PNEUMONIA & INFLUENZA (480-487)	2,905	1,435	1,470	1.9	1.8	2.0	10	10	7	9	9	8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,119	1,319	800	1.4	1.6	1.1	11	11	14	17	17	17
INFECTIOUS & PARASITIC DISEASES (001-139)	1,862	885	977	1.2	1.1	1.4	12	14	11	14	15	13
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,837	1,173	664	1.2	1.4	0.9	13	12	16	11	11	10
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,810	987	823	1.2	1.2	1.1	14	13	12	41	38	46
ATHEROSCLEROSIS (440)	1,188	373	815	0.8	0.5	1.1	15	16	13	8	8	9
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1,136	469	667	0.7	0.6	0.9	16	15	15	11	11	11
BENIGN NEOPLASMS (210-239)	833	271	562	0.5	0.3	0.8	17	17	17	13	10	17
HYPERTENSION (401,403)	551	198	353	0.4	0.2	0.5	18	19	18	10	10	10
ULCER OF STOMACH & DUODENUM (531-533)	396	200	196	0.3	0.2	0.3	19	18	19	10	11	9
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	332	150	182	0.2	0.2	0.3	20	20	20	9	12	8
NUTRITIONAL DEFICIENCIES (260-269)	191	85	106	0.1	0.1	0.1	21	21	23	8	11	7
ANEMIAS (280-285)	170	42	128	0.1	0.1	0.2	22	22	22	8	6	9
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	160	26	134	0.1	0.0	0.2	23	24	21	8	9	8
KIDNEY INFECTIONS (590)	63	12	51	0.0	0.0	0.1	24	26	24	11	6	13
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	49	0	49	0.0	0.0	0.1	25	28	25	49	0	49
HYPERPLASIA OF PROSTATE (600)	29	29	0	0.0	0.0	0.0	26	23	29	7	7	0
MENINGITIS (320-322)	26	14	12	0.0	0.0	0.0	27	25	27	13	14	12
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	21	5	16	0.0	0.0	0.0	28	27	26	7	5	8
APPENDICITIS (540-543)	7	0	7	0.0	0.0	0.0	29	28	28	7	0	7
ALL OTHER EXTERNAL CAUSES (E980-E999)	315	242	73	0.2	0.3	0.1				35	35	37
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,318	1,311	1,007	1.5	1.6	1.4				30	32	28
ALL OTHER CAUSES (RESIDUAL)	11,158	5,470	5,688	7.3	6.7	7.9				12	13	12
ALL CAUSES	153,386	81,422	71,964	100.	100.	100.				14	14	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEAYLL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
TOTALS	5	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	2
OTHER TUBERCULOSIS (013-018)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
SEPTICEMIA (038)																	
MALE	34	1	0	0	0	0	0	0	2	1	2	1	3	1	9	3	11
FEMALE	51	1	0	0	0	0	0	1	0	0	1	3	5	2	6	11	21
TOTALS	85	2	0	0	0	0	0	1	2	1	3	4	8	3	15	14	32
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0	0
VIRAL HEPATITIS (070)																	
MALE	8	0	0	0	0	0	0	1	2	1	1	1	1	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	10	0	0	0	0	0	0	1	2	1	1	1	1	0	1	1	1
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																	
MALE	36	0	0	0	0	0	2	11	9	4	5	1	2	1	1	0	0
FEMALE	8	0	0	0	0	0	0	1	0	0	0	1	0	1	1	1	3
TOTALS	44	0	0	0	0	0	2	12	9	4	5	2	2	2	2	1	3
MYCOSES (110-118)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2	0
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
FEMALE	7	0	1	0	0	0	0	0	0	0	0	1	1	1	1	0	2
TOTALS	9	0	1	0	0	0	0	0	0	1	1	1	1	1	1	0	2
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	5	0	0	0	0	0	0	0	0	1	0	2	0	1	0	1	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
TOTALS	9	0	0	0	0	0	0	0	0	1	0	2	0	3	0	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	19	0	0	0	0	0	0	0	0	1	4	1	5	2	2	4	0
FEMALE	7	0	0	0	0	0	0	0	0	1	0	2	0	1	2	0	1
TOTALS	26	0	0	0	0	0	0	0	0	2	4	3	5	3	4	4	1
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	9	0	0	0	0	0	0	0	0	0	1	4	0	2	1	0	1
FEMALE	5	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	1
TOTALS	14	0	0	0	0	0	0	0	1	0	1	6	0	2	1	1	2
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	46	0	0	0	0	0	0	0	0	5	1	7	8	9	8	5	3
FEMALE	16	0	0	0	0	0	0	0	1	1	1	3	2	1	4	2	
TOTALS	62	0	0	0	0	0	0	0	1	6	2	8	11	11	9	9	5
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	36	0	0	0	0	0	0	0	2	2	7	2	5	4	7	4	3
FEMALE	23	0	0	0	0	0	0	0	2	1	1	2	4	4	2	3	4
TOTALS	59	0	0	0	0	0	0	0	4	3	8	4	9	8	9	7	7
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0
MALIGNANT NEOPLASMS OF: DESCENDING COLON (153.2)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0
TOTALS	7	0	0	0	0	0	0	0	0	1	0	2	0	2	2	0	0
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0
FEMALE	13	0	0	0	0	0	0	0	0	0	2	0	0	2	1	2	6
TOTALS	17	0	0	0	0	0	0	0	0	0	2	0	0	3	2	4	6
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	122	0	0	0	0	0	0	0	1	5	7	8	25	23	20	18	15
FEMALE	124	0	0	0	0	0	0	0	0	7	5	6	16	12	19	22	37
TOTALS	246	0	0	0	0	0	0	0	1	12	12	14	41	35	39	40	52

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																	
MALE	19	0	0	0	0	0	0	0	1	0	3	4	2	3	1	5	
FEMALE	24	0	0	0	0	0	0	1	1	2	0	1	2	0	6	4	7
TOTALS	43	0	0	0	0	0	0	1	1	3	0	4	6	2	9	5	12
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																	
MALE	10	0	0	0	0	0	0	0	1	1	0	0	4	1	0	1	2
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	3	2	1	1	0
TOTALS	17	0	0	0	0	0	0	0	1	1	0	0	7	3	1	2	2
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																	
MALE	6	0	0	0	0	0	0	1	0	0	0	1	2	2	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
TOTALS	9	0	0	0	0	0	0	1	0	0	0	1	2	2	0	2	1
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																	
MALE	6	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	8	0	0	0	0	0	0	0	0	1	0	1	0	2	3	1	0
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																	
MALE	10	0	0	0	0	0	0	0	0	1	0	1	0	3	1	1	3
FEMALE	13	0	0	0	0	0	0	0	1	0	1	0	0	2	1	5	3
TOTALS	23	0	0	0	0	0	0	0	1	1	1	1	0	5	2	6	6
MALIGNANT NEOPLASMS OF: PANCREAS (157)																	
MALE	62	0	0	0	0	0	0	0	0	4	5	12	12	7	8	8	6
FEMALE	74	0	0	0	0	0	0	0	0	2	2	9	8	7	11	23	12
TOTALS	136	0	0	0	0	0	0	0	0	6	7	21	20	14	19	31	18
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																	
MALE	12	0	0	0	0	0	0	0	0	0	1	1	2	0	4	2	2
FEMALE	18	0	0	0	0	0	0	0	1	0	1	0	1	2	6	0	7
TOTALS	30	0	0	0	0	0	0	0	1	0	2	1	3	2	10	2	9
MALIGNANT NEOPLASMS OF: LARYNX (161)																	
MALE	15	0	0	0	0	0	0	0	1	0	1	4	1	2	3	2	1
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	16	0	0	0	0	0	0	0	1	1	1	4	1	2	3	2	1
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	498	0	0	0	0	0	0	1	7	33	43	89	94	92	66	51	22
FEMALE	306	0	0	0	0	0	0	1	5	18	34	42	49	59	63	21	14
TOTALS	804	0	0	0	0	0	0	2	12	51	77	131	143	151	129	72	36
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1
TOTALS	7	0	0	0	0	0	0	0	0	1	1	0	2	0	1	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	4	0	0	0	0	1	1	0	0	0	0	0	1	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	5	0	0	0	0	1	1	0	0	0	0	0	1	1	0	0	1
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	7	0	0	0	0	0	0	1	0	0	1	1	0	1	2	1	0
FEMALE	8	0	0	0	0	0	1	1	0	0	0	1	0	2	3	0	0
TOTALS	15	0	0	0	0	0	1	2	0	0	1	2	0	3	5	1	0
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	24	0	0	0	0	0	0	3	1	2	3	0	3	4	4	2	2
FEMALE	18	0	0	0	0	0	0	3	2	1	1	1	4	0	2	2	2
TOTALS	42	0	0	0	0	0	0	6	3	3	4	1	7	4	6	4	4
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	3	1	1	0	2
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	217	0	0	0	0	0	0	6	14	21	11	23	26	28	37	20	31
TOTALS	217	0	0	0	0	0	0	6	14	21	11	23	26	28	37	20	31
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	16	0	0	0	0	0	0	0	0	5	0	2	3	0	0	2	4
TOTALS	16	0	0	0	0	0	0	0	0	5	0	2	3	0	0	2	4
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	34	0	0	0	0	0	0	0	0	0	1	4	6	10	5	6	2
TOTALS	34	0	0	0	0	0	0	0	0	0	1	4	6	10	5	6	2
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	63	0	0	0	0	0	0	0	2	4	2	16	9	10	8	7	5
TOTALS	63	0	0	0	0	0	0	0	2	4	2	16	9	10	8	7	5
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1
TOTALS	5	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	185	0	0	0	0	0	0	0	0	2	6	10	10	41	41	37	38
TOTALS	185	0	0	0	0	0	0	0	0	2	6	10	10	41	41	37	38
MALIGNANT NEOPLASMS OF: TESTIS (186)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: BLADDER (188)																	
MALE	47	0	0	0	0	0	0	0	0	2	3	5	5	7	9	8	8
FEMALE	27	0	0	0	0	0	0	0	0	0	1	1	1	4	3	9	8
TOTALS	74	0	0	0	0	0	0	0	0	2	4	6	6	11	12	17	16
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																	
MALE	37	0	0	0	0	0	0	0	2	7	0	7	7	7	4	2	1
FEMALE	29	0	0	0	0	0	0	0	0	4	4	4	4	2	3	4	4
TOTALS	66	0	0	0	0	0	0	0	2	11	4	11	11	9	7	6	5
MALIGNANT NEOPLASMS OF: BRAIN (191)																	
MALE	36	0	1	0	0	1	1	3	9	5	0	6	4	2	3	1	0
FEMALE	29	0	0	1	0	0	0	2	3	3	4	3	2	2	3	4	2
TOTALS	65	0	1	1	0	1	1	5	12	8	4	9	6	4	6	5	2
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1
FEMALE	5	0	0	0	0	1	1	0	1	0	0	0	1	0	0	1	0
TOTALS	9	0	0	0	0	1	1	0	1	1	0	0	2	0	1	1	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	109	0	0	0	0	0	0	0	0	8	7	12	20	21	17	12	12
FEMALE	116	0	0	0	0	0	0	0	3	3	5	10	14	15	19	17	30
TOTALS	225	0	0	0	0	0	0	0	3	11	12	22	34	36	36	29	42
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	8	0	0	0	0	0	0	1	1	0	0	0	0	2	0	4	0
FEMALE	11	0	0	0	0	0	0	1	1	1	0	2	2	1	2	1	0
TOTALS	19	0	0	0	0	0	0	2	2	1	0	2	2	3	2	5	0
HODGKIN'S DISEASE (201)																	
MALE	6	0	0	0	0	0	0	2	1	1	1	1	0	0	0	0	0
FEMALE	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
TOTALS	8	0	0	0	0	0	1	2	1	1	1	1	0	0	0	1	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	44	0	0	1	0	1	0	2	3	7	1	5	7	7	7	3	0
FEMALE	33	0	0	0	0	0	0	1	2	3	5	2	2	2	8	4	4
TOTALS	77	0	0	1	0	1	0	3	5	10	6	7	9	9	15	7	4
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	29	0	0	0	0	0	0	0	0	1	1	1	1	6	6	10	3
FEMALE	13	0	0	0	0	0	0	0	0	0	2	1	0	1	3	3	3
TOTALS	42	0	0	0	0	0	0	0	0	1	3	2	1	7	9	13	6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
LYMPHOID LEUKEMIA (204)																	
MALE	7	0	0	0	1	1	1	0	0	1	0	0	0	2	0	0	1
FEMALE	13	0	0	0	1	0	0	1	0	0	0	0	2	1	4	2	2
TOTALS	20	0	0	0	2	1	1	1	0	1	0	0	2	3	4	2	3
MYELOID LEUKEMIA (205)																	
MALE	18	0	0	0	0	0	0	1	0	1	0	3	1	2	4	5	1
FEMALE	10	0	0	1	0	0	0	2	0	0	0	0	1	1	1	2	2
TOTALS	28	0	0	1	0	0	0	3	0	1	0	3	2	3	5	7	3
MONOCYTIC LEUKEMIA (206)																	
MALE	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	10	0	0	0	0	0	0	0	1	0	1	2	1	1	3	0	1
FEMALE	7	0	0	0	1	0	0	0	0	0	0	1	0	0	2	1	2
TOTALS	17	0	0	0	1	0	0	0	1	0	1	3	1	1	5	1	3
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	3
FEMALE	10	0	0	0	0	0	0	0	0	0	0	4	1	1	1	0	3
TOTALS	16	0	0	0	0	0	0	0	0	0	1	4	1	1	2	1	6
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	17	0	0	0	0	0	0	0	0	2	0	2	1	2	4	3	3
FEMALE	22	1	0	0	1	0	0	1	1	0	0	1	1	2	3	4	7
TOTALS	39	1	0	0	1	0	0	1	1	2	0	3	2	4	7	7	10
DISORDERS OF THYROID GLAND (240-246)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2
DIABETES MELLITUS (250)																	
MALE	107	0	0	0	0	0	0	3	10	7	7	10	16	19	16	7	12
FEMALE	150	0	0	0	0	0	1	2	2	4	5	16	19	24	22	24	31
TOTALS	257	0	0	0	0	0	1	5	12	11	12	26	35	43	38	31	43

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CYSTIC FIBROSIS (277.0)																	
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	3	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
TOTALS	6	0	0	0	0	0	0	0	0	0	1	0	3	0	1	1	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	29	3	1	0	0	0	0	0	0	4	1	2	6	4	1	2	5
FEMALE	21	1	0	0	0	0	0	0	0	1	0	1	2	4	4	5	3
TOTALS	50	4	1	0	0	0	0	0	0	5	1	3	8	8	5	7	8
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	5
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	11
TOTALS	22	0	0	0	0	0	0	0	0	0	1	0	0	1	1	3	16
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
DEFICIENCY ANEMIAS (280-281)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
APLASTIC ANEMIA (284)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	2
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	2	1	1	5	2
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	13	0	0	0	0	0	0	2	1	0	1	0	0	4	3	2	0
FEMALE	13	0	0	0	0	0	0	0	0	0	2	0	2	5	0	2	2
TOTALS	26	0	0	0	0	0	0	2	1	0	3	0	2	9	3	4	2
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	16	0	0	0	0	0	0	0	0	0	0	0	2	2	0	5	7
FEMALE	45	0	0	0	0	0	0	0	0	0	0	0	1	4	4	11	25
TOTALS	61	0	0	0	0	0	0	0	0	0	0	0	3	6	4	16	32
ALCOHOLIC PSYCHOSES (291)																	
MALE	4	0	0	0	0	0	0	0	1	1	1	0	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	6	0	0	0	0	0	0	0	1	1	1	0	0	2	0	0	1
ALL OTHER PHYCHOSES (292-299)																	
MALE	13	0	0	0	0	0	0	0	1	0	0	0	2	1	3	1	5
FEMALE	16	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	12
TOTALS	29	0	0	0	0	0	0	0	1	0	0	0	2	3	4	2	17
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	21	0	0	0	0	0	0	0	0	5	6	1	6	1	1	1	0
FEMALE	8	0	0	0	0	0	1	0	1	2	0	2	0	1	0	0	1
TOTALS	29	0	0	0	0	0	1	0	1	7	6	3	6	2	1	1	1
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	2
FEMALE	22	0	0	0	0	0	0	1	0	0	0	0	0	1	2	3	15
TOTALS	29	0	0	0	0	0	0	1	0	0	0	1	0	2	4	4	17
MENTAL RETARDATION (317-319)																	
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MENINGITIS (320-322)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	25	0	0	0	0	0	0	0	0	0	1	0	3	2	9	4	6
FEMALE	22	0	0	0	0	0	0	0	0	0	0	2	1	1	3	2	13
TOTALS	47	0	0	0	0	0	0	0	0	0	1	2	4	3	12	6	19
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	51	0	0	1	0	1	1	0	1	1	4	2	4	3	7	14	12
FEMALE	82	0	1	0	0	0	0	0	0	1	0	2	0	2	8	13	18	37
TOTALS	133	0	1	1	0	1	1	0	2	1	6	2	6	11	20	32	49

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MULTIPLE SCLEROSIS (340)																	
MALE	5	0	0	0	0	0	0	0	0	1	2	0	1	1	0	0	0
FEMALE	6	0	0	0	0	0	0	0	2	2	0	1	0	0	1	0	0
TOTALS	11	0	0	0	0	0	0	0	2	3	2	1	1	1	1	0	0
EPILEPSY (345)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	18	0	0	0	0	3	1	1	0	0	2	1	2	3	1	4	0
FEMALE	12	0	0	0	0	0	0	0	0	0	0	2	3	1	1	2	3
TOTALS	30	0	0	0	0	3	1	1	0	0	2	3	5	4	2	6	3
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ACUTE RHEUMATIC FEVER (390-392)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
FEMALE	8	0	0	0	0	0	1	0	1	0	0	2	1	1	1	1	0
TOTALS	11	0	0	0	0	0	1	0	1	0	0	3	1	3	1	1	0
DISEASE OF AORTIC VALVE (395)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0
DISEASES OF MITRAL AND AORTIC VALVES (396)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	15	0	0	0	0	0	0	0	0	2	0	2	1	3	4	3	0
TOTALS	17	0	0	0	0	0	0	0	0	2	0	3	1	3	4	4	0
ESSENTIAL HYPERTENSION (401)																	
MALE	12	0	0	0	0	0	0	0	1	1	0	1	2	1	0	2	4
FEMALE	19	0	0	0	0	0	0	0	0	0	0	1	2	2	4	5	5
TOTALS	31	0	0	0	0	0	0	0	1	1	0	2	4	3	4	7	9
HYPERTENSIVE HEART DISEASE (402)																	
MALE	23	0	0	0	0	0	0	0	0	1	1	4	1	6	3	2	5
FEMALE	45	0	0	0	0	0	0	0	0	0	0	3	2	2	6	11	21
TOTALS	68	0	0	0	0	0	0	0	0	1	1	7	3	8	9	13	26

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
HYPERTENSIVE RENAL DISEASE (403)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	4
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	3	2	5	1	4
TOTALS	23	0	0	0	0	0	0	0	0	0	0	0	3	3	7	2	8
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	1
TOTALS	10	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	3
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	711	0	0	0	0	0	0	1	22	46	51	74	95	107	135	97	83
FEMALE	598	0	0	0	0	0	0	0	4	6	13	36	54	84	102	110	189
TOTALS	1,309	0	0	0	0	0	0	1	26	52	64	110	149	191	237	207	272
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	12	0	0	0	0	0	0	0	1	2	2	0	0	6	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	1	1	0	1	1	0	1	1
TOTALS	18	0	0	0	0	0	0	0	1	3	3	0	1	7	0	1	2
ANGINA PECTORIS (413)																	
MALE	5	0	0	0	0	0	0	0	0	1	0	1	1	2	0	0	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	6
TOTALS	14	0	0	0	0	0	0	0	0	1	0	1	2	3	1	0	6
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	604	0	0	0	0	0	1	2	10	24	44	45	59	82	108	86	143
FEMALE	663	0	0	0	0	0	0	0	2	4	4	13	38	54	73	140	335
TOTALS	1,267	0	0	0	0	0	1	2	12	28	48	58	97	136	181	226	478
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	37	1	0	0	0	0	0	1	2	2	2	0	7	3	5	9	5
FEMALE	31	0	1	0	0	0	0	0	1	2	0	2	2	3	4	6	10
TOTALS	68	1	1	0	0	0	0	1	3	4	2	2	9	6	9	15	15
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
MALE	4	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
TOTALS	7	0	0	0	0	0	0	0	1	0	2	0	0	0	2	0	2
MITRAL VALVE DISORDERS (424.0)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
AORTIC VALVE DISORDERS (424.1)																	
MALE	21	0	0	0	0	0	0	0	0	1	0	1	1	6	5	6	1
FEMALE	19	0	0	0	0	0	0	1	0	3	1	0	1	2	1	3	7
TOTALS	40	0	0	0	0	0	0	1	0	4	1	1	2	8	6	9	8
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	6
HEART FAILURE (428)																	
MALE	82	0	0	0	0	0	0	0	0	1	2	5	7	9	16	17	25
FEMALE	130	0	0	0	0	0	0	0	0	1	0	2	3	8	11	22	83
TOTALS	212	0	0	0	0	0	0	0	0	2	2	7	10	17	27	39	108
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																	
MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																	
MALE	352	0	1	0	0	0	0	2	6	12	18	28	52	51	56	49	77
FEMALE	350	2	0	0	2	0	0	2	1	9	6	16	16	29	54	65	148
TOTALS	702	2	1	0	2	0	0	4	7	21	24	44	68	80	110	114	225
SUBARACHNOID HEMORRHAGE (430)																	
MALE	11	0	0	0	0	0	0	2	1	3	1	1	1	0	0	2	0
FEMALE	15	0	0	0	0	0	0	0	2	0	0	1	5	3	2	0	2
TOTALS	26	0	0	0	0	0	0	2	3	3	1	2	6	3	2	2	2
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
MALE	42	0	0	1	0	0	1	0	3	2	0	4	6	8	4	6	7
FEMALE	50	0	0	0	0	0	0	1	0	4	2	1	3	9	6	6	18
TOTALS	92	0	0	1	0	0	1	1	3	6	2	5	9	17	10	12	25
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	7	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	4
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
MALE	31	0	0	0	0	0	0	0	0	0	2	1	2	10	7	5	4
FEMALE	51	0	0	0	0	0	0	0	0	0	0	0	1	3	12	13	22
TOTALS	82	0	0	0	0	0	0	0	0	0	2	1	3	13	19	18	26
CEREBRAL EMBOLISM (434.1)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																	
MALE	160	0	0	0	0	0	0	0	1	1	3	12	14	17	30	40	42
FEMALE	248	0	0	0	0	0	0	0	0	1	0	5	7	17	27	60	131
TOTALS	408	0	0	0	0	0	0	0	1	2	3	17	21	34	57	100	173
OTHER CEREBROVASCULAR DISEASE (435,437-438)																	
MALE	35	0	0	0	0	0	0	0	0	0	1	1	3	3	7	7	13
FEMALE	63	0	0	0	0	0	0	1	0	0	2	2	1	1	6	15	35
TOTALS	98	0	0	0	0	0	0	1	0	0	3	3	4	4	13	22	48
ATHEROSCLEROSIS (440)																	
MALE	47	0	0	0	0	0	0	0	1	2	1	1	2	3	4	9	24
FEMALE	95	0	0	0	0	0	0	0	1	0	3	2	4	6	6	6	67
TOTALS	142	0	0	0	0	0	0	0	2	2	4	3	6	9	10	15	91
AORTIC ANEURYSM (441)																	
MALE	72	0	0	0	0	0	1	0	3	2	3	5	8	15	10	19	6
FEMALE	37	0	0	0	0	0	0	0	0	0	0	1	5	7	8	4	12
TOTALS	109	0	0	0	0	0	1	0	3	2	3	6	13	22	18	23	18
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																	
MALE	32	0	0	0	0	0	0	1	0	2	0	4	4	6	1	4	10
FEMALE	27	0	0	0	0	0	0	0	0	0	0	1	4	5	2	4	11
TOTALS	59	0	0	0	0	0	0	1	0	2	0	5	8	11	3	8	21
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																	
MALE	3	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	2	0	1	1	0	0	1	1
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																	
MALE	4	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	0
FEMALE	8	1	0	0	0	1	0	0	1	0	0	0	0	0	0	1	4
TOTALS	12	1	0	0	0	1	0	0	2	0	0	2	0	0	0	2	4
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																	
FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
VIRAL PNEUMONIA (480)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	1	0	4	2	2	0
FEMALE	10	0	0	0	0	0	0	0	0	0	0	1	1	2	3	0	3
TOTALS	19	0	0	0	0	0	0	0	0	0	0	2	1	6	5	2	3
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	4
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	8
TOTALS	22	0	0	0	0	0	0	0	0	0	0	0	3	0	1	6	12
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																	
MALE	131	2	0	0	0	0	1	1	4	4	3	5	16	19	33	43	
FEMALE	151	0	0	0	0	0	1	0	0	1	1	2	2	9	14	29	92
TOTALS	282	2	0	0	0	0	1	1	1	5	5	5	7	25	33	62	135
INFLUENZA (487)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3
TOTALS	9	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	5
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
TOTALS	5	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	2
CHRONIC BRONCHITIS (491)																	
MALE	12	0	0	0	0	0	0	0	0	0	0	2	1	1	2	3	3
FEMALE	9	0	1	0	0	0	0	0	0	0	0	1	2	1	1	2	1
TOTALS	21	0	1	0	0	0	0	0	0	0	0	3	3	2	3	5	4
EMPHYSEMA (492)																	
MALE	36	0	0	0	0	0	0	0	1	2	2	5	3	8	9	2	4
FEMALE	23	0	0	0	0	0	0	0	1	0	1	3	3	3	4	4	4
TOTALS	59	0	0	0	0	0	0	0	2	2	3	8	6	11	13	6	8
ASTHMA (493)																	
MALE	9	0	0	1	0	1	0	1	0	1	0	1	1	0	1	1	1
FEMALE	17	0	0	0	0	3	0	0	2	0	1	1	1	2	2	2	3
TOTALS	26	0	0	1	0	4	0	1	2	1	1	2	2	2	3	3	4
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
FEMALE	8	0	0	0	0	0	0	0	0	0	2	0	0	2	1	1	2
TOTALS	10	0	0	0	0	0	0	0	0	0	2	0	1	0	3	1	1	2
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																	
MALE	226	0	0	0	0	0	0	1	1	5	5	16	22	33	53	47	43
FEMALE	154	0	0	0	0	0	0	0	0	2	4	12	21	30	30	32	23
TOTALS	380	0	0	0	0	0	0	1	1	7	9	28	43	63	83	79	66

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	25	1	0	0	0	0	0	0	0	0	1	0	2	2	4	6	9
FEMALE	13	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	7
TOTALS	38	1	0	0	0	0	0	0	0	0	1	1	2	3	6	8	16
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0
PLEURISY (511)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	42	2	0	0	0	0	0	1	0	1	0	3	6	5	8	10	6
FEMALE	34	0	0	0	0	1	0	0	1	0	1	3	4	5	5	7	7
TOTALS	76	2	0	0	0	1	0	1	1	1	1	6	10	10	13	17	13
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
GASTRIC ULCER (531)																	
MALE	7	0	0	0	0	0	0	0	0	1	1	0	0	2	3	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1
TOTALS	11	0	0	0	0	0	0	0	0	1	1	0	0	2	4	2	1
DUODENAL ULCER (532)																	
MALE	6	0	0	0	0	0	0	0	0	1	0	1	0	2	1	1	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1
TOTALS	12	0	0	0	0	0	0	0	0	1	0	1	0	3	2	4	1
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	1	3	3	0	4
TOTALS	16	0	0	0	0	0	0	0	0	0	0	0	2	3	4	0	7
GASTRITIS AND DUODENITIS (535)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0
APPENDICITIS (540-543)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	13	0	0	0	0	0	1	0	0	0	1	0	1	2	0	4	4
FEMALE	23	0	0	0	0	0	0	0	0	0	1	0	0	1	3	5	13
TOTALS	36	0	0	0	0	0	1	0	0	0	2	0	1	3	3	9	17

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	11	0	0	0	0	0	0	0	0	0	0	3	3	1	3	1	0
FEMALE	34	1	0	0	0	0	0	0	0	0	0	2	5	3	9	8	6
TOTALS	45	1	0	0	0	0	0	0	0	0	0	5	8	4	12	9	6
DIVERTICULA OF INTESTINE (562)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3	3
TOTALS	13	0	0	0	0	0	0	0	0	0	0	1	0	3	1	3	5
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	38	0	0	0	0	0	0	1	3	6	9	6	5	4	1	1	2
FEMALE	14	0	0	0	0	0	0	2	0	4	0	3	2	2	1	0	0
TOTALS	52	0	0	0	0	0	0	3	3	10	9	9	7	6	2	1	2
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1
TOTALS	7	0	0	0	0	0	0	0	1	1	0	1	2	0	1	0	1
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	38	0	0	0	0	0	0	0	1	3	4	8	8	5	4	3	2
FEMALE	28	0	0	0	0	0	0	1	0	1	0	3	1	7	8	4	3
TOTALS	66	0	0	0	0	0	0	1	1	4	4	11	9	12	12	7	5
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
FEMALE	17	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3	9
TOTALS	20	0	0	0	0	0	0	0	0	0	0	0	0	2	6	3	9
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	63	1	0	0	0	1	0	0	0	1	1	9	7	17	11	5	10
FEMALE	70	0	0	0	0	0	0	1	0	2	2	0	4	9	5	16	31
TOTALS	133	1	0	0	0	1	0	1	0	3	3	9	11	26	16	21	41
NEPHROTIC SYNDROME (581)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0
FEMALE	6	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1
TOTALS	9	0	0	0	0	0	0	0	0	1	1	0	0	1	2	3	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
RENAL FAILURE (584-586,588-589)																	
MALE	40	0	0	0	0	0	0	2	0	2	1	2	5	4	7	8	9
FEMALE	54	0	0	0	0	1	0	0	0	1	1	4	1	4	6	11	25
TOTALS	94	0	0	0	0	1	0	2	0	3	2	6	6	8	13	19	34
INFECTIONS OF KIDNEY (590)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	2
URINARY CALCULUS (592,594)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																	
MALE	20	0	0	0	0	0	0	0	1	0	0	1	2	1	3	3	9
FEMALE	20	0	0	0	0	0	0	0	0	0	0	0	4	0	3	5	8
TOTALS	40	0	0	0	0	0	0	0	1	0	0	1	6	1	6	8	17
HYPERPLASIA OF PROSTATE (600)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2	0
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
COMPLICATIONS OF THE PUERPERIUM (670-676)																	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	4
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	1
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	2
TOTALS	12	0	0	0	0	0	0	0	0	0	1	0	3	0	3	2	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
DORSOPATHIES (720-724)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1
RHEUMATISM, EXCLUDING THE BACK (725-729)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4
TOTALS	10	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	5
SPINA BIFIDA (741)																	
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																	
MALE	2	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)																	
MALE	16	8	1	0	1	0	0	3	0	0	0	0	0	1	1	1	0
FEMALE	9	4	0	1	1	0	0	0	0	0	1	1	0	0	0	1	0
TOTALS	25	12	1	1	2	0	0	3	0	0	1	1	0	1	1	2	0
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																	
MALE	13	10	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	19	16	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	11	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	15	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																	
MALE	14	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	12	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	26	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	40	12	0	1	0	0	1	2	1	1	1	2	3	2	5	3	6
FEMALE	33	9	0	0	0	0	1	0	0	0	0	2	2	2	3	3	11
TOTALS	73	21	0	1	0	0	2	2	1	1	1	4	5	4	8	6	17
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																	
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	49	0	1	2	1	5	7	5	11	2	2	2	0	3	2	2	4
FEMALE	21	0	0	0	1	2	2	2	0	4	0	1	2	5	2	0	0
TOTALS	70	0	1	2	2	7	9	7	11	6	2	3	2	8	4	2	4
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	17	0	1	2	2	0	3	3	1	2	1	0	0	0	0	2	0
FEMALE	9	0	0	0	0	0	0	2	1	0	0	1	0	2	0	1	2
TOTALS	26	0	1	2	2	0	3	5	2	2	1	1	0	2	0	3	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	8	0	0	1	0	1	0	2	1	0	0	0	2	1	0	0	0
FEMALE	5	0	1	0	0	0	1	2	0	0	0	0	1	0	0	0	0
TOTALS	13	0	1	1	0	1	1	4	1	0	0	0	3	1	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	41	0	0	0	1	7	14	11	1	1	1	1	1	0	2	1	0
FEMALE	10	0	0	0	2	2	1	1	0	1	1	0	1	0	0	0	1
TOTALS	51	0	0	0	3	9	15	12	1	2	2	1	2	0	2	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	10	0	0	0	0	2	3	1	3	0	0	0	1	0	0	0	0
FEMALE	7	1	1	0	0	2	0	0	1	0	0	1	0	0	0	0	1
TOTALS	17	1	1	0	0	4	3	1	4	0	0	1	1	0	0	0	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	7	0	0	0	0	2	1	2	1	0	1	0	0	0	0	0	0
TOTALS	7	0	0	0	0	2	1	2	1	0	1	0	0	0	0	0	0
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	13	0	0	0	0	0	0	3	1	2	0	2	2	2	1	0	0
FEMALE	2	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
TOTALS	15	0	0	0	0	0	1	3	1	2	0	2	3	2	1	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	6	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	7	0	0	0	0	0	1	2	4	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	6	0	0	0	0	0	1	1	3	0	0	0	1	0	0	0	0
TOTALS	6	0	0	0	0	0	1	1	3	0	0	0	1	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																	
MALE	3	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	7	0	0	1	0	0	0	1	0	0	1	0	1	2	0	0	1
FEMALE	10	0	0	0	0	0	0	0	0	2	0	0	0	4	1	1	2
TOTALS	17	0	0	1	0	0	0	1	0	2	1	0	1	6	1	1	3
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	16	0	0	0	0	0	0	5	0	2	1	2	1	0	2	1	2
FEMALE	9	0	0	0	0	0	1	0	0	0	1	1	1	1	1	1	2
TOTALS	25	0	0	0	0	0	1	5	0	2	2	3	2	1	3	2	4
FALL ON SAME LEVEL (E885-E886)																	
MALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	4	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIIED FALLS (E887-E888)																	
MALE	17	0	0	0	0	0	0	1	0	0	0	0	0	3	4	3	6
FEMALE	24	0	0	0	0	0	0	0	0	0	0	0	0	2	2	4	16
TOTALS	41	0	0	0	0	0	0	1	0	0	0	0	0	5	6	7	22
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	16	0	2	1	2	2	0	4	0	1	0	1	1	0	1	0	1
FEMALE	12	0	2	2	0	0	0	1	1	1	0	1	1	0	0	1	2
TOTALS	28	0	4	3	2	2	0	5	1	2	0	2	2	0	1	1	3
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	20	0	2	0	2	0	1	5	4	2	1	0	2	0	1	0	0
FEMALE	7	0	0	2	1	1	0	2	0	0	0	0	0	0	0	1	0
TOTALS	27	0	2	2	3	1	1	7	4	2	1	0	2	0	1	1	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	9	1	0	0	0	1	0	0	1	1	0	0	1	0	1	2	1
FEMALE	12	1	0	0	0	0	0	0	0	0	0	1	1	0	1	2	6
TOTALS	21	2	0	0	0	1	0	0	1	1	0	1	2	0	2	4	7
ACCIDENT CAUSED BY HANDGUN (E922.0)																	
MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	6	0	1	0	2	1	2	0	0	0	0	0	0	0	0	0	0
TOTALS	6	0	1	0	2	1	2	0	0	0	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																	
MALE	30	2	1	1	1	0	1	6	3	3	2	1	2	2	1	1	3
FEMALE	7	2	1	0	1	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	37	4	2	1	2	0	1	6	3	3	2	1	2	2	1	2	5
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	6	0	0	0	0	0	0	3	2	0	0	0	1	0	0	0	0
FEMALE	15	0	0	0	0	1	2	5	2	1	2	0	2	0	0	0	0
TOTALS	21	0	0	0	0	1	2	8	4	1	2	0	3	0	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	11	0	0	0	0	1	2	2	2	1	1	0	1	1	0	0	0
FEMALE	5	0	0	0	0	0	0	1	2	1	0	1	0	0	0	0	0
TOTALS	16	0	0	0	0	1	2	3	4	2	1	1	1	1	0	0	0
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	19	0	0	0	1	4	1	5	1	0	0	2	2	2	1	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
TOTALS	21	0	0	0	1	4	1	5	2	0	0	3	2	2	1	0	0
SUICIDE BY HANDGUN (E955.0)																	
MALE	14	0	0	0	0	2	3	3	2	2	0	0	1	0	1	0	0
FEMALE	3	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0
TOTALS	17	0	0	0	0	2	4	3	3	2	1	0	1	0	1	0	0
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	77	0	0	0	0	5	12	18	15	5	3	1	5	4	3	4	2
FEMALE	8	0	0	0	0	0	3	1	1	1	0	0	1	0	0	1	0
TOTALS	85	0	0	0	0	5	15	19	16	6	3	1	6	4	3	5	2
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																	
MALE	8	0	0	0	0	0	1	2	2	0	0	0	0	1	0	1	1
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	9	0	0	0	0	0	1	2	3	0	0	0	0	1	0	1	1
ASSAULT BY HANDGUN (E965.0)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0
FEMALE	3	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	3	1	0	0	0	0	1	1	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																	
MALE	16	0	0	0	1	2	0	7	4	1	0	0	0	0	1	0	0
FEMALE	5	0	0	0	0	0	1	2	2	0	0	0	0	0	0	0	0
TOTALS	21	0	0	0	1	2	1	9	6	1	0	0	0	0	1	0	0
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	0
TOTALS	5	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	5	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0
FEMALE	7	2	0	0	0	0	0	1	1	2	0	1	0	0	0	0	0
TOTALS	12	2	0	0	1	0	0	2	2	4	0	1	0	0	0	0	0
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																	
MALE	5	0	0	0	1	0	1	1	0	1	0	0	1	0	0	0	0
TOTALS	5	0	0	0	1	0	1	1	0	1	0	0	1	0	0	0	0
STATE																	
MALE	5,625	69	14	13	18	49	69	153	190	290	313	491	660	796	861	772	867
FEMALE	5,465	53	9	8	11	16	22	62	83	151	152	320	432	596	762	932	1,856
TOTALS	11,090	122	23	21	29	65	91	215	273	441	465	811	1,092	1,392	1,623	1,704	2,723
PERCENT DISTRIBUTION																	
MALE	100.00	1.23	0.25	0.23	0.32	0.87	1.23	2.72	3.38	5.16	5.56	8.73	11.73	14.15	15.31	13.72	15.41
FEMALE	100.00	0.97	0.16	0.15	0.20	0.29	0.40	1.13	1.52	2.76	2.78	5.86	7.90	10.91	13.94	17.05	33.96
TOTALS	100.00	1.10	0.21	0.19	0.26	0.59	0.82	1.94	2.46	3.98	4.19	7.31	9.85	12.55	14.63	15.37	24.55

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	0	2	0.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	5	8	1.600
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	0	0	0.000
SEPTICEMIA (038)	85	395	4.647
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	1	0.000
VIRAL HEPATITIS (070)	10	12	1.200
SYPHILIS (090-097)	0	3	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	33	81	2.454
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	49	60	1.224
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	669	761	1.137
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	827	913	1.103
MAL. NEO. BREAST (174-175)	218	268	1.229
MAL. NEO. GENITAL ORGANS (179-187)	305	386	1.265
MAL. NEO. URINARY ORGANS (188-189)	140	186	1.328
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	372	657	1.766
LEUKEMIA (204-208)	68	96	1.411
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	146	186	1.273
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	62	108	1.741
DIABETES MELLITUS (250)	257	899	3.498
NUTRITIONAL DEFICIENCIES (260-269)	23	231	10.043
ANEMIAS (280-285)	22	219	9.954
MENINGITIS (320-322)	2	8	4.000
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	39	61	1.564
HYPERTENSIVE HEART DISEASE (402)	68	146	2.147
HYPERTENSIVE HEART & RENAL DIS. (404)	41	52	1.268
ACUTE MYOCARDIAL INFARCTION (410)	1,309	1,504	1.148
OTHER ACUTE & SUBACUTE I.H.D. (411)	18	41	2.277
ANGINA PECTORIS (413)	14	92	6.571
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,267	2,464	1.944
OTHER DISEASES OF ENDOCARDIUM (424)	60	142	2.366
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	995	3,979	3.998
HYPERTENSION W/WO RENAL DISEASE (401, 403)	54	617	11.425
INTRACEREBRAL HEMORRHAGE (431-432)	92	122	1.326
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	82	139	1.695

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	2	19	9.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	539	1,106	2.051
ATHEROSCLEROSIS (440)	142	594	4.183
OTHER DIS. ARTERIES & CAPIL. (441-448)	168	331	1.970
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	17	5.666
PNEUMONIA (480-486)	326	976	2.993
INFLUENZA (487)	9	14	1.555
BRONCHITIS CHRONIC & UNSPEC. (490-491)	26	64	2.461
EMPHYSEMA (492)	59	149	2.525
ASTHMA (493)	26	71	2.730
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	390	1,121	2.874
ULCER OF STOMACH & DUODENUM (531-533)	39	107	2.743
APPENDICITIS (540-543)	1	4	4.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	36	128	3.555
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	125	202	1.616
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	20	44	2.200
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	2	2.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	9	26	2.888
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	94	592	6.297
INFECTIONS OF KIDNEY (590)	6	19	3.166
HYPERPLASIA OF PROSTATE ALL (600)	4	14	3.500
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	1	1	1.000
CONGENITAL ANOMALIES (740-759)	51	72	1.411
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	15	22	1.466
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	26	67	2.576
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	77	2,051	26.636
ALL OTHER DISEASES (RESIDUAL)	910	3,440	3.780
MOTOR VEHICLE ACCIDENTS (E810-E825)	185	187	1.010
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	245	602	2.457
SUICIDE (E950-E959)	169	169	1.000
HOMICIDE & LEGAL INTERVENTION (E960-E978)	44	44	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	9	10	1.111
TOTAL FOR ALL CAUSES	11,090	27,107	2.444

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS.
IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE.
MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:
NATURE OF INJURY MENTIONS: 1325; SECONDARY NEOPLASM MENTIONS 522
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	PERCENT OF TOTAL DEATHS BY SITE OF DEATH								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,056	50.76	0.57	0.76	0.00	29.64	0.00	0.00	16.00	2.27
AROOSTOOK	742	55.26	0.94	1.08	0.54	22.91	0.00	0.00	14.02	5.26
CUMBERLAND	2,039	57.72	1.03	0.74	0.05	20.60	0.15	0.00	17.21	2.50
FRANKLIN	234	48.72	0.43	1.71	0.00	19.23	0.00	0.00	24.36	5.56
HANCOCK	516	50.39	1.36	1.74	0.00	22.67	0.00	0.00	22.09	1.74
KENNEBEC	1,045	52.44	0.67	1.63	0.10	23.64	0.19	0.00	17.99	3.35
KNOX	420	55.48	0.71	4.52	0.00	18.57	0.00	0.00	16.90	3.81
LINCOLN	341	46.92	2.35	3.81	0.00	26.10	0.00	0.00	18.48	2.35
OXFORD	561	53.65	1.43	0.18	0.00	22.10	0.00	0.00	18.54	4.10
PENOBSCOT	1,207	55.34	1.08	2.57	0.00	19.55	0.17	0.00	17.98	3.31
PISCATAQUIS	218	51.83	0.00	0.92	0.00	23.85	0.00	0.00	19.72	3.67
SAGADAHOC	279	54.12	1.08	2.51	0.00	21.15	0.00	0.00	18.64	2.51
SOMERSET	421	56.29	1.19	2.14	0.00	18.76	0.00	0.24	18.29	3.09
WALDO	276	54.35	1.45	2.17	0.00	17.75	0.00	0.00	21.74	2.54
WASHINGTON	415	57.35	1.20	0.96	0.24	20.72	0.00	0.00	14.46	5.06
YORK	1,320	52.88	7.58	1.74	0.08	18.26	0.08	0.08	17.27	2.05
STATE TOTALS	11,090	54.05	1.79	1.59	0.07	21.69	0.07	0.02	17.66	3.07

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DPLARES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITALS: CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810-E825)	* ACCIDENTS * OTHER (E800-E807)
ANDROSCOGGIN	550	7.09	8.55	12.55	12.73	0.55	1.09	3.45	1.82	1.45
AROOSTOOK	424	9.20	8.96	15.33	9.91	1.89	0.47	2.83	1.18	1.89
CUMBERLAND	1,213	6.02	8.49	10.96	9.23	0.91	1.07	2.31	0.74	2.47
FRANKLIN	119	4.20	8.40	15.13	5.88	0.84	0.84	3.36	3.36	0.00
HANCOCK	275	7.64	7.64	14.55	9.45	0.73	1.09	3.64	0.00	1.45
KENNEBEC	572	5.07	9.44	12.94	11.01	1.05	1.22	2.80	1.22	1.75
KNOX	255	7.84	7.06	14.51	14.12	0.78	0.00	1.96	3.14	2.75
LINCOLN	181	7.73	6.63	14.36	7.18	1.10	2.21	3.31	1.10	3.31
OXFORD	310	5.81	11.61	16.13	9.03	1.61	0.32	3.55	1.61	2.26
PENOBSCOT	712	5.34	9.69	13.90	6.46	1.69	0.70	2.11	0.84	2.81
PISCATAQUIS	115	5.22	13.04	13.04	6.96	0.87	0.87	4.35	0.87	2.61
SAGADAHOC	161	8.07	9.32	15.53	8.70	0.62	2.48	3.73	1.86	1.24
SOMERSET	251	7.97	4.38	11.55	12.75	1.20	0.40	1.99	1.20	2.39
WALDO	160	5.63	8.75	12.50	6.88	1.88	0.00	4.38	0.00	3.13
WASHINGTON	246	6.91	10.16	12.60	5.28	0.81	0.41	2.03	0.41	1.63
YORK	821	5.97	9.01	15.35	8.28	1.10	0.61	1.95	1.95	1.83
STATE TOTALS	6,365	6.44	8.83	13.46	9.25	1.12	0.85	2.67	1.26	2.12

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	PERCENT OF TOTAL DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810-E825)	* ACCIDENTS * OTHER (E800-E807
ANDROSCOGGIN	313	5.11	4.47	5.43	16.93	0.32	1.28	5.75	0.00	0.32
AROOSTOOK	170	5.88	1.18	5.88	20.59	3.53	1.18	1.76	0.00	0.00
CUMBERLAND	420	4.05	3.81	5.71	22.14	0.71	1.67	5.48	0.00	0.24
FRANKLIN	45	0.00	0.00	8.89	8.89	0.00	2.22	6.67	0.00	0.00
HANCOCK	117	5.98	2.56	4.27	14.53	0.00	1.71	10.26	0.00	0.85
KENNEBEC	247	3.64	2.43	10.93	17.41	0.00	2.02	6.48	0.00	1.21
KNOX	78	2.56	2.56	7.69	8.97	0.00	0.00	2.56	0.00	0.00
LINCOLN	89	3.37	6.74	6.74	7.87	0.00	1.12	4.49	0.00	1.12
OXFORD	124	2.42	3.23	12.10	15.32	0.81	0.00	7.26	0.00	0.81
PENOBSCOT	236	3.81	3.39	2.97	9.75	0.85	1.27	9.75	0.00	0.42
PISCATAQUIS	52	13.46	5.77	1.92	3.85	0.00	0.00	5.77	0.00	5.77
SAGADAHOC	59	3.39	1.69	3.39	27.12	0.00	0.00	1.69	0.00	0.00
SOMERSET	79	1.27	2.53	3.80	18.99	0.00	0.00	7.59	0.00	0.00
WALDO	49	2.04	6.12	4.08	6.12	0.00	0.00	8.16	0.00	0.00
WASHINGTON	86	4.65	1.16	1.16	18.60	0.00	0.00	3.49	0.00	0.00
YORK	241	6.22	1.24	6.22	14.52	0.83	0.00	4.56	0.00	1.24
STATE TOTALS	2,405	4.41	3.08	6.03	16.13	0.62	1.04	5.86	0.00	0.62

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUICF

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1989 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	PERCENT OF TOTAL DEATHS OCCURRING AT HOME								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810-E825)	* ACCIDENTS * OTHER (E800-E807)
ANDROSCOGGIN	169	4.73	6.51	9.47	20.71	0.00	0.00	0.59	0.59	1.18
AROOSTOOK	104	3.85	12.50	11.54	24.04	0.96	0.00	0.00	0.00	0.00
CUMBERLAND	351	4.84	8.83	11.68	16.81	0.28	0.28	0.57	0.00	1.99
FRANKLIN	57	5.26	10.53	12.28	10.53	0.00	0.00	3.51	0.00	3.51
HANCOCK	114	6.14	11.40	26.32	11.40	0.00	0.00	0.00	0.00	1.75
KENNEBEC	188	10.11	9.57	15.43	12.23	1.06	0.00	0.53	0.53	2.13
KNOX	71	11.27	2.82	18.31	19.72	0.00	0.00	0.00	0.00	1.41
LINCOLN	63	6.35	15.87	9.52	11.11	0.00	0.00	0.00	0.00	0.00
OXFORD	104	7.69	11.54	16.35	15.38	0.00	0.96	0.00	0.00	3.85
PENOBSCOT	217	8.76	11.06	9.22	15.21	0.00	0.00	0.92	0.00	3.69
PISCATAQUIS	43	11.63	20.93	16.28	9.30	0.00	0.00	2.33	0.00	2.33
SAGADAHOC	52	7.69	9.62	13.46	5.77	1.92	0.00	0.00	0.00	3.85
SOMERSET	77	5.19	3.90	16.88	20.78	0.00	0.00	1.30	0.00	5.19
WALDO	60	6.67	6.67	18.33	8.33	0.00	0.00	1.67	0.00	1.67
WASHINGTON	60	5.00	3.33	16.67	13.33	0.00	0.00	0.00	0.00	5.00
YORK	228	10.96	7.89	13.16	12.72	0.00	0.00	0.88	0.00	3.07
STATE TOTALS	1,958	7.61	9.24	13.74	15.12	0.26	0.10	0.66	0.10	2.45

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOM

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	OCCUPATION									
		MANAGE-RIAL, PROFES-SIONAL	TECHNICAL, SALES, ADMINIS-TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC-TION, REPAIR, CRAFT	OPER-ATORS, FABRI-CATORS, LABORERS	TRANSPOR-TATION	HOME-MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	114	0	0	0	0	0	0	0	0	26	88
15-19	49	0	1	1	0	3	4	1	0	35	4
20-24	69	3	5	2	5	21	12	0	0	8	13
25-29	74	5	7	4	3	26	15	4	0	1	9
30-34	79	7	9	5	7	18	22	2	0	0	9
35-39	89	17	12	9	6	23	9	9	0	1	3
40-44	101	22	16	10	6	22	11	9	0	0	5
45-49	100	12	14	7	11	23	16	8	0	0	9
50-54	190	45	19	13	12	45	30	11	0	0	15
55-59	313	37	35	20	24	92	65	22	0	0	18
60-64	491	87	76	35	41	128	80	30	0	0	14
65-69	660	115	102	56	44	143	128	36	0	1	35
70-74	796	138	107	47	82	204	165	36	0	0	17
75-79	861	166	99	66	83	217	173	46	0	0	11
80-84	772	154	118	52	107	156	139	32	1	0	13
85-89	505	93	77	36	77	116	82	20	0	0	4
90-94	261	58	32	19	43	55	38	13	0	0	3
GREATER THAN 94	101	12	18	3	21	28	15	2	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,625	971	747	385	572	1,320	1,004	281	1	72	272
PERCENT DISTRIBUTION	100.00	17.26	13.28	6.84	10.17	23.47	17.85	5.00	0.02	1.28	4.84

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	OCCUPATION: MANAGERIAL, PROFESSIONAL	TECHNICAL, SALES, ADMINISTRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUCTION, REPAIR, CRAFT	OPERATORS, FABRICATORS, LABORERS	TRANSPORTATION	HOMEMAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	81	0	0	0	0	0	0	0	0	18	63
15-19	16	0	1	0	0	0	0	0	0	14	1
20-24	22	0	7	4	0	0	4	0	3	2	2
25-29	23	4	6	3	1	0	5	0	2	1	1
30-34	39	8	12	6	0	0	2	0	10	0	1
35-39	41	7	14	3	1	0	3	0	9	0	4
40-44	42	7	9	8	0	1	5	0	12	0	0
45-49	53	7	11	6	0	1	7	0	18	0	3
50-54	98	14	23	8	1	4	11	0	34	1	2
55-59	152	24	28	16	1	8	20	0	52	0	3
60-64	320	37	61	32	0	10	46	0	128	0	6
65-69	432	50	71	42	1	10	73	0	178	0	7
70-74	596	69	116	51	1	9	92	0	252	0	6
75-79	762	114	122	80	4	8	93	2	336	0	3
80-84	932	153	151	78	5	9	118	3	408	0	7
85-89	817	138	131	47	2	17	94	0	386	0	2
90-94	659	101	83	40	1	10	76	1	343	0	4
GREATER THAN 94	380	60	37	24	1	5	40	0	211	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,465	793	883	448	19	92	689	6	2,382	36	117
PERCENT DISTRIBUTION	100.00	14.51	16.16	8.20	0.35	1.68	12.61	0.11	43.59	0.66	2.14

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	OCCUPATION: MANAGERIAL, PROFESSIONAL	TECHNICAL, SALES, ADMINISTRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUCTION, REPAIR, CRAFT	OPERATORS, FABRICATORS, LABORERS	TRANSPORTATION	HOMEMAKER	STUDENT	OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	195	0	0	0	0	0	0	0	0	44	151
15-19	65	0	2	1	0	3	4	1	0	49	5
20-24	91	3	12	6	5	21	16	0	3	10	15
25-29	97	9	13	7	4	26	20	4	2	2	10
30-34	118	15	21	11	7	18	24	2	10	0	10
35-39	130	24	26	12	7	23	12	9	9	1	7
40-44	143	29	25	18	6	23	16	9	12	0	5
45-49	153	19	25	13	11	24	23	8	18	0	12
50-54	288	59	42	21	13	49	41	11	34	1	17
55-59	465	61	63	36	25	100	85	22	52	0	21
60-64	811	124	137	67	41	138	126	30	128	0	20
65-69	1,092	165	173	98	45	153	201	36	178	1	42
70-74	1,392	207	223	98	83	213	257	36	252	0	23
75-79	1,623	280	221	146	87	225	266	48	336	0	14
80-84	1,704	307	269	130	112	165	257	35	409	0	20
85-89	1,322	231	208	83	79	133	176	20	386	0	6
90-94	920	159	115	59	44	65	114	14	343	0	7
GREATER THAN 94	481	72	55	27	22	33	55	2	211	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,090	1,764	1,630	833	591	1,412	1,693	287	2,383	108	389
PERCENT DISTRIBUTION	100.00	15.91	14.70	7.51	5.33	12.73	15.27	2.59	21.49	0.97	3.51

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
MALE					
LESS THAN 20	0	0	0	0	0
20-24	2	2	2	0	0
25-34	11	11	11	0	0
35-44	11	11	9	2	0
45-54	4	4	4	0	0
55-64	5	5	4	1	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	34	34	31	3	0
FEMALE					
LESS THAN 20	0	0	0	0	0
20-24	0	0	0	0	0
25-34	0	0	0	0	0
35-44	0	0	0	0	0
45-54	0	0	0	0	0
55-64	0	0	0	0	0
GREATER THAN 64	0	0	0	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	0	0	0	0	0
BOTH SEXES					
LESS THAN 20	0	0	0	0	0
20-24	2	2	2	0	0
25-34	11	11	11	0	0
35-44	11	11	9	2	0
45-54	4	4	4	0	0
55-64	5	5	4	1	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	34	34	31	3	0

AIDS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	TOTAL DEATHS	NON UNDERLYING CAUSES: 038 NUMBER	038 PERCENT	OTH INFECTIOUS DIS NUMBER	OTH INFECTIOUS DIS PERCENT	250 NUMBER	250 PERCENT	260-269 NUMBER	260-269 PERCENT	280-285 NUMBER	280-285 PERCENT
038	85	0	0.0	1	1.2	7	8.2	2	2.4	1	1.2
OTH INFECTIOUS DIS	64	4	6.3	0	0.0	2	3.1	1	1.6	2	3.1
250	257	13	5.1	1	0.4	0	0.0	3	1.2	8	3.1
260-269	23	3	13.0	1	4.3	0	0.0	0	0.0	1	4.3
280-285	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	39	1	2.6	0	0.0	1	2.6	0	0.0	0	0.0
402	68	0	0.0	0	0.0	5	7.4	0	0.0	2	2.9
411	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
424	60	3	5.0	0	0.0	5	8.3	0	0.0	0	0.0
415-423,425-429	995	15	1.5	2	0.2	68	6.8	9	0.9	15	1.5
401,403	54	0	0.0	1	1.9	6	11.1	0	0.0	1	1.9
440	142	0	0.0	0	0.0	10	7.0	1	0.7	3	2.1
480-486	326	29	8.9	2	0.6	23	7.1	7	2.1	6	1.8
490-491	26	2	7.7	0	0.0	0	0.0	1	3.8	0	0.0
492	59	0	0.0	0	0.0	1	1.7	2	3.4	0	0.0
493	26	0	0.0	1	3.8	1	3.8	1	3.8	2	7.7
494-496	390	8	2.1	3	0.8	12	3.1	7	1.8	6	1.5
531-533	39	8	20.5	0	0.0	3	7.7	2	5.1	0	0.0
550-553,560	210	14	6.7	0	0.0	8	3.8	9	4.3	2	1.0
574-575	20	6	30.0	0	0.0	2	10.0	1	5.0	0	0.0
584-586,588-589	94	5	5.3	0	0.0	6	6.4	3	3.2	2	2.1
780-799	77	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	245	7	2.9	4	1.6	5	2.0	2	0.8	2	0.8
RESIDUAL	7,737	192	2.5	30	0.4	477	6.2	157	2.0	144	1.9
STATE TOTALS	11,090	310	2.8	46	0.4	642	5.8	208	1.9	197	1.8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

D21CAU

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDEN. DATA)

UNDERLYING CAUSE ICD-9 CODE	NON UNDERLYING CAUSES									
	390-398		402		411		413		424	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTH INFECTIOUS DIS	0	0.0	1	1.6	0	0.0	1	1.6	0	0.0
250	0	0.0	4	1.6	0	0.0	4	1.6	5	1.9
260-269	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
402	0	0.0	0	0.0	0	0.0	0	0.0	2	2.9
411	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1
424	2	3.3	0	0.0	0	0.0	0	0.0	0	0.0
415-423,425-429	3	0.3	4	0.4	0	0.0	1	0.1	10	1.0
401,403	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
440	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
480-486	0	0.0	2	0.6	0	0.0	2	0.6	3	0.9
490-491	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
492	0	0.0	0	0.0	0	0.0	2	3.4	0	0.0
493	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8
494-496	0	0.0	0	0.0	0	0.0	2	0.5	5	1.3
531-533	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
550-553,560	1	0.5	0	0.0	1	0.5	1	0.5	1	0.5
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586,588-589	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
RESIDUAL	16	0.2	68	0.9	22	0.3	63	0.8	54	0.7
STATE TOTALS	22	0.2	79	0.7	23	0.2	78	0.7	82	0.7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

D21CAU

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	NON UNDERLYING CAUSES: 415-423,425-429 NUMBER	415-423,425-429 PERCENT	401,403 NUMBER	401,403 PERCENT	440 NUMBER	440 PERCENT	480-486 NUMBER	480-486 PERCENT	490-491 NUMBER	490-491 PERCENT
038	28	32.9	3	3.5	0	0.0	2	2.4	0	0.0
OTH INFECTIOUS DIS	6	9.4	1	1.6	0	0.0	7	10.9	0	0.0
250	133	51.8	45	17.5	19	7.4	9	3.5	0	0.0
260-269	4	17.4	1	4.3	0	0.0	4	17.4	0	0.0
280-285	12	54.5	0	0.0	0	0.0	1	4.5	0	0.0
390-398	27	69.2	2	5.1	0	0.0	2	5.1	0	0.0
402	27	39.7	1	1.5	3	4.4	6	8.8	0	0.0
411	15	83.3	2	11.1	3	16.7	1	5.6	0	0.0
413	13	92.9	2	14.3	1	7.1	1	7.1	0	0.0
424	43	71.7	5	8.3	0	0.0	5	8.3	0	0.0
415-423,425-429	0	0.0	33	3.3	4	0.4	39	3.9	4	0.4
401,403	22	40.7	0	0.0	17	31.5	0	0.0	0	0.0
440	76	53.5	0	0.0	0	0.0	14	9.9	1	0.7
480-486	75	23.0	3	0.9	8	2.5	0	0.0	1	0.3
490-491	10	38.5	2	7.7	0	0.0	6	23.1	0	0.0
492	19	32.2	2	3.4	0	0.0	15	25.4	0	0.0
493	7	26.9	3	11.5	0	0.0	0	0.0	0	0.0
494-496	119	30.5	20	5.1	6	1.5	99	25.4	0	0.0
531-533	7	17.9	0	0.0	2	5.1	2	5.1	0	0.0
550-553,560	55	26.2	3	1.4	2	1.0	10	4.8	1	0.5
574-575	6	30.0	0	0.0	0	0.0	2	10.0	0	0.0
584-586,588-589	50	53.2	1	1.1	1	1.1	8	8.5	1	1.1
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	39	15.9	2	0.8	4	1.6	7	2.9	0	0.0
RESIDUAL	2,192	28.3	433	5.6	382	4.9	410	5.3	30	0.4
STATE TOTALS	2,985	26.9	564	5.1	452	4.1	650	5.9	38	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

D21CAU

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	NON UNDERLYING CAUSES 492 NUMBER	492 PERCENT	493 NUMBER	493 PERCENT	494-496 NUMBER	494-496 PERCENT	531-533 NUMBER	531-533 PERCENT	550-553,560 NUMBER	550-553,560 PERCENT
038	2	2.4	1	1.2	2	2.4	0	0.0	15	17.6
OTH INFECTIOUS DIS	1	1.6	0	0.0	4	6.3	0	0.0	18	28.1
250	0	0.0	1	0.4	14	5.4	3	1.2	36	14.0
260-269	1	4.3	0	0.0	1	4.3	0	0.0	9	39.1
280-285	0	0.0	0	0.0	0	0.0	1	4.5	4	18.2
390-398	0	0.0	0	0.0	4	10.3	0	0.0	10	25.6
402	1	1.5	0	0.0	9	13.2	0	0.0	19	27.9
411	2	11.1	0	0.0	0	0.0	0	0.0	3	16.7
413	0	0.0	0	0.0	1	7.1	1	7.1	5	35.7
424	1	1.7	1	1.7	2	3.3	0	0.0	10	16.7
415-423,425-429	8	0.8	4	0.4	92	9.2	4	0.4	173	17.4
401,403	0	0.0	0	0.0	3	5.6	1	1.9	8	14.8
440	1	0.7	0	0.0	6	4.2	0	0.0	24	16.9
480-486	6	1.8	0	0.0	21	6.4	3	0.9	326	100.0
490-491	0	0.0	1	3.8	1	3.8	1	3.8	26	100.0
492	0	0.0	0	0.0	1	1.7	2	3.4	59	100.0
493	0	0.0	0	0.0	0	0.0	0	0.0	26	100.0
494-496	0	0.0	0	0.0	0	0.0	4	1.0	390	100.0
531-533	0	0.0	1	2.6	5	12.8	0	0.0	39	100.0
550-553,560	0	0.0	2	1.0	24	11.4	5	2.4	0	0.0
574-575	1	5.0	0	0.0	4	20.0	0	0.0	7	35.0
584-586,588-589	0	0.0	1	1.1	5	5.3	0	0.0	19	20.2
780-799	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3
E800-E807,E826-E949	0	0.0	1	0.4	3	1.2	0	0.0	23	9.4
RESIDUAL	66	0.9	32	0.4	529	6.8	43	0.6	1,507	19.5
STATE TOTALS	90	0.8	45	0.4	731	6.6	68	0.6	2,757	24.9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

D21CAU

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	NON UNDERLYING CAUSES: 574-575 NUMBER	574-575 PERCENT	584-586,588-589 NUMBER	584-586,588-589 PERCENT	780-799 NUMBER	780-799 PERCENT	E800-E807,E826-E949 NUMBER	E800-E807,E826-E949 PERCENT	RESIDUAL NUMBER	RESIDUAL PERCENT
038	0	0.0	14	16.5	36	42.4	1	1.2	0	0.0
OTH INFECTIOUS DIS	1	1.6	3	4.7	14	21.9	3	4.7	0	0.0
250	1	0.4	37	14.4	34	13.2	2	0.8	13	5.1
260-269	0	0.0	0	0.0	12	52.2	0	0.0	0	0.0
280-285	0	0.0	1	4.5	4	18.2	0	0.0	1	4.5
390-398	0	0.0	4	10.3	4	10.3	4	10.3	4	10.3
402	0	0.0	1	1.5	10	14.7	2	2.9	14	20.6
411	0	0.0	1	5.6	0	0.0	1	5.6	3	16.7
413	0	0.0	0	0.0	0	0.0	2	14.3	4	28.6
424	0	0.0	7	11.7	3	5.0	11	18.3	17	28.3
415-423,425-429	2	0.2	51	5.1	155	15.6	36	3.6	197	19.8
401,403	0	0.0	0	0.0	9	16.7	2	3.7	10	18.5
440	0	0.0	14	9.9	49	34.5	3	2.1	32	22.5
480-486	0	0.0	12	3.7	84	25.8	4	1.2	123	37.7
490-491	0	0.0	0	0.0	11	42.3	1	3.8	8	30.8
492	0	0.0	3	5.1	32	54.2	2	3.4	15	25.4
493	0	0.0	0	0.0	16	61.5	0	0.0	5	19.2
494-496	1	0.3	13	3.3	212	54.4	12	3.1	147	37.7
531-533	1	2.6	7	17.9	12	30.8	2	5.1	16	41.0
550-553,560	0	0.0	14	6.7	72	34.3	23	11.0	59	28.1
574-575	0	0.0	3	15.0	8	40.0	3	15.0	5	25.0
584-586,588-589	0	0.0	0	0.0	23	24.5	3	3.2	27	28.7
780-799	0	0.0	1	1.3	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	12	4.9	36	14.7	0	0.0	57	23.3
RESIDUAL	18	0.2	300	3.9	1,138	14.7	531	6.9	0	0.0
STATE TOTALS	24	0.2	498	4.5	1,974	17.8	648	5.8	757	6.8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

D21CAU

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INDUCED TERMINATIONS

TABLE A-2 INDUCED TERMINATIONS OF PREGNANCY BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

TERMINATION PROCEDURE	TOTAL	PERCENT DISTRIBUTION	WEEKS OF GESTATION: LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	3,644	77.78	1,643	523	448	327	150	182	123	129	73	12	1	0	0	33
SHARP CURETTAGE	11	0.23	4	2	0	3	0	1	0	0	1	0	0	0	0	0
DILATION AND EVACUATION	1,010	21.56	618	225	110	14	21	0	0	0	3	1	2	1	1	14
SALINE INSTILLATION	2	0.04	0	0	0	0	0	0	0	1	0	1	0	0	0	0
PROSTAGLANDIN INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	18	0.38	10	1	0	0	0	0	0	1	0	1	1	0	0	4
STATE TOTALS	4,685		2,275	751	558	344	171	183	123	131	77	15	4	1	1	51
PERCENT DISTRIBUTION		100.00	48.56	16.03	11.91	7.34	3.65	3.91	2.63	2.80	1.64	0.32	0.09	0.02	0.02	1.09
ADDITIONAL PROCEDURES USED																
SUCTION CURETTAGE	5	0.15	3	1	1	0	0	0	0	0	0	0	0	0	0	0
SHARP CURETTAGE	3,211	98.62	1,435	440	373	298	132	176	121	126	71	12	2	0	0	25
DILATION AND EVACUATION	37	1.14	12	7	3	2	5	3	1	2	2	0	0	0	0	0
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	1	0.03	0	0	0	0	0	0	0	0	0	1	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	2	0.06	0	2	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	3,256		1,450	450	377	300	137	179	122	128	73	13	2	0	0	25
PERCENT DISTRIBUTION		100.00	44.53	13.82	11.58	9.21	4.21	5.50	3.75	3.93	2.24	0.40	0.06	0.00	0.00	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

AWKTRMO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-3

INDUCED TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION: LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	20	0.51	6	3	4	3	2	1	0	1	0	0	0	0	0	0
15	60	1.53	21	10	9	4	2	4	2	5	2	1	0	0	0	0
16	113	2.88	49	18	19	5	5	7	2	4	3	1	0	0	0	2
17	197	5.02	83	40	22	19	11	9	3	7	1	0	0	0	0	6
18	296	7.55	134	46	43	24	13	9	10	7	3	0	1	0	0	0
19	295	7.52	143	48	36	22	15	14	7	6	2	2	0	0	0	13
20-24	1,293	32.98	674	223	161	88	41	36	21	21	13	2	0	0	0	9
25-29	819	20.89	464	127	81	51	29	26	10	11	8	0	1	1	1	7
30-34	488	12.45	279	82	58	29	7	10	7	4	4	1	0	0	0	5
35-39	224	5.71	131	36	24	8	5	2	4	4	2	2	1	0	0	2
40-44	77	1.96	42	13	10	4	2	1	1	2	0	0	0	0	0	0
GREATER THAN 44	2	0.05	1	0	0	0	0	0	1	0	0	0	0	0	0	0
UNKNOWN	37	0.94	14	11	6	2	1	1	0	1	1	0	0	0	0	0
STATE TOTALS	3,921		2,041	657	473	259	133	120	68	73	39	9	3	1	1	44
PERCENT DISTRIBUTION		100.00	52.05	16.76	12.06	6.61	3.39	3.06	1.73	1.86	0.99	0.23	0.08	0.03	0.03	1.12
RACE OF PATIENT																
WHITE	3,764	96.00	1,964	629	450	252	127	117	63	70	37	9	3	1	1	41
BLACK	40	1.02	20	7	5	3	0	1	3	0	1	0	0	0	0	0
AMERICAN INDIAN	36	0.92	16	4	9	0	2	1	1	2	1	0	0	0	0	0
OTHER	81	2.07	41	17	9	4	4	1	1	1	0	0	0	0	0	3
STATE TOTALS	3,921		2,041	657	473	259	133	120	68	73	39	9	3	1	1	44
PERCENT DISTRIBUTION		100.00	52.05	16.76	12.06	6.61	3.39	3.06	1.73	1.86	0.99	0.23	0.08	0.03	0.03	1.12

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 0 RECORDS WERE BLANK.

ARACAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION: LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	34	0.73	7	3	7	5	2	2	2	4	2	0	0	0	0	0
15	80	1.71	23	11	9	10	3	7	7	7	2	1	0	0	0	0
16	166	3.54	57	20	24	12	10	17	6	14	5	1	0	0	0	0
17	305	6.51	102	51	35	31	23	23	12	17	7	2	0	0	0	2
18	356	7.60	142	54	49	35	17	16	13	13	7	1	2	0	0	7
19	346	7.39	155	57	45	28	15	17	11	9	6	3	0	0	0	0
20-24	1,511	32.25	755	255	183	116	50	46	35	28	23	3	0	0	0	17
25-29	936	19.98	511	144	93	53	33	35	18	22	13	0	1	1	1	11
30-34	555	11.85	310	89	65	37	8	14	10	7	6	2	0	0	0	7
35-39	263	5.61	151	41	29	11	6	2	5	5	5	2	1	0	0	5
40-44	85	1.81	43	14	11	4	3	3	2	3	0	0	0	0	0	2
GREATER THAN 44	2	0.04	1	0	0	0	0	0	1	0	0	0	0	0	0	0
UNKNOWN	46	0.98	18	12	8	2	1	1	1	2	1	0	0	0	0	0
STATE TOTALS	4,685		2,275	751	558	344	171	183	123	131	77	15	4	1	1	51
STATE TOTALS		100.00	48.56	16.03	11.91	7.34	3.65	3.91	2.63	2.80	1.64	0.32	0.09	0.02	0.02	1.09
RACE OF PATIENT																
WHITE	4,493	95.90	2,179	719	533	333	165	178	117	128	72	15	4	1	1	48
BLACK	52	1.11	27	8	5	3	0	2	4	0	3	0	0	0	0	0
AMERICAN INDIAN	41	0.88	19	5	10	0	2	1	1	2	1	0	0	0	0	0
OTHER	99	2.11	50	19	10	8	4	2	1	1	1	0	0	0	0	3
STATE TOTALS	4,685		2,275	751	558	344	171	183	123	131	77	15	4	1	1	51
PERCENT DISTRIBUTION		100.00	48.56	16.03	11.91	7.34	3.65	3.91	2.63	2.80	1.64	0.32	0.09	0.02	0.02	1.09

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED TERMINATIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

MARITAL STATUS	TOTAL TERMINATIONS	RACE: WHITE NUMBER	WHITE PERCENT	BLACK NUMBER	BLACK PERCENT	AMERICAN INDIAN NUMBER	AMERICAN INDIAN PERCENT	OTHER NUMBER	OTHER PERCENT
MARRIED	802	765	95.39	5	0.62	11	1.37	21	2.62
NOT MARRIED	2,915	2,818	96.67	30	1.03	23	0.79	44	1.51
UNKNOWN	204	181	88.73	5	2.45	2	0.98	16	7.84
STATE TOTALS	3,921	3,764	96.00	40	1.02	36	0.92	81	2.07
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	20	18	90.00	1	5.00	1	5.00	0	0.00
15	60	60	100.00	0	0.00	0	0.00	0	0.00
16	113	109	96.46	1	0.88	1	0.88	2	1.77
17	197	187	94.92	2	1.02	2	1.02	6	3.05
18	296	288	97.30	2	0.68	1	0.34	5	1.69
19	295	285	96.61	5	1.69	2	0.68	3	1.02
20-24	1,293	1,242	96.06	15	1.16	13	1.01	23	1.78
25-29	819	786	95.97	5	0.61	10	1.22	18	2.20
30-34	488	473	96.93	4	0.82	3	0.61	8	1.64
35-39	224	214	95.54	4	1.79	2	0.89	4	1.79
40-44	77	69	89.61	0	0.00	1	1.30	7	9.09
GREATER THAN 44	2	1	50.00	0	0.00	0	0.00	1	50.00
UNKNOWN	37	32	86.49	1	2.70	0	0.00	4	10.81
TEENAGE TOTALS	981	947	96.53	11	1.12	7	0.71	16	1.63
STATE TOTALS	3,921	3,764	96.00	40	1.02	36	0.92	81	2.07

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

ALEGAGEO

TABLE A-6

INDUCED TERMINATIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL TERMINATIONS	RACE: WHITE NUMBER	WHITE PERCENT	BLACK NUMBER	BLACK PERCENT	AMERICAN INDIAN NUMBER	AMERICAN INDIAN PERCENT	OTHER NUMBER	OTHER PERCENT
MARRIED	904	860	95.13	9	1.00	13	1.44	22	2.43
NOT MARRIED	3,538	3,420	96.66	37	1.05	25	0.71	56	1.58
UNKNOWN	243	213	87.65	6	2.47	3	1.23	21	8.64
STATE TOTALS	4,685	4,493	95.90	52	1.11	41	0.88	99	2.11
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	34	32	94.12	1	2.94	1	2.94	0	0.00
15	80	80	100.00	0	0.00	0	0.00	0	0.00
16	166	161	96.99	1	0.60	1	0.60	3	1.81
17	305	295	96.72	2	0.66	2	0.66	6	1.97
18	356	346	97.19	4	1.12	1	0.28	5	1.40
19	346	333	96.24	6	1.73	3	0.87	4	1.16
20-24	1,511	1,448	95.83	20	1.32	13	0.86	30	1.99
25-29	936	898	95.94	5	0.53	11	1.18	22	2.35
30-34	555	533	96.04	6	1.08	5	0.90	11	1.98
35-39	263	250	95.06	6	2.28	3	1.14	4	1.52
40-44	85	77	90.59	0	0.00	1	1.18	7	8.24
GREATER THAN 44	2	1	50.00	0	0.00	0	0.00	1	50.00
UNKNOWN	46	39	84.78	1	2.17	0	0.00	6	13.04
TEENAGE TOTALS	1,286	1,246	96.89	14	1.09	8	0.62	18	1.40
STATE TOTALS	4,685	4,493	95.90	52	1.11	41	0.88	99	2.11

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALEGAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-7

INDUCED TERMINATIONS OF PREGNANCY BY MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	RESIDENT					OCCURRENCE				
	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	20	0.51	0	20	0	34	0.73	0	34	0
15	60	1.53	0	57	3	80	1.71	1	75	4
16	113	2.88	3	104	6	166	3.54	3	157	6
17	197	5.02	4	184	9	305	6.51	7	287	11
18	296	7.55	10	271	15	356	7.60	11	327	18
19	295	7.52	13	272	10	346	7.39	17	316	13
20-24	1,293	32.98	186	1,035	72	1,511	32.25	210	1,223	78
25-29	819	20.89	246	534	39	936	19.98	268	622	46
30-34	488	12.45	185	276	27	555	11.85	212	306	37
35-39	224	5.71	96	116	12	263	5.61	112	136	15
40-44	77	1.96	47	26	4	85	1.81	50	29	6
GREATER THAN 44	2	0.05	2	0	0	2	0.04	2	0	0
UNKNOWN	37	0.94	10	20	7	46	0.98	11	26	9
TEENAGE TOTALS	981	25.02	30	908	43	1,286	27.45	39	1,195	52
STATE TOTALS	3,921		802	2,915	204	4,685		904	3,538	243
PERCENT DISTRIBUTION		100.00	20.45	74.34	5.20		100.00	19.30	75.52	5.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

AWKAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

MARITAL STATUS	TOTAL TERMINATIONS	OUTCOME OF PREVIOUS PREGNANCIES: LIVE BIRTHS 0	1	2	3	4+	UNK	INDUCED TERMINATIONS 0	1	2	3	4+	UNK	SPONTANEOUS TERMINATIONS 0	1	2	3	4+	UNK
MARRIED	802	144	198	262	86	34	78	453	206	64	21	5	53	573	122	24	8	5	70
NOT MARRIED	2,915	1,843	529	275	78	18	172	1,942	632	170	45	20	106	2,501	221	26	7	6	154
UNKNOWN	204	81	44	34	14	5	26	127	44	17	3	0	13	154	23	4	1	0	22
STATE TOTALS	3,921	2,068	771	571	178	57	276	2,522	882	251	69	25	172	3,228	366	54	16	11	246
PERCENT DIST.	100.00	52.74	19.66	14.56	4.54	1.45	7.04	64.32	22.49	6.40	1.76	0.64	4.39	82.33	9.33	1.38	0.41	0.28	6.27
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	20	19	1	0	0	0	0	20	0	0	0	0	0	19	1	0	0	0	0
15	60	60	0	0	0	0	0	59	1	0	0	0	0	60	0	0	0	0	0
16	113	104	5	0	0	0	4	105	4	0	0	0	4	108	1	0	0	0	4
17	197	179	11	0	0	0	7	175	10	2	1	0	9	185	3	0	0	0	9
18	296	248	29	4	0	0	15	253	29	4	1	0	9	271	11	0	0	0	14
19	295	232	42	5	2	0	14	229	51	5	0	0	10	269	12	1	0	0	13
20-24	1,293	721	321	129	31	10	81	847	299	75	9	4	59	1,092	101	13	3	1	83
25-29	819	299	196	178	60	16	70	433	228	79	30	11	38	635	101	19	5	3	56
30-34	488	131	98	153	46	14	46	227	155	61	15	6	24	363	64	11	6	5	39
35-39	224	51	45	68	30	10	20	110	73	18	10	4	9	150	47	7	2	2	16
40-44	77	7	13	28	8	6	15	42	21	4	3	0	7	48	20	3	0	0	6
GREATER THAN 44	2	0	1	0	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	37	17	9	6	1	0	4	20	11	3	0	0	3	26	5	0	0	0	6
TEENAGE TOTALS	981	842	88	9	2	0	40	841	95	11	2	0	32	912	28	1	0	0	40
PERCENT DIST.	100.00	85.83	8.97	0.92	0.20	0.00	4.08	85.73	9.68	1.12	0.20	0.00	3.26	92.97	2.85	0.10	0.00	0.00	4.08
STATE TOTALS	3,921	2,068	771	571	178	57	276	2,522	882	251	69	25	172	3,228	366	54	16	11	246
PERCENT DIST.	100.00	52.74	19.66	14.56	4.54	1.45	7.04	64.32	22.49	6.40	1.76	0.64	4.39	82.33	9.33	1.38	0.41	0.28	6.27

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

ALEGAGEO

TABLE A-9 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL TERMINATIONS	OUTCOME OF PREVIOUS PREGNANCIES: LIVE BIRTHS 0	1	2	3	4+	UNK	INDUCED TERMINATIONS 0	1	2	3	4+	UNK	SPONTANEOUS TERMINATIONS 0	1	2	3	4+	UNK
MARRIED	904	163	222	302	97	38	82	515	234	70	24	6	55	655	135	29	9	5	71
NOT MARRIED	3,538	2,332	606	304	91	19	186	2,398	754	195	53	21	117	3,076	249	28	7	7	171
UNKNOWN	243	97	49	39	21	8	29	158	48	19	3	0	15	187	24	4	2	1	25
STATE TOTALS	4,685	2,592	877	645	209	65	297	3,071	1,036	284	80	27	187	3,918	408	61	18	13	267
PERCENT DIST.	100.00	55.33	18.72	13.77	4.46	1.39	6.34	65.55	22.11	6.06	1.71	0.58	3.99	83.63	8.71	1.30	0.38	0.28	5.70
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	34	33	1	0	0	0	0	33	1	0	0	0	0	33	1	0	0	0	0
15	80	80	0	0	0	0	0	79	1	0	0	0	0	80	0	0	0	0	0
16	166	156	6	0	0	0	4	150	12	0	0	0	4	160	2	0	0	0	4
17	305	281	17	0	0	0	7	273	17	4	1	0	10	289	5	0	0	0	11
18	356	302	35	4	0	0	15	304	36	5	2	0	9	329	13	0	0	0	14
19	346	274	49	7	2	0	14	269	62	5	0	0	10	319	12	2	0	0	13
20-24	1,511	869	359	151	35	10	87	998	349	83	12	4	65	1,285	117	14	3	1	91
25-29	936	360	221	195	66	16	78	494	264	92	33	12	41	735	106	20	7	4	64
30-34	555	149	112	168	58	16	52	261	174	68	18	6	28	417	71	14	6	5	42
35-39	263	57	52	83	38	13	20	133	86	20	10	5	9	181	55	7	2	2	16
40-44	85	8	14	30	8	3	16	48	22	4	3	0	8	53	21	4	0	1	6
GREATER THAN 44	2	0	1	0	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	46	23	10	7	2	0	4	27	12	3	1	0	3	35	5	0	0	0	6
TEENAGE TOTALS	1,286	1,125	108	11	2	0	40	1,107	129	14	3	0	33	1,209	33	2	0	0	42
PERCENT DIST.	100.00	87.48	8.40	0.86	0.16	0.00	3.11	86.08	10.03	1.09	0.23	0.00	2.57	94.01	2.57	0.16	0.00	0.00	3.27
STATE TOTALS	4,712	2,596	885	655	212	66	298	3,095	1,038	284	80	27	188	3,943	409	62	18	13	267
PERCENT DIST.	100.00	55.09	18.78	13.90	4.50	1.40	6.32	65.68	22.03	6.03	1.70	0.57	3.99	83.68	8.68	1.32	0.38	0.28	5.67

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

ALEGAGER

TABLE A-10

INDUCED TERMINATION OF PREGNANCY BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS
ALABAMA	0	MARYLAND	1	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	159	SOUTH DAKOTA	0
ARIZONA	1	MICHIGAN	0	TENNESSEE	1
ARKANSAS	0	MINNESOTA	0	TEXAS	0
CALIFORNIA	1	MISSISSIPPI	0	UTAH	0
COLORADO	1	MISSOURI	0	VERMONT	13
CONNECTICUT	1	MONTANA	0	VIRGINIA	2
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	5	NEW HAMPSHIRE	354	WISCONSIN	0
GEORGIA	1	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	0	PUERTO RICO	0
IDAHO	0	NEW YORK	5	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	0	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	201
IOWA	0	OHIO	1	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
LOUISIANA	0	PENNSYLVANIA	2	REST OF THE WORLD	0
MAINE	3,921	RHODE ISLAND	1	UNKNOWN	13
				TOTAL	4,685

ASTCNTY

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

MARRIAGES AND DIVORCES

TABLE M-1

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.) UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	16	0.15	0	7	7	2	0	0	0	0	0	0	0	0	0	0	0
18-19	422	3.96	4	49	214	98	26	8	6	6	7	3	0	0	0	0	1
20-21	968	9.09	5	58	357	319	132	42	20	12	15	3	3	0	0	0	0
22-23	1,335	12.53	0	28	215	413	358	158	64	33	47	13	3	3	0	0	0
24-25	1,300	12.20	2	17	114	267	320	290	125	87	55	18	5	0	0	0	0
26-27	1,179	11.07	0	3	75	141	211	275	198	113	115	36	7	4	1	0	0
28-29	933	8.76	0	4	31	76	138	171	162	144	148	48	8	3	0	0	0
30-34	1,579	14.82	0	2	21	70	150	207	220	229	444	172	53	9	1	1	0
35-39	985	9.25	0	0	8	14	43	69	97	119	303	213	81	29	8	1	0
40-44	785	7.37	0	1	1	4	11	21	41	56	179	208	176	67	19	0	1
45-49	423	3.97	0	1	3	0	5	8	12	11	61	92	102	89	38	1	0
50-64	559	5.25	0	0	0	0	2	6	1	7	40	61	111	110	206	15	0
OVER 64	168	1.58	0	0	0	0	1	0	0	1	3	3	5	7	69	79	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	10,652		11	170	1,046	1,404	1,397	1,255	948	818	1,417	870	554	321	342	97	2
PERCENT DISTRIBUTION		100.00	0.10	1.60	9.82	13.18	13.11	11.78	8.90	7.68	13.30	8.17	5.20	3.01	3.21	0.91	0.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAGERES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-2

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	EDUCATION OF BRIDE(YRS.) UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	61	0.57	5	8	4	4	7	25	2	2	0	2	1	1
8	198	1.86	10	27	14	22	10	87	7	12	1	5	2	1
9	251	2.36	5	10	31	32	34	110	10	9	5	3	1	1
10	376	3.53	5	18	23	49	35	192	24	17	5	5	1	2
11	440	4.13	2	12	30	46	65	232	13	24	7	6	2	1
12	4,929	46.27	20	53	93	196	188	3,011	423	449	105	275	85	31
13	710	6.67	2	6	9	22	15	267	131	119	36	68	32	3
14	1,010	9.48	2	5	5	11	19	356	137	214	77	128	55	1
15	283	2.66	0	1	1	2	5	85	37	36	44	52	19	1
16	1,156	10.85	0	3	4	6	4	256	96	173	61	429	120	4
OVER 16	630	5.91	1	1	2	2	4	74	39	77	39	162	227	2
UNKNOWN	608	5.71	0	3	2	1	5	37	5	6	2	7	5	535
STATE TOTALS	10,652		52	147	218	393	391	4,732	924	1,138	382	1,142	550	583
PERCENT DISTRIBUTION		100.00	0.49	1.38	2.05	3.69	3.67	44.42	8.67	10.68	3.59	10.72	5.16	5.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MEDUCR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.) UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	6,534	61.34	11	170	1,033	1,340	1,273	958	632	413	496	139	37	16	9	6	1
WIDOWED	345	3.24	0	0	1	2	1	10	6	16	27	37	33	30	111	71	0
DIVORCED	3,764	35.34	0	0	12	62	123	285	309	389	892	694	482	274	221	20	1
ANNULLED	9	0.08	0	0	0	0	0	2	1	0	2	0	2	1	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	10,652		11	170	1,046	1,404	1,397	1,255	948	818	1,417	870	554	321	342	97	2
PERCENT DIST.		100.00	0.10	1.60	9.82	13.18	13.11	11.78	8.90	7.68	13.30	8.17	5.20	3.01	3.21	0.91	0.02

	TOTAL MARRIAGES	PERCENT DIST.	AGE OF GROOM(YRS.) UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	6,573	61.71	0	16	420	944	1,278	1,151	931	653	771	253	85	33	34	4	0
WIDOWED	314	2.95	0	0	0	0	0	1	1	3	12	11	23	19	128	116	0
DIVORCED	3,754	35.24	0	0	2	23	57	147	246	275	795	719	676	370	397	47	0
ANNULLED	10	0.09	0	0	0	1	0	0	1	2	1	2	1	1	0	1	0
UNKNOWN	1	0.01	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
GROOM TOTALS	10,652		0	16	422	968	1,335	1,300	1,179	933	1,579	985	785	423	559	168	0
PERCENT DIST.		100.00	0.00	0.15	3.96	9.09	12.53	12.20	11.07	8.76	14.82	9.25	7.37	3.97	5.25	1.58	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAGESTA

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-4

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1989 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	NUMBER OF PREVIOUS MARRIAGES OF BRIDE									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	6,575	61.73	5,258	1,110	167	36	2	2	0	0	0	0
1	3,076	28.88	1,075	1,527	374	86	11	3	0	0	0	0
2	798	7.49	167	379	193	45	11	2	0	0	1	0
3	161	1.51	28	72	42	15	3	1	0	0	0	0
4	32	0.30	5	18	2	3	3	0	1	0	0	0
5	4	0.04	2	2	0	0	0	0	0	0	0	0
6	4	0.04	1	1	0	0	1	0	1	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	1	0.01	0	0	0	1	0	0	0	0	0	0
UNKNOWN	1	0.01	0	1	0	0	0	0	0	0	0	0
STATE TOTALS	10,652		6,536	3,110	778	186	31	8	2	0	1	0
PERCENT DISTRIBUTION		100.00	61.36	29.20	7.30	1.75	0.29	0.08	0.02	0.00	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MPREMAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-5 DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1989 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** NUMBER OF MINOR CHILDREN ******						***** PLAINTIFF *****			** DECREE GRANTED ***		
			0	1	2	3	4	OVER 4	WIFE	HUSBAND	BOTH	WIFE	HUSBAND	BOTH
UNDER 1	216	3.95	190	16	6	4	0	0	135	80	1	52	38	126
1-2	952	17.41	653	246	48	4	1	0	610	340	2	211	114	627
3-4	898	16.42	477	271	139	10	1	0	579	318	1	210	90	598
5-6	717	13.11	322	185	176	31	3	0	489	228	0	158	66	493
7-8	634	11.59	210	159	205	55	4	1	417	216	1	108	62	464
9-10	418	7.64	117	100	157	36	6	2	276	142	0	63	35	320
11-12	302	5.52	79	63	111	37	10	2	200	102	0	69	27	206
13-14	264	4.83	56	38	108	50	9	3	158	106	0	48	33	183
15-16	226	4.13	43	54	91	28	6	4	142	84	0	46	24	156
17-18	187	3.42	28	37	79	33	8	2	123	64	0	32	14	141
19-20	175	3.20	36	61	54	22	2	0	107	68	0	36	13	126
21-22	132	2.41	56	44	23	5	3	1	83	47	2	23	13	96
23-24	73	1.33	38	24	10	1	0	0	51	22	0	10	4	59
25-26	58	1.06	38	16	3	1	0	0	36	22	0	8	8	42
27-28	55	1.01	43	11	1	0	0	0	39	16	0	8	3	44
29-30	38	0.69	32	5	1	0	0	0	26	12	0	8	3	27
31-34	55	1.01	49	5	1	0	0	0	36	19	0	14	6	35
35-39	44	0.80	43	1	0	0	0	0	35	9	0	9	1	34
OVER 39	25	0.46	23	1	0	1	0	0	17	8	0	4	1	20
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,469		2,533	1,337	1,213	318	53	15	3,559	1,903	7	1,117	555	3,797
PERCENT DIST.		100.00	46.32	24.45	22.18	5.81	0.97	0.27	65.08	34.80	0.13	20.42	10.15	69.43

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

DIVYRM

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

APPENDICES

M- 0103501 Table C-1

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

(11/8)

State File No.

CHILD

1. CHILD'S NAME (First, Middle, Last)
2. DATE OF BIRTH (Mo., Day, Yr.)
3. TIME OF BIRTH — ☐☐ AM PM
4. SEX
5. CITY, TOWN, OR LOCATION OF BIRTH
6. COUNTY OF BIRTH
7. PLACE OF BIRTH: ☐ Hospital ☐ Freestanding Birthing Center ☐ Clinic/Doctor's Office ☐ Residence ☐ Other (Specify) _____
8. FACILITY NAME (If not institution, give street and number)

CERTIFIER/ ATTENDANT

9. I certify that this child was born alive at the place and time and on the date stated. Signature ▶
10. DATE SIGNED (Mo., Day, Yr.)
11. ATTENDANT'S NAME AND TITLE (If other than certifier) (Type/Print) Name _____ ☐ M.D. ☐ D.O. ☐ C.N.M. ☐ Other Midwife ☐ Other (Specify) _____
12. CERTIFIER'S NAME AND TITLE (Type/Print) Name _____ ☐ M.D. ☐ D.O. ☐ Hospital Admin. ☐ C.N.M. ☐ Other Midwife ☐ Other (Specify) _____
13. ATTENDANT'S MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, Zip Code)
14. REGISTRAR'S SIGNATURE ▶
15. DATE FILED BY REGISTRAR (Mo., Day, Yr.)

MOTHER

16. MOTHER'S NAME (First, Middle, Last)
17. MAIDEN SURNAME
18. DATE OF BIRTH (Mo., Day, Yr.)
19. BIRTHPLACE (State or Foreign Country)
20. RESIDENCE-STATE
21. COUNTY
22. CITY, TOWN, OR LOCATION
23. STREET AND NUMBER
24. MOTHER'S MAILING ADDRESS (If same as residence, enter Zip Code only)
25. YEARS LIVING IN PRESENT TOWN

FATHER

26. FATHER'S NAME (First, Middle, Last)
27. DATE OF BIRTH (Mo., Day, Yr.)
28. BIRTHPLACE (State or Foreign Country)

INFORMANT

29. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. Signature of Parent or Other Informant ▶

30. MOTHER MARRIED? (At birth or conception) ☐ Yes ☐ No

VS1.R1/89

STATE COPY

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFORMATION BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD

MOTHER / CHILD

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS (Do not include this child) (Specify Below)		OTHER TERMINATIONS (Spontaneous and induced any time after conception)
35A. Now Living: Number ____ ☐ None	35B. Now Dead: Number ____ ☐ None	36. Number ____ ☐ None

31. DATE LAST NORMAL MENSUS BEGAN (Mo., Day, Yr.)
32. Parental Permission for Issuance of Social Security Number ☐ Yes ☐ No
33. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)
34. PRENATAL VISITS - Total Number (If none, so state)
37. BIRTH WEIGHT (Specify unit)
38. CLINICAL ESTIMATE OF GESTATION (Weeks)
39. DATE OF LAST LIVE BIRTH (Month, Year)
40. DATE OF LAST OTHER TERMINATION (Month, Year)
41. PLURALITY - Single, Twin, Triplet, etc. (Specify)
42. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)

APGAR SCORE

43. 1 Minute
44. 5 Minutes
45. MOTHER TRANSFERRED PRIOR TO DELIVERY? ☐ No ☐ Yes If Yes, enter name of facility transferred from:
46. INFANT TRANSFERRED? ☐ No ☐ Yes If Yes, enter name of facility transferred to:

	ANCESTRY (French, English, Irish, etc.) (Specify below)	RACE (American Indian, Black, White, etc.) (Specify below)	EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12)	EDUCATION College (1-4 or 5+)	USUAL OCCUPATION PAST YEAR (Specify below)	USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)
MOTHER	47.	48.	49.		50.	51.
FATHER	52.	53.	54.		55.	56.

THIS PREGNANCY – MARK AT LEAST ONE CATEGORY IN EACH COLUMN

57. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)

Anemia (Hct. <30/Hgb. <10)	a.	☐
Cardiac disease	b.	☐
Acute or chronic lung disease	c.	☐
Diabetes, gestational	d.	☐
Diabetes, pre-existing	e.	☐
Genital herpes	f.	☐
Hydramnios/Oligohydramnios	g.	☐
Hemoglobinopathy	h.	☐
Hypertension, chronic	i.	☐
Hypertension, pregnancy associated	j.	☐
Eclampsia	k.	☐
Incompetent cervix	l.	☐
Previous infant >4000 + grams	m.	☐
Previous preterm or small-for-gestational age infant	n.	☐
Renal disease	o.	☐
Rh sensitization	p.	☐
Uterine bleeding	q.	☐
Other (Specify)	r.	☐
None	s.	☐

58. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)

Tobacco use during pregnancy: Yes ☐ No ☐
Average number cigarettes per day _____
Alcohol use during pregnancy: Yes ☐ No ☐
Average number drinks per week _____
Weight gained during pregnancy _____ lbs

59. OBSTETRIC PROCEDURES (Check all that apply)

Amniocentesis	a.	☐
Electronic fetal monitoring	b.	☐
Induction of labor	c.	☐
Stimulation of labor	d.	☐
Tocolysis	e.	☐
Ultrasound	f.	☐
Other (Specify)	r.	☐
None	s.	☐

60. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)

Febrile (>100° F. or 38° C.)	a.	☐
Meconium, moderate / heavy	b.	☐
Premature rupture of membrane (>12 hours)	c.	☐
Abruptio placenta	d.	☐
Placenta previa	e.	☐
Other excessive bleeding	f.	☐
Seizures during labor	g.	☐
Precipitous labor (<2 hours)	h.	☐
Prolonged labor (>20 hours)	i.	☐
Dysfunctional labor	j.	☐
Breech / Malpresentation	k.	☐
Cephalopelvic disproportion	l.	☐
Cord prolapse	m.	☐
Anesthetic complications	n.	☐
Fetal distress	o.	☐
Other (Specify)	r.	☐
None	s.	☐

61. METHOD OF DELIVERY (Check one)

Vaginal	a.	☐
Vaginal birth after previous C section	b.	☐
Primary C section	c.	☐
Repeat C section	d.	☐
Forceps	e.	☐
Vacuum	f.	☐
Other (Specify)	g.	☐

62. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply)

Anemia (Hct. <39 / Hgb. <13)	a.	☐
Birth injury	b.	☐
Fetal alcohol syndrome	c.	☐
Hyaline membrane disease / RDS	d.	☐
Meconium aspiration syndrome	e.	☐
Assisted ventilation ≤30 min.	f.	☐
Assisted ventilation >30 min.	g.	☐
Seizures	h.	☐
Other (Specify)	r.	☐
None	s.	☐

63. CONGENITAL ANOMALIES OF CHILD (Check all that apply)

Anencephalus	a.	☐
Spina bifida / Meningocele	b.	☐
Hydrocephalus	c.	☐
Microcephalus	d.	☐
Other central nervous system anomalies (Specify)	e.	☐
Heart malformations	f.	☐
Other circulatory / respiratory anomalies (Specify)	g.	☐
Rectal atresia / stenosis	h.	☐
Tracheo-esophageal fistula / Esophageal atresia	i.	☐
Omphalocele / Gastroschisis	j.	☐
Other gastrointestinal anomalies (Specify)	k.	☐
Malformed genitalia	l.	☐
Renal agenesis	m.	☐
Other urogenital anomalies (Specify)	n.	☐
Cleft lip / palate	o.	☐
Polydactyly / Syndactyly / Adactyly	p.	☐
Club foot	q.	☐
Diaphragmatic hernia	r.	☐
Other musculoskeletal / integumental anomalies (Specify)	s.	☐
Down's syndrome	t.	☐
Other chromosomal anomalies (Specify)	u.	☐
Other (Specify)	v.	☐
None	z.	☐

SEND THIS SHEET TO:
OFFICE OF VITAL STATISTICS
State House Station #11
Augusta, Maine 04333

NOT A LEGAL COPY

NAME

Table C-2

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
CERTIFICATE OF FETAL DEATH

THIS DELIVERY

1. FACILITY NAME (If not institution, give street and number)
2. DATE OF DELIVERY (Mo. Day. Yr.)
3. TIME OF DELIVERY ☐ AM ☐ PM
4. SEX OF FETUS
5. CITY, TOWN, OR LOCATION OF DELIVERY
6. COUNTY OF DELIVERY

MOTHER

7. MOTHER'S NAME (First, Middle, Last)
8. MAIDEN SURNAME
9. DATE OF BIRTH (Mo. Day. Yr.)
10. RESIDENCE - STATE
11. COUNTY
12. CITY, TOWN, LOCATION
13. STREET AND NUMBER
14. MOTHER'S MAILING ADDRESS (If same as 13, write "same")
15. YEARS LIVING IN PRESENT TOWN
16. BIRTHPLACE (State or Foreign Country)

FATHER

17. FATHER'S NAME (First, Middle, Last)
18. DATE OF BIRTH (Mo. Day. Yr.)
19. BIRTHPLACE (State or Foreign Country)

CERTIFIER

20. I certify that the stated information concerning this delivery is true to the best of my knowledge
Signature: ▶
21. CERTIFIER NAME AND TITLE (Type/Print)
Name: ☐ M.D. ☐ D.O. ☐ Hospital Admin. ☐ Other (Specify)

22. DATE SIGNED (Mo. Day. Yr.)
23. ATTENDANT'S NAME AND TITLE (If other than certifier) (Type/Print)
☐ M.D. ☐ D.O. ☐ C.N.M. ☐ Other Mid-wife ☐ Other (Specify)

DISPOSITION

24. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON ▶
25. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON
26. REGISTRAR'S SIGNATURE ▶
27. DATE FILED (Mo. Day. Yr.)
28. METHOD ☐ Burial ☐ Cremation ☐ Laboratory
29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)

CAUSE OF FETAL DEATH

CONFIDENTIAL INFORMATION

30. Enter only one cause per line for a, b, and c.

PART I. Fetal or maternal condition directly causing fetal death

a. IMMEDIATE CAUSE — Specify Fetal or Maternal

b. DUE TO (OR AS A CONSEQUENCE OF) — Specify Fetal or Maternal

Fetal and/or maternal conditions, if any, giving rise to the immediate cause(s), stating the underlying cause last.

c. DUE TO (OR AS A CONSEQUENCE OF) — Specify Fetal or Maternal

d.

PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying causes given in Part I

31. FETUS DIED BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐
32. WAS AN AUTOPSY PERFORMED? ☐ YES ☐ NO
33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ YES ☐ NO

VS-4R1/88

34. MOTHER MARRIED? (At birth or conception) ☐ Yes ☐ No

CONFIDENTIAL NEITHER MARITAL STATUS NOR THE INFO BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD

	ANCESTRY: French, English, Irish, etc. (Specify below)	RACE: American Indian, Black, White, etc. (Specify below)	EDUCATION (Specify only highest grade completed): Elementary/Secondary (0-12)	EDUCATION: College (1-4 or 5+)	USUAL OCCUPATION PAST YEAR (Specify below)	USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)
MOTHER	35.	36.	37.		38.	39.
FATHER	40.	41.	42.		43.	44.

PREGNANCY HISTORY

PREGNANCY HISTORY (Complete each section)

45. DATE LAST NORMAL MENSES BEGAN (Mo. Day. Yr.)

LIVE BIRTHS	OTHER TERMINATIONS (Spontaneous and induced at any time after conception)
46. Now Living: Number ____ ☐ None	48. (Do not include this fetus): Number ____ ☐ None
Now Dead: Number ____ ☐ None	

46. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)
47. PRENATAL VISIT - Total Number (If none, so state)
50. BIRTH WEIGHT (Specify Unit)
51. CLINICAL ESTIMATE OF GESTATION (Weeks)
52. DATE OF LAST LIVE BIRTH (Month, Year)
53. DATE OF LAST OTHER TERMINATION (Month, Year)
54. PLURALITY - Single, Twin, Triplet, etc. (Specify)
55. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)

MEDICAL AND HEALTH INFORMATION

56. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)
Anemia (Hct. <30/Hgb. <10) a. ☐
Cardiac disease b. ☐
Acute or chronic lung disease c. ☐
Diabetes, gestational d. ☐
Diabetes, pre-existing e. ☐
Genital herpes f. ☐
Hydramnios/Oligohydramnios g. ☐
Hemoglobinopathy h. ☐
Hypertension, chronic i. ☐
Hypertension, pregnancy-associated j. ☐
Eclampsia k. ☐
Incompetent cervix l. ☐
Previous infant 4000 + grams m. ☐
Previous preterm or small-for-gestational age infant n. ☐
Renal disease o. ☐
Rh sensitization p. ☐
Uterine bleeding q. ☐
Other (Specify) r. ☐
None z. ☐

57. OBSTETRIC PROCEDURES (Check all that apply)
Amniocentesis a. ☐
Electronic fetal monitoring b. ☐
Induction of labor c. ☐
Stimulation of labor d. ☐
Tocolytics e. ☐
Ultrasound f. ☐
Other (Specify) x. ☐
None z. ☐

58. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)
Fetal (< 100° F. or 38° C.) a. ☐
Meconium, nuder asphyxia b. ☐
Premature rupture of membrane (>12 hours) c. ☐
Abruptio placenta d. ☐
Placenta previa e. ☐
Other excessive bleeding f. ☐
Seizures during labor g. ☐
Precipitous labor (<3 hours) h. ☐
Prolonged labor (>20 hours) i. ☐
Dysfunctional labor j. ☐
Breech/Malpresentation k. ☐
Cephalopelvic disproportion l. ☐
Cord prolapse m. ☐
Anesthetic complications n. ☐
Fetal distress o. ☐
Other (Specify) y. ☐
None z. ☐

59. CONGENITAL ANOMALIES OF CHILD (Check all that apply)
Anencephalus a. ☐
Spina bifida / Meningocele b. ☐
Hydrocephalus c. ☐
Microcephalus d. ☐
Other central nervous system anomalies (Specify) e. ☐
Heart malformations f. ☐
Other circulatory / respiratory anomalies (Specify) g. ☐
Rectal atresia / stenosis h. ☐
Tracheo-esophageal fistula / Esophageal atresia i. ☐
Omphalocele / Gastroschisis j. ☐
Other gastrointestinal anomalies (Specify) k. ☐
Malformed genitals l. ☐
Renal agenesis m. ☐
Other urogenital anomalies (Specify) n. ☐
Cleft palate / lip o. ☐
Polydactyly / Syndactyly / Adactyly p. ☐
Club foot q. ☐
Diaphragmatic hernia r. ☐
Other musculoskeletal / integumental anomalies (Specify) s. ☐
Down's syndrome t. ☐
Other chromosomal anomalies (Specify) u. ☐
Other (Specify) v. ☐
None z. ☐

60. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)
Tobacco use during pregnancy: Yes ☐ No ☐
Average number cigarettes per day: ____
Alcohol use during pregnancy: Yes ☐ No ☐
Average number drinks per week: ____
Weight gained during pregnancy: ____ lbs.

61. METHOD OF DELIVERY (Check one)
Vaginal a. ☐
Vaginal birth after previous C-section b. ☐
Primary C-section c. ☐
Repeat C-section d. ☐
Forceps e. ☐
Vacuum f. ☐
Other (Specify) x. ☐

SEND THIS SHEET TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333

Table C-3

NAME KNOWN TO PHYSICIAN

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

(118)

State File No.

DECEDENT

1. DECEDENT'S NAME (First, Middle, Last) | 2. DATE OF DEATH (Mo., Day, Yr.) | 3. SEX

4. SOCIAL SECURITY NUMBER | 5a. AGE (Yrs.) - Last Birthday | 5b. UNDER 1 YEAR: Months, Days | 5c. UNDER 1 DAY: Hours, Minutes | 6. DATE OF BIRTH (Mo., Day, Yr.) | 7. BIRTHPLACE (City and State or Foreign Country)

8. WAS DECEDENT EVER IN U.S. ARMED FORCES? ☐ Yes ☐ No

9. PLACE OF DEATH (Check only one; see instructions on other side)
HOSPITAL ☐ Inpatient ☐ ER/Outpatient ☐ DOA
OTHER ☐ Nursing Home ☐ Residence ☐ Other (Specify)

10. FACILITY NAME (If not institution, give street and number) | 11. CITY, TOWN, OR LOCATION OF DEATH | 12. COUNTY OF DEATH

13. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Specify) | 14. MOST RECENT SPOUSE (If wife, give maiden name) ☐ Living ☐ Deceased | 15. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use (retired).) | 16. KIND OF BUSINESS / INDUSTRY

17. DECEDENT'S EDUCATION (Specify only highest grade completed)
Elementary/Secondary (0-12) | College (1-4 or 5+)

18. ANCESTRY - French, English, Irish, etc. (Specify) | 19. RACE - American Indian, Black, White, etc. (Specify)

20. RESIDENCE - STATE | 21. COUNTY | 22. CITY, TOWN, OR LOCATION | 23. STREET AND NUMBER

PARENTS

24. FATHER'S NAME (First, Middle, Last) | 25. MOTHER'S NAME (First, Middle, Maiden Surname)

SAMPLE

INFORMANT

26. INFORMANT - NAME (Type/Print) | 27. MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, ZIP Code)

DISPOSITION

28. METHOD OF DISPOSITION ☐ Entombed ☐ Burial ☐ Cremation ☐ Removal from State ☐ Donation ☐ Other (Specify) _____

29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place) | 30. LOCATION - City or Town, State

31. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON ▶

32. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON | 33. DATE OF DISPOSITION (Mo., Day, Yr.)

CERTIFIER

34. MEDICAL EXAMINER — On the basis of examination and/or investigation, in my opinion, death occurred at the time, date and place and due to the cause(s) and manner as stated.
Signature and Title ▶
35. DATE SIGNED (Mo., Day, Yr.) | 36. VIEWED BODY AFTER DEATH ☐ Yes ☐ No

37. CERTIFYING PHYSICIAN — To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner as stated.
Signature and Title ▶
38. TIME OF DEATH ☐ AM ☐ PM

39. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type/Print) | 40. NAME AND ADDRESS OF CERTIFIER (Type/Print)

41. REGISTRAR'S SIGNATURE ▶ | 42. DATE FILED (Mo., Day, Yr.)

43. WAS AN AUTOPSY PERFORMED? ☐ Yes ☐ No

44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☐ No

45. MANNER OF DEATH ☐ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending Investigation ☐ Could not be determined

46. INJURY AT WORK? ☐ Yes ☐ No

47. DATE OF INJURY (Mo., Day, Yr.) | 48. DESCRIBE HOW INJURY OCCURRED

49. TIME OF INJURY ☐ AM ☐ PM | 50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify)

51. LOCATION (Street and Number or Rural Route Number, City or Town, State)

52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.

Approximate Interval Between Onset and Death

IMMEDIATE CAUSE (Final disease or condition resulting in death.) → a. _____ DUE TO (OR AS A CONSEQUENCE OF):

Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST

b. _____ DUE TO (OR AS A CONSEQUENCE OF):

c. _____ DUE TO (OR AS A CONSEQUENCE OF):

d.

PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.

CONFIDENTIAL INFORMATION

VS3-R3/89

SHADED AREAS FOR MEDICAL EXAMINER USE ONLY

ORIGINAL COPY STATE

Item 9. — Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20–23. — Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34–51 — Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46–51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

Item 52. — Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank. If unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

See examples below.

SAMPLE

43. WAS AN AUTOPSY PERFORMED? ☒ Yes ☐ No

44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☒ Yes ☐ No

45. MANNER OF DEATH: ☒ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending investigation ☐ Could not be determined

46. INJURY AT WORK? ☐ Yes ☐ No

47. DATE OF INJURY (Mo., Day, Yr.)

48. DESCRIBE HOW INJURY OCCURRED

49. TIME OF INJURY ☐ AM ☐ PM

50. PLACE OF INJURY – At home, farm, street, factory, office building, etc. (Specify)

51. LOCATION (Street and Number or Rural Route Number, City or Town, State)

52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.

Approximate Interval: Between Onset and Death

CONFIDENTIAL INFORMATION

IMMEDIATE CAUSE (Final disease or condition resulting in death.)
a. Rupture of myocardium — Mins.
DUE TO (OR AS A CONSEQUENCE OF)

Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST.
b. Acute myocardial infarction — 6 days
DUE TO (OR AS A CONSEQUENCE OF)
c. Chronic ischemic heart disease — 5 years
DUE TO (OR AS A CONSEQUENCE OF)
d.

PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.

Diabetes. Chronic obstructive pulmonary disease, smoking

43. WAS AN AUTOPSY PERFORMED? ☐ Yes ☒ No

44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☒ No

45. MANNER OF DEATH: ☐ Natural ☒ Accident ☐ Suicide ☐ Homicide ☐ Pending investigation ☐ Could not be determined

46. INJURY AT WORK? ☐ Yes ☒ No

47. DATE OF INJURY (Mo., Day, Yr.): 11/15/88

48. DESCRIBE HOW INJURY OCCURRED: 2 car collision—driver

49. TIME OF INJURY: 1:00 ☐ AM ☒ PM

50. PLACE OF INJURY – At home, farm, street, factory, office building, etc. (Specify): Street

51. LOCATION (Street and Number or Rural Route Number, City or Town, State): Route 4, Augusta, Maine

52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.

Approximate Interval: Between Onset and Death

CONFIDENTIAL INFORMATION

IMMEDIATE CAUSE (Final disease or condition resulting in death.)
a. Cerebral laceration — 10 mins.
DUE TO (OR AS A CONSEQUENCE OF)

Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST.
b. Open skull fracture — 10 mins.
DUE TO (OR AS A CONSEQUENCE OF)
c. Automobile accident — 10 mins.
DUE TO (OR AS A CONSEQUENCE OF)
d.

PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.

Table C-4

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
LICENSE AND CERTIFICATE OF MARRIAGE

State File No.

SAMPLE

GROOM

1. GROOM'S NAME (First, Middle, Last)
2. AGE LAST BIRTHDAY
3. RESIDENCE - STREET AND NUMBER
4. CITY, TOWN, OR LOCATION
5. COUNTY
6. STATE
7. BIRTHPLACE (State or Foreign Country)
8. DATE OF BIRTH (Mo., Day, Yr.)
9. FATHER'S NAME (First, Middle, Last)
10. BIRTHPLACE (State or Foreign Country)
11. MOTHER'S NAME (First, Middle, Maiden Surname)
12. BIRTHPLACE (State or Foreign Country)

BRIDE

13. BRIDE'S NAME (First, Middle, Last)
14. MAIDEN SURNAME (If different)
15. AGE LAST BIRTHDAY
16. RESIDENCE - STREET AND NUMBER
17. CITY, TOWN, OR LOCATION
18. COUNTY
19. STATE
20. BIRTHPLACE (State or Foreign Country)
21. DATE OF BIRTH (Mo., Day, Yr.)
22. FATHER'S NAME (First, Middle, Last)
23. BIRTHPLACE (State or Foreign Country)
24. MOTHER'S NAME (First, Middle, Maiden Surname)
25. BIRTHPLACE (State or Foreign Country)

MARITAL STATUS

GROOM		BRIDE	
26. NUMBER OF THIS MARRIAGE	27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED	28. NUMBER OF THIS MARRIAGE	29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED
26. First, Second, etc. Specify	☐☐☐ DEATH / DIVORCE / ANNULMENT — DATE (Mo., Day, Yr.)	28. First, Second, etc. Specify	☐☐☐ DEATH / DIVORCE / ANNULMENT — DATE (Mo., Day, Yr.)

SIGNATURES

First cousins are required by law to obtain a certificate of genetic counseling by a physician.
I HEREBY CERTIFY THAT THE INFORMATION PROVIDED IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT I AM FREE TO MARRY UNDER THE LAWS OF MAINE

30. GROOM'S SIGNATURE ▶
31. BRIDE'S SIGNATURE ▶

LICENSE TO MARRY

ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE NAMED PARTIES UNDER THE LAWS OF MAINE

32. DATE INTENTIONS FILED (Mo., Day, Yr.)
33. DATE LICENSE ISSUED (Mo., Day, Yr.)
34. LICENSE VALID UNTIL (Mo., Day, Yr.)
35. SIGNATURE OF ISSUING CLERK ▶
36. CITY OR TOWN OF ISSUE

THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE

CEREMONY

37. I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON (Mo., Day, Yr.)
38. WHERE MARRIED - CITY, TOWN, OR LOCATION
39. COUNTY
40. SIGNATURE OF PERSON PERFORMING CEREMONY ▶
41. NAME (Type/Print)
42. TITLE
43. DATE OF COMMISSION OR LICENSE (Mo., Day, Yr.)
44. MAILING ADDRESS OF PERSON PERFORMING CEREMONY
45. WITNESS TO CEREMONY (Type/Print Name)
46. WITNESS TO CEREMONY (Type/Print Name)

CLERK

47. REGISTRAR'S SIGNATURE ▶
48. DATE FILED (Mo., Day, Yr.)

VS—2R7/88

CONFIDENTIAL: THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD

GROOM'S RACE	GROOM'S EDUCATION - Specify only highest grade completed:		BRIDE'S RACE	BRIDE'S EDUCATION - Specify only highest grade completed:	
49. American Indian, Black, White, etc. Specify	50. Elementary/Secondary (0-12)	College (1-4 or 5+)	51. American Indian, Black, White, etc. Specify	52. Elementary/Secondary (0-12)	College (1-4 or 5+)

COPY STATE

Table C-4

CONSENT OF PARENTS OR GUARDIAN

CONSENT FOR BRIDE

WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR DAUGHTER OR WARD

TO

SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN
SIGNED BEFORE ME	CLERK OR DEPUTY	TOWN

CONSENT FOR GROOM

WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR SON OR WARD

TO

SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN
SIGNED BEFORE ME ON	CLERK OR DEPUTY	TOWN

SAMPLE

DISSOLUTION OF FORMER MARRIAGE

GROOM	DIVORCE NAME OF FORMER SPOUSE	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT NAME OF FORMER SPOUSE	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH NAME OF FORMER SPOUSE	DATE OF DEATH	PLACE OF DEATH
BRIDE	DIVORCE NAME OF FORMER SPOUSE	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT NAME OF FORMER SPOUSE	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH NAME OF FORMER SPOUSE	DATE OF DEATH	PLACE OF DEATH

Table C-5

Form VS-5 R-77?

State File No.

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	LAST
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE - CITY OR TOWN AND STATE		6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE ☐ ANNULMENT ☐	8. PLAINTIFF HUSBAND ☐ WIFE ☐	9. DECREE GRANTED TO HUSBAND ☐ WIFE ☐
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR JUDGEMENT	

MINOR CHILDREN	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
Use Reverse Side for Additional Names			

CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

SAMPLE

Table C-6

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES

REPORT OF TERMINATION OF PREGNANCY (Spontaneous and Induced) **(20)** STATE FILE NUMBER

1. FACILITY NAME *(If not clinic or hospital, give address)*	2. LOCATION OF PREGNANCY TERMINATION — COUNTY — CITY OR TOWN	3. PATIENT MARRIED? ☐ YES ☐ NO ☐ UNKNOWN
4. DATE OF PREGNANCY TERMINATION *(Month, Day, Year)*	5. AGE OF PATIENT	6. RESIDENCE OF PATIENT — STATE — COUNTY — CITY OR TOWN
7. PATIENT'S ANCESTRY French, English, Irish, etc. *(Specify Below)*	8. RACE ☐ American Indian ☐ Black ☐ White ☐ Other *(Specify)* _____	9. EDUCATION *(Specify only highest grade completed)* Elementary/Secondary *(0-12)* — College *(1-4 or 5+)*

SAMPLE

10. DATE LAST NORMAL MENSES BEGAN *(Month, Day, Year)*	11. CLINICAL ESTIMATE OF GESTATION *(Weeks)*	PREVIOUS PREGNANCIES *(Complete each section)*	
		LIVE BIRTHS	OTHER TERMINATIONS *(Do not include this termination)*
		12. Now Living: Number _____ ☐ None; 13. Now Dead: Number _____ ☐ None	14. Spontaneous: Number _____ ☐ None; 15. Induced: Number _____ ☐ None

TERMINATION PROCEDURES

PROCEDURE THAT TERMINATED PREGNANCY *(Check only one)*

16. **TYPE OF TERMINATION PROCEDURES**

ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY *(Check all that apply)*

☐	SPONTANEOUS TERMINATION — NOT APPLICABLE	
☐	Suction Curettage	☐
☐	Sharp Curettage	☐
☐	Dilation and Evacuation (D&E)	☐
☐	Intra-Uterine Saline Instillation	☐
☐	Intra-Uterine Prostaglandin Instillation	☐
☐	Hysterotomy	☐
☐	Hysterectomy	☐
☐	Other (Specify) _____	☐

17. SIGNATURE OF ATTENDING PHYSICIAN	18. NAME OF PERSON COMPLETING REPORT *(Type/Print)*
>	

VS4A-R1 88

TABLE E-1

ESTIMATED TOTAL POPULATION
MAINE COUNTIES AND STATE TOTAL, - JULY 1, 1989

COUNTY	ESTIMATED RESIDENT POPULATION JULY 1, 1989
STATE TOTAL	1,216,052
ANDROSCOGGIN	104,174
AROOSTOOK	85,036
CUMBERLAND	242,652
FRANKLIN	28,839
HANCOCK	46,281
KENNEBEC	114,941
KNOX	35,777
LINCOLN	29,729
OXFORD	52,040
PENOBSCOT	145,132
PISCATAQUIS	18,560
SAGADAHOC	33,029
SOMERSET	49,248
WALDO	32,230
WASHINGTON	35,196
YORK	163,188

SOURCE: WELCH, D. POPULATION ESTIMATES FOR MINOR CIVIL DIVISIONS BY COUNTY MAINE: 1989. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES. JULY, 1990.

TABLE E-2

PROJECTED POPULATION BY AGE GROUP AND SEX
MAINE STATE TOTALS, - JULY 1, 1989

AGE GROUP (YEARS)	PROJECTED RESIDENT POPULATION JULY 1, 1989		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	587,450	625,160	1,212,610
UNDER 1	9,167	8,634	17,801
1-14	124,413	117,546	241,959
15-24	90,970	89,680	180,650
25-34	99,150	99,750	198,900
35-44	85,700	86,200	171,900
45-64	110,200	120,800	231,000
65-74	41,580	53,710	95,290
75-84	20,560	35,640	56,200
85 AND OLDER	5,710	13,200	18,910

SOURCES: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY, MAINE: 1989-1998. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY, 1990

Table H-1

HISTORICAL VITAL STATISTICS DATA

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS

MAINE STATE TOTALS, 1900-1955 (Every Fifth Year) and 1955-1989 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate[d]	Neonatal Death Rate[d]	Fetal Death Rate[d]	Marriages	Divorces
1900	694,466	14,095	20.3	11,38[illegible]	16.4	267.5	-	43.6[a]	5,482	301
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5[a]	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5[a]	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3[a]	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8[a]	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9[a]	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6[a]	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8[a]	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1[a]	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4[a]	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4[a]	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8[a]	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3[a]	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2[a]	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1[a]	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7[a]	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5[a]	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1[a]	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3[a]	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4[a]	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5[a]	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0[a]	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1[a]	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0[a]	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8[a]	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8[a]	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2[a]	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2[a]	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3[a]	11,925	4,591
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9[b]	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8[b]	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3[b]	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6[b]	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9[b,c]	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2[b,c]	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1[b,c]	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7[b,c]	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9[b,c]	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5[b]	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8[b]	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0[b]	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9[b]	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7[b]	12,124	5,878
1988	1,205,900	17,166	14.2	12,553	9.5	7.9	5.1	6.3[b]	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6[b]	11,894	5,469

Notes: [a]Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

[b]Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

[c]Occurrence data.

[d]Rate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Table H-2

HISTORICAL VITAL STATISTICS DATA

Induced Terminations of Pregnancy, Number and Rate:
Maine State Totals, 1978-1989

Year	Births	Induced Terminations	Induced Terminations per 1,000 Live Births
1978	15,919	4,011	252.0[a]
1979	16,435	3,963	241.1[a]
1980	16,474	3,594	218.2[b]
1981	16,567	2,881	173.9[b]
1982	16,695	2,419	144.9[b]
1983	16,576	3,279	197.8[b]
1984	16,631	3,767	226.5[b]
1985	16,905	3.784	223.8[b]
1986	16,717	3,521	210.6[b]
1987	16,727	3,698	221.1[b]
1988	17,166	3,818	222.4[b]
1989	17,464	3,921	224.5[b]

Notes: Data prior to 1978 not given because of severe underreporting.

[a]Occurrence data.
[b]Residence data.

Office of Data, Research, and Vital Statistics
32 Winthrop Street
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333-0011

-Special Fourth Class-
Book Rate